

LARGEST CIRCULATION OF ANY MECHANICAL PUBLICATION IN THE WORLD

This Issue
65,000

NOVEMBER, 1905

VOL. VII. NO. 11

Price
10 cts.

POPULAR MECHANICS

WRITTEN SO YOU CAN UNDERSTAND IT



DISCOVERY MAY REVOLUTIONIZE
THE MANUFACTURE OF ICE

COLD AIR TO BE PIPED INTO
HOUSES LIKE GAS

BIG STREAMS TO FIGHT FIRES

HOW VENEERS ARE MADE

FIRST INTERURBAN AUTO-LINE

HOW MANILA ROPE IS MADE

MACHINE MAKES 300 PIES AN
HOUR

GASOLINE-ELECTRIC 'BUS IN NEW
YORK

SPECIAL OFFER

In order to complete the installation of machinery for milling our Sugar Cane, we offer for a short time only, a limited number of Plantation Certificates at \$100 each. The regular price is \$140, for which they have been selling. We have 150 acres of Sugar Cane ready to grind Jan. 1, our mill is bought but not all paid for. To pay for it at once we make this **Special Offer**. There are **large profits** to be made from Sugar Cane, in which these certificates will share. Aside from cane, we are cultivating rubber, oranges and other products, besides raising cattle and hogs, in all of which there is big money. Some of this **money will be yours, if you act now**. Our proposition is safe and sound, bank and other references furnished. Send in your order at once, checks on your bank accepted. Address

PAN-AMERICAN PLANTERS CO.
ASSOCIATION BUILDING, CHICAGO

N. B. As a special inducement to readers of "Popular Mechanics," we will make a special discount of 5 per cent, making each certificate cost only \$95.00 instead of \$100, provided your order is received before Nov. 15th and you mention this magazine when you write.

Tools & Hardware ^{of} QUALITY



No. 52 Complete as Illustrated \$10.00
A Solid oak brass-trimmed, highly finished cabinet with 24 of the finest quality standard carpenters' tools.

Our lines include Builders', Cabinet and Piano Hardware, Bolts, Screws, Nuts and Factory Supplies and all kinds of Small Tools for Wood and Metal Workers (also Benches and Tools for Manual Training). We deal with consumers direct and invite correspondence

We Also Make the Following Outfits

No. 51, 14 Tools.....	\$ 5.00
No. 53, 36 Tools.....	15.00
No. 54, 40 Tools.....	20.00

No. 100 Combination Bench and Tool Cabinet (95 Tools), \$85.00

Our prices are f. o. b. New York, giving the best tools made (instead of cheap tools, and paying the freight)

Special Tool Outfit Catalogue No. 1830 illustrates and describes all Five Outfits. Send for Copy.

We issue many Special Catalogues, among which are the following:

- No. 1831, Wood-Carvers' Tools
- No. 1832, Clay Modeling and Plaster Carving Tools
- No. 1833, Venetian Iron and Tools
- No. 1834, "Tourist" Autokit

The "Tourist" Autokit is made up of the very best selected tools obtainable and is the highest type of repairing outfit for road use. The "Tourist" is especially arranged with reference to its quality and utility, and embodies every possible permanent and emergency value that can be included in a kit of this size.

Hammacher, Schlemmer & Co.

Hardware, Tools, Supplies and Piano Materials

New York, Since 1848

4th Ave. and 13th St., Block South of Union Square.

NOVEMBER, 1905.

Popular Mechanics

100 WASHINGTON STREET

JOURNAL BUILDING, CHICAGO, U. S. A.

H. H. WINDSOR.....EDITOR

SUBSCRIPTION, \$1.00 PER YEAR

MAILED POSTAGE FULLY PREPAID TO ANY
ADDRESS IN THE WORLD

All subscriptions are discontinued at expiration
Please examine the date printed on your wrapper

Published Monthly by POPULAR MECHANICS COMPANY
Entered as mail matter of the second class at the postoffice at Chicago, Ill.

Eastern Advertising Office: 116 Nassau St., New York

CONTENTS.

A SEA OF FIRE.....	1103
Air Ship in Chicago.....	1104
Telephone Beats Cyclone—Saves Lives.....	1104
INTERURBAN AUTO LINE.....	1105
MACHINE MAKES 300 PIES AN HOUR.....	1106
The Gas Engineer.....	1106
GASOLINE-ELECTRIC 'BUS FOR NEW YORK.....	1107
FILTERED BREATH FOR MINERS.....	1108
Rattlesnake Stops an Auto.....	1108
BIG STREAMS TO FIGHT FIRES.....	1109
Water Compresses Air.....	1110
VARIABLE EXHAUST FOR LOCOMOTIVES.....	1110
Turbine Battleship for British Navy.....	1110
A Sawdust Hill.....	1111
Rubber Tire Protector.....	1111
SIXTEEN THOUSAND HORSEPOWER FEED WATER HEATER.....	1111
BATTLESHIP "NEW HAMPSHIRE".....	1112
Minerals in the Philippines.....	1112
MODERN MANUFACTURE OF VENEERS.....	1113
To Keep Sheep in a Field.....	1115
How Binder Twine Happened.....	1115
DISCOVERS SECRET OF THE NORTH POLE.....	1116
The "Bedbug" Special.....	1119
Front Wheel Auto Drive.....	1119
The Get-Together Idea.....	1119
STORAGE BATTERY LOCOMOTIVE.....	1120
SIMPLE STEAM GRADER.....	1120
Forty-two Story Hotel Planned.....	1120
The "Mikasa" Disaster.....	1121
Telephones for Lost Alpine Travelers.....	1121
CRANKSHAFT INGOT WEIGHED 126 TONS.....	1121
Prize Automobile Decoration.....	1122
LIGHT STATION CONSTRUCTED ON TER- RIBLE MILE ROCK.....	1123
Why Popcorn Pops.....	1124
The Telemobiloskop.....	1124
HOW MANILA ROPE IS MADE.....	1125
Use of Acetylene in France.....	1128
ENGINES CROSS RIVER ON AERIAL TRAMWAY.....	1146

Compressed Air Tunnel Sweeper.....	1146
DYNAMITE SHIP BLOCKS SUEZ CANAL.....	1146
CRAFT THAT TRAVELS ON WATER, LAND OR ICE.....	1147
Gasoline-Driven River Boats.....	1147
CHEMISTRY FOR MECHANICS—PART III.....	1148
HOW A TELEGRAPH CABLE IS LANDED.....	1151
MECHANICS FOR YOUNG AMERICA— Another Electric Motor.....	1152
Use for an Old Clock.....	1152
To Make an Electric Piano.....	1153
How to Make a Telegraph Instrument and Buzzer.....	1153
ONE-MAN ENGLISH MOTOR 'BUS.....	1154

SHOP NOTES.

Substitute for Pipe Wrench.....	1129
To Test Turpentine.....	1129
Substitute for an Offset File Handle.....	1129
Home-Made Steam Whistle.....	1129
Improved Home-Made Anvil Block.....	1130
How to Demagnetize a Saw.....	1130
Cheap Shears for Cutting Tin.....	1130
Capacity of a Hopper.....	1130
Trouble Alarm for Gas Lighting System.....	1131
Scaffold Bracket for a Ladder.....	1134
To Drive Files from the House.....	1134
To Detect Grounds and Shorts.....	1135
A Method of Cleaning Rusty Pipe.....	1135
Home-Made Gasoline Torch.....	1135
How to Make Yourself a Desk.....	1136
Washing Waste.....	1136
An Inexpensive Jack.....	1137
Home-Made Wheat Heater for a Mill.....	1138
Convenient Stencil Holder.....	1138
To Dress Up a Hexagon.....	1138
To Fireproof Paper.....	1139
Connecting Up an Alarm Clock to Ring an Electric Bell.....	1139
Home-Made Screw Driver and Nail Punch.....	1139
Linseed Oil as Flux in Tinning Roofs.....	1139
Ring Wiring and Distribution.....	1140
Sand the Second Coat of Paint.....	1140
Hand-Packer for Sacking Flour.....	1140
Method of Winding Coils.....	1141
To Find How Much Grain Any Bin Will Hold.....	1141
How to Preserve Posts.....	1141
How to Heat Large Bodies of Water.....	1141
Hydrofluoric Acid vs. Sulphuric Acid for Pick- ling Cast Iron.....	1142
Made a Washer of a Key.....	1142
How to Tie a Jury-mast Knot.....	1143
Pipe-Cleaning Machine.....	1143
Removing Keys from Valve Stems and Shafts.....	1144
Said to Cure Felon.....	1144
How a Gas Engine Talks.....	1144
Gaskets for Cylinder Heads.....	1145

ALL the articles which have appeared during the present year in the Shop Notes Department will be reprinted in Book Form, and ready for delivery December 15. In ordering specify "Shop Notes for 1906." Price 50 cts., express prepaid

This One



THE INVENTION OF THE 20th CENTURY


Now offered for the first time to those interested.

**A TOOL CHEST
in your Vest
Pocket.**

**Always at hand--
Never in the way.**

A Combination of

An Outside Caliper, an Inside Caliper, a Divider, a Straight Edge, an Angle Edge, a Depth Gauge, a Try Square, a Center Square, an Angle Protractor, a Center Gauge; many other combinations too numerous to mention.



FULL SIZE.

Machinists! Tool Makers, Pattern Makers, Draughtsmen, Electricians, Everybody!!

This new, scientific, yet simple device for taking measurements, the

Wiet-Goethe Combination Gauge

\$1.00 Would be marvelously cheap for this instrument, yet we give it to you— **FREE**

Were you ever, while performing some mechanical work, confronted by almost insurmountable difficulties because you did not have the proper tool to take measurements?

Get This Wonderful Gauge Made of superior steel, thoroughly tested as to its accuracy, no expense spared or workmanship or material. Constant and novel uses under all circumstances. Solves all the different and difficult problems in shops and elsewhere.

Complete in neat Leatherette Case with Metal Trimmings.

HERE IS A SPECIAL OFFER. READ IT.

We want to increase the Subscription List to our Monthly Journal.

MODERN MACHINERY The foundation of civilization rests on inventions of new machinery. To keep abreast of mechanical progress should be the aim of every intelligent man. Our publication keeps you informed, and it is written so all can understand it, and the best illustrated of its class. **MODERN MACHINERY costs \$1.00 a year.** We want to get you started reading this paper regularly, and therefore make you this offer.

Send us your subscription, at once, enclosing \$1.00, and we will mail you **MODERN MACHINERY** every month for one year, and a **WIET-GOETHE COMBINATION GAUGE FREE** at once. If not just as represented, send the gauge right back and we will refund your money. Don't delay accepting this proposition; write to-day. Remember, money back tomorrow if dissatisfied.

If you are at present a subscriber to **MODERN MACHINERY** you may take advantage of our offer, and we will extend your subscription one year ahead from present date of expiration.

Modern Machinery Publishing Co., Security Bldg., Chicago, Ill.

COUPON

MODERN MACHINERY PUBLISHING CO., 1333 Security Building, Chicago. Date _____

Gentlemen:—Enclosed find \$1.00 for which please send me **MODERN MACHINERY** for one year, and also send me one **WIET-GOETHE COMBINATION GAUGE FREE** as advertised in Popular Mechanics. It is understood that if I am dissatisfied that I may return the gauge and my money will be refunded.

STARRETT TOOLS

are the recognized standard for accuracy, workmanship, design and finish. Whether you use tools to earn your daily bread or for amusement and relaxation from a different vocation, it pays to use GOOD tools. You get a better quality of bread and a good deal more pleasure.




L. S. STARRETT

USE STARRETT TOOLS

We make hundreds of different tools. Ours is the largest plant in the world where nothing but fine mechanical tools are made. All these tools are fully described and illustrated in our Catalogue No. 17AP, which you may have by sending us your address. There is a good deal of valuable information in its 176 pages which it will pay anyone who uses tools

to have.

THE L. S. STARRETT COMPANY
ATHOL, MASS., U. S. A.



SMALL REFRIGERATING PLANTS

FOR THE
HOUSEHOLD, RESTAURANTS,
HOTELS, SALOONS, ETC.

SOMETHING OF A NOVELTY in the way of a small electrically operated refrigerating machine for the household which may be used for supplying a refrigerator box with dry cold air, and also for the purpose of manufacturing ice from sterilized or otherwise purified water. The machine has a **refrigerating capacity** equal to the melting or the use of **200 pounds of ice a day**. It is **automatic** and is as **free from complications** as it is possible to make a machine of this character. It is **installed** on

the same base as the refrigerator, becoming part of it, so that the **entire plant** is shipped as a unit, it being only necessary to connect the power and water when it is ready to operate.

The machine is **especially adapted** to motor drive, and may be operated by a **one-half horse-power electric motor**, any motive power however may be employed. When operated for 10 or 12 hours each day it will manufacture **10 pounds of hygienic ice**, besides refrigerating two storage compartments to a temperature of thirty-five to thirty eight degrees Fahrenheit. You secure **lower** and more **even temperatures** at **less** cost than using ice.

Manufactured by the
BRUNSWICK REFRIGERATING COMPANY,
NEW BRUNSWICK, N. J.

Mechanical Engineering Technical

BOOKS

You can get any book published on Mechanics, Engineering, Electricity, Steam, Fuels, Metal or Woodworking, and all the Individual Trades and Professions, in fact any book on any subject, published in this country or Europe, that is obtainable, through the

Popular Mechanics Book Dept.

In every case we prepay in full all mailing or express charges.

Any book desired can be earned by securing one or more subscribers to Popular Mechanics. State book wanted and we will advise you how many subscribers will secure it. This is a very easy way to get the best books.

ENGINEERING

GAS ENGINES. With Instructions for Care and Working of the Same. By G. Lieckfield; translated by Geo. Richmond. 120 pages; illustrated; 12mo.; cloth. Price, \$1. To which has been added full directions for the management of oil engines.

TRACTION ENGINE ITS USE AND ABUSE. By James H. Maggard. Small 12mo.; cloth; illustrated. Price, \$1. Revised and enlarged by an expert engineer. Deals in detail with the principles and parts of a traction engine; directions for starting an engine; use of gauge, try cocks, pumps, governor, slide valve, etc.; water supply; the boiler, its care and management; methods of a good fireman; the engine; handling a traction engine. The book is teeming with practical points and suggestions put in very simple language and very effective manner. It should be in the hands of every man who runs a traction engine. The farmer and creamery operator, especially, should not be without it.

HANDBOOK OF MODERN STEAM FIRE-ENGINES. (Roper's Engineers' Handy Book series.) Price, \$3.50. The only book of the kind ever published in this country. Contains descriptions and illustrations of all the best types of steam fire-engines, and fire pumps, injectors, pulsometers, inspirators, hydraulic rams, etc.; and treats more extensively of Hydraulics than any other book on the market.

SIMPLE PROCESS FOR ESTIMATING THE HORSE POWER OF STEAM ENGINES. By Edwin R. Keller, M. E. New edition. Price, 50c. Contains various methods of estimating and calculating the horse power of boilers and engines and ascertaining the power required to run line shafts, individual machines, etc., etc.

MODERN MACHINE SHOP TOOLS. By W. H. Vandervoort. Large 8vo. 555 pages; 673 illustrations; cloth. Price, \$4. Just out, this "master-piece of the machine shop," no machinist can afford to be without it. Treats the subject of Modern Machine Shop Tools in a concise and comprehensive manner. Each tool is considered from the following points: First—its construction with hints as to its manufacture; second—its operation, proper manipulation and care; third—numerous examples of the work performed. A book in which the apprentice will find a thorough course of instruction, the mechanic a valuable manual of practice and the superintendent and foreman many valuable suggestions. In fact, it is in all respects the most complete, concise and useful work ever published on the subject. Of incalculable value as a work of reference. In 34 chapters.

PRACTICAL GAS ENGINEER. What It Is and How To Do It. Cloth. Price, \$1.

RECORD BOOK—VALVE SETTING. By A. B. Low. 120 pages; quarto; stiff covers. Price, 60c. For the use of marine engineers.



WATER WHEELS. By A. B. Cullen. 63 pages; 12 plates; quarto; cloth. Price, \$2. Of all the books on Pumps and Hydraulic Motors this is one of the

most practical. Treats of the construction of horizontal and vertical water wheels.

COMPRESSED AIR: ITS PRODUCTION, USES AND APPLICATIONS. By Gardner D. Hiscox, M. E. 4th edition, revised and enlarged; 520 pages; 545 illustrations; cloth. Price, \$5. The most thorough and comprehensive treatise on the subject of compressed air that has ever been published. Well printed and substantial. No phase of the subject is omitted. Is a complete compendium in 36 chapters, valuable for reference and for study. Contents: The physical and operative properties of air from a vacuum to its liquid state; its thermo-dynamics; compression, transmission and uses as a motive power in operation of stationary and portable machinery in engineering, mining and manufacturing work; air tools; air lifts; pumping of water, acids and oils; the air blast for cleaning and painting; the sand blast and its work; and the numerous appliances in which compressed air is a most convenient and economical transmitter of power for mechanical work, railway propulsion, refrigeration and the various uses to which compressed air has been applied. Contains a list of patents on compressed air from 1875 to date, and 40 tables of the physical properties of air, its compression, expansion and the volumes required for various kinds of work.

ELECTRICAL ENGINEERING FOR ELECTRIC LIGHT ARTISANS AND STUDENTS. By Slingo and Brooker. 346 illustrations; 12mo. Price, \$3.50. This new and revised edition contains all data and formulae relating to this branch of electrical application.

ENGINEERS' PRACTICAL TEST. Actual size, 6x4½ inches; stiff silk cloth. Price, \$1. A guide for all men in or about power plants. Indispensable to engineers, mechanics, machinists, firemen, etc. Tells how boilers and engines should be managed. All about gas engines, engineers' license examination questions and answers.



MECHANICAL ARTS SIMPLIFIED. By D. B. Dixon, comp. 497 pages; actual size, 8¼x5¼ inches; illustrations. Price, \$1.50. With an appendix containing a thorough electrical department, an exhaustive treatise on ice making and a large collection of miscellaneous practical examples. A thorough and original reference book for architects, iron workers, boiler-makers, contractors, civil and mechanical engineers, firemen and ice machine men.

WE CAN FURNISH ANY MECHANICAL BOOK PUBLISHED.

BOOKS OF TABLES. BOOKS OF RECEIPTS

ROPP'S NEW CALCULATOR. 200 pages. Actual size, 5½x9½ inches. Cloth. Price, \$1.50. Pocket size, \$1.00. Sustains the same relation to the commercial world that the new Century Dictionary does to the literary world. Fully abreast with



the age of air ships, submarine boats and wireless telegraphy. Designed for and adapted to the particular wants of bankers, accountants, mechanics, farmers, manufacturers, merchants, miners, etc., etc., and must prove of incalculable value to them—unless the book itself can calculate its own worth—for it calculates almost everything that is calculable.

QUESTIONS AND ANSWERS. Based upon the Standard Code of Train Rules. By G. E. Collingwood, Ed. Revised edition. 80 pages. Diagrams. Cloth. Price, \$1. Intended for use in the examination of trainmen. The general rules, train rules, train orders, and the whole handling of trains is set forth in so simple and at the same time comprehensive manner that a careful reading of the book will fit any one with sufficient knowledge to meet any contingency that may arise in the conduct of a train. Endorsed by high railway officials from all sections of the country. Every transportation man should have a copy.

FERRIC AND HELIOGRAPHIC PROCESS: A Handbook for Photographers, Draughtsmen and Sun Printers. By George E. Brown. 149 pages. Diagrams. Cloth. Price, \$1. For architects, surveyors, draughtsmen, engineers and others who find the reproduction of tracings a matter of everyday necessity. It embraces: The ferro-prussiate process, toning blue prints, uses of blue prints; ferro-prussiate in tri-color work; the kallotype process; the Obernetter process; the wraotype process; prints on fabrics, prints in dyes; heliographic processes compared; preparation of heliographic papers, making tracings for sun-copying; outfit for heliographic printing; ferro-prussiate or white line on blue ground; pellet or blue line on white ground; ferro-gallie, or black line on white ground; brown line on white ground; minor heliographic processes. A comprehensive little bibliography at the end of the volume and an index add greatly to its value and interest.

THE LOCOMOTIVE UP TO DATE. By Charles McShane. 736 pages. 380 illustrations. Cloth. Price, \$2.50. Covers the whole range of locomotive construction and management down to the present day, including its latest development and all modern appliances, together with a classification and comparison of all kinds of locomotives, both simple and compound. It is a book culled from the mechanical books and papers of the world and so contains all the really valuable information to be found in a complete mechanical library. Every subject is fully illustrated and the descriptions given of all new devices were prepared by the inventors themselves. The contents include: Compound locomotives; combustion; air brake; breakdowns; locating blows and pounds; incrustation; injectors; inspirators and boiler checks; slide valves; valve gears; errors by the link motion; locomotive valve setting; steam indicator; modern locomotives; extraordinary fast runs; lubricators; metallic packings; general information; locomotive construction-erecting department; machine work; metric system; steam and air gauges; compressed air; modern counter-balancing and the history of the locomotive.

ONE THOUSAND POINTERS for Machinists and Engineers. By Charles McShane. 342 pages. 187 illustrations. Cloth. Price, \$1.50. Includes articles from the best authorities on each subject.

Embraces the most modern and approved practice in the construction, care and economical management of the locomotive. Written in plain language and condensed form, no mathematical demonstrations being given or required.

JOHNSON'S HANDY MANUAL. Price, \$1. An authority on steam, hot-water heating and ventilating, plumbing and gas fitting. A valuable reference book for architects, those in pipe trades, engineers, janitors and those intending to install or alter heating or plumbing systems. All kinds of measurements arranged in tables. Fully illustrated with cuts and complete working plans.

FIFTY-CENT SERIES

HANDICRAFT SERIES—A Series of Practical Manuals. Edited by Paul N. Hasluck. Price, each, 50c.

BOOT-MAKING AND MENDING. Including repairing, lasting and finishing. Illustrated. 179 engravings and diagrams. Price, 50c. Contents: Repairing heels and half-soleing; patching boots and shoes; re-welting and re-soleing; boot-making; lasting the upper; sewing and stitching; making the heel; knifing and finishing; making riveted boots and shoes.

Others of the set are:

HOUSE DECORATION. Price, 50c.

HOW TO WRITE SIGNS, TICKETS AND POSTERS. Price, 50c.

WOOD FINISHING. Price 50c.

DYNAMOS AND ELECTRIC MOTORS. Price, 50c.

CYCLE BUILDING AND REPAIRING. Price, 50c.

DECORATIVE DESIGNS OF ALL AGES FOR ALL PURPOSES. Price, 50c.

MOUNTING AND FRAMING PICTURES. Price, 50c.

SMITH'S WORK. Price, 50c.

GLASS WORKING BY HEAT AND ABRASION. Price, 50c.

BUILDING MODEL BOATS. Price, 50c.

ELECTRIC BELLS: HOW TO MAKE AND FIT THEM. Price, 50c.

BAMBOO WORK. Price, 50c.

TAXIDERMY. Price, 50c.

TAILORING. Price, 50c.

PHOTOGRAPHIC CAMERAS AND ACCESSORIES. Price, 50c.

OPTICAL LANTERNS. Price, 50c.

ENGRAVING METALS. Price, 50c.

BASKET WORK. Price, 50c.

BOOKBINDING. Price, 50c.

BENT IRON WORK. Price, 50c.

PHOTOGRAPHY. Price, 50c.

UPHOLSTERY. Price, 50c.

READY SHORTLY.

LEATHER WORKING. Price, 50c.

HARNESS MAKING. Price, 50c.

SADDLERY. Price, 50c.

TECHNICAL INSTRUCTION. Important new series. Edited by Paul N. Hasluck. With numerous illustrations of the text. Each book contains about 160 pages. Crown 8vo. Cloth. Each, \$1.

PRACTICAL DRAUGHTSMAN'S WORK. Price, \$1.

PRACTICAL GASFITTING. Price, \$1.

PRACTICAL STAIRCASE JOINERY. Price, \$1.

PRACTICAL METAL PLATE WORK. Price, \$1.

PRACTICAL GRAINING AND MARBLING. Price, \$1.

OTHER VOLUMES IN PREPARATION.

SPON'S MECHANICS' OWN BOOK. 702 pages. 1420 illustrations. Half leather. Price, \$2.50. General method of treatment of each subject is first, the raw materials worked upon, its characteristics, variations and suitability; secondly, the tools used, the sharpening and use; thirdly, devoted to typical examples of work to be done, materials and how to do similar work. Nearly all of the mechanical trades are here included and some of the professions.

FOR SALE BY POPULAR MECHANICS, JOURNAL BUILDING CHICAGO.

WE CAN FURNISH ANY MECHANICAL BOOK PUBLISHED.

VAN NOSTRAND SCIENCE SERIES. 16mo. Boards. 50c. each. Ample illustrated when the subject demands. Put up in a uniform, neat and attractive manner. Subjects are of an eminently scientific character and embrace a wide range of topics. The following citations may be noted as types of this notable set:

CHIMNEYS FOR FURNACES AND STEAM BOILERS. R. Armstrong, C. E. 3rd American edition. Revised and partly re-written, with an appendix on "Theory of Chimney Draught," by F. Idell, M. E.

STEAM BOILER EXPLOSIONS. By Zerah Colburn. New edition. Revised by Prof. R. H. Thurston. Price, 50c.

FATIGUE OF METALS UNDER REPEATED STRAINS. Price, 50c. With Various Tables of Results and Experiments. From the German of Prof. Ludwig Spangenberg, with a preface by S. T. Shreve, A. M.

TRANSMISSION OF POWER BY WIRE ROPES. Price, 50c. By Albert W. Stahl, U. S. N. Second edition. Revised.

TRANSMISSION OF POWER BY COMPRESSED AIR. Price, 50c. By Albert Zahner, M. E. New edition in press.

GAS-LIGHTING AND GAS-FITTING. Specifications and Rules for Gas-Piping. Price, 50c. Notes on the Advantages of Gas for Cooking and Heating, and Useful Hints to Gas Consumers. 2nd edition. Re-written and enlarged. By Wm. Paul Gerhard, C. E.

TWENTY-FIVE CENT SERIES

STUDY OF ELECTRICITY FOR BEGINNERS. Comprising the Elements of Electricity and Magnetism as applied to Dynamos, Motors, Wiring, and to all Branches of Electrical Work. By Norman Schneider. 54 illustrations and 6 tables. Price, 25c.

DRY BATTERIES. Especially adapted for Automobile, Launch and Gas Engine Work; Medical Coils, Bells, Annunciators, Burglar Alarms, Telephones, Electrical Experiments, and all purposes requiring a good battery. 30 illustrations. 25c.

SMALL ELECTRIC MOTORS. How to make and use them, including design, examples of small motors and their applications, speed controllers, starters, fuses, etc. 48 illustrations. Price, 25c.

SIMPLE SCIENTIFIC EXPERIMENTS. How to perform entertaining and instructive experiments with simple home-made apparatus. 59 illustrations.

MODEL BOILER MAKING. Contains full instructions for designing and making Model Stationary, Marine and Locomotive Boilers. Fully illustrated. Price, 25c.

METAL WORKING TOOLS AND THEIR USES. A Handbook for Young Engineers and Apprentices. Shows how to use simple tools required in Metal Working and Model Making. Illustrated. 25c.

THE LOCOMOTIVE, SIMPLY EXPLAINED. A first introduction to the study of the Locomotive Engine, their Design, Construction and Erection, with a short catechism. 26 illustrations. 25c.

ACETYLENE GAS, HOW TO MAKE AND USE IT. A practical handbook on the uses of Acetylene Gas, suitable apparatus for its generation, hints on fitting up, etc. 34 illustrations. Price, 25c.

JOINT WIPING. Practical hints on, for beginners in plumbing, describing in detail the various operations and fully illustrating them from actual work. Price, 25c.

WOODWORK JOINTS. How to make and where to use them. Mortise and tenon joints, lap joints, dovetail joints, glue joints, scarfing joints, circular work, with 137 illustrations. Price, 25c.

DIAGRAM OF THE CORLISS ENGINE. A large engraving giving full particulars. Explanation of figures. 13x19 in. Price, 25c.

ELECTRICAL CIRCUITS AND DIAGRAMS. Illustrated and explained. New and original drawings comprising Alarms, Annunciators, Automobiles, Bells, Dynamos, Gas Lighting, Motors, Storage Batteries, Street Railways, Telephone, Telegraph, Wireless Telegraphy. By Norman Schneider. 25c.

HOW TO INSTALL ELECTRIC BELLS, ANNUNCIATORS AND ALARMS, including Batteries, Wires and Wiring, Circuits, Buses, Bells, Burglar Alarms, Fire Alarms, Thermostats, Annunciators, and the Location and Remedying of Troubles. By Norman Schneider. Price, 25c.

MISCELLANEOUS

ELEMENTARY FORGE PRACTICE. By John Lord Bacon, Instructor in Forge Work, Lewis Institute, Chicago. 262 pages. Cloth. Price, \$1.50. Contents: General description of forge and tools; welding, calculation of stock for bent shapes; upsetting, drawing out and bending; simple forged work; calculation of stock and making of general forging; steam hammer work; duplicate work; manufacture of iron and steel; tool-steel work; tool forging and tempering; miscellaneous work; tables.

LOCOMOTIVE OPERATION. By G. A. Henderson. 536 pages; illustrations. Cloth. Price, \$3.50. The object of this work is to give a complete and systematic discussion of the theory and practice of locomotive operation with the results accomplished and the effect of the action upon the various parts, as well as the amount of fuel and water needed to perform such needed work, rather than an exclusive treatise upon the mere manipulation of the machine. The order of contents is: Inertia, steam action, resistance, slipping, braking, steam capacity, hauling capacity, water consumption, fuel consumption.

TEXT BOOK ON ROOFS. By Mansfield Merriam. Part I. Sixth edition rewritten and enlarged. 326 pages; illustrations. Cloth. Price, \$2.50. The contents include treatises on stresses in roof trusses, highway bridge trusses, railroad bridge trusses, miscellaneous trusses, deflection and internal work, historical and critical notes.

WIRELESS TELEGRAPHY. By A. Frederick Collins. 500 pages; illustrations. Cloth. Price, \$3. Describes the history, theory and practice of wireless telegraphy in a way to rouse the enthusiasm of the layman, as well as the professional. A happy regard for details and minor points makes the whole a remarkably clear and interesting account of the Science.

MODERN ELECTRICITY. By Henry and Hora. 355 pages; 150 illustrations. Cloth. Price, \$1. Thoroughly accurate and scientific in its explanation of X-rays, wireless telegraphy, radium, transmission and distribution, power stations, wiring, and written in plain English. An essentially practical handbook for students, apprentices and electrical engineers.

ARITHMETIC SELF TAUGHT. By Spangenberg. 228 pages. Price, 55c. Undoubtedly the best book published for students of arithmetic. Do not despair because through neglect you have forgotten what you once knew about this branch of mathematics. This new method requires no teacher.

YOUNG ENGINEER'S GUIDE. New edition revised and enlarged. 254 pages; illustrations. Price, \$1. Covers the entire subject of care, management, operation, repairing, engineer's license and various points of equal importance, and is endorsed by leading engineers in all parts of the country.

HOW TO RUN ENGINES AND BOILERS. By E. P. Watson; illustrated. Price, \$1. Written in plain language and well adapted for use as a textbook by the engineer and boiler maker.

MODERN COTTAGE ARCHITECTURE. By M. B. Adams. Large quarto; 79 pages; illustrated. Cloth. Price, \$4.50. Contains an introductory essay on cottage building and notes on the subjects, illustrated from works of well known architects.

UNTECHNICAL ADDRESS ON TECHNICAL SUBJECTS. By James Douglas. 90 pages. Cloth. Price, \$1. Contents: The characteristics and conditions of the technical progress of the nineteenth century; the development of American mining and metallurgy and the equipments of a training school; wastes in mining and metallurgy.

FOR SALE BY POPULAR MECHANICS, JOURNAL BUILDING, CHICAGO.

MAGIC ELECTRICAL NOVELTIES

Our Electrical Novelties are not toys—but are practical, useful and durable and just the things you need every day. Our handsome illustrated catalog describes over 100 novel and useful electrical articles, such as Carriage Lamps, Door-bells, Electric Railway, Electric Pocket Light, Private Telephone and many others. Send for it to-day—it's free.

THE "MAGIC" POCKET ELECTRIC LIGHT, shown in illustration above, is *very useful* for physicians, farmers, plumbers, miners, policemen, bankers, hunters, travelers—in the home—in fact, *everywhere* a bright, safe light is wanted. No heat, matches nor chemicals. Operated by dry batteries. Does not break—lasts for years. Prices, 75c., \$1.00 and \$1.50 postpaid. Many other styles.

ELECTRIC CLOCKS—good time-keepers, handsome, ornamental, all styles and prices from \$3.75 up.

MOTORS and DYNAMOS in every style, size and price from 75c. up.

ELECTRIC LOCOMOTIVES, trains and trolleys, with tracks, switches, bridges, etc. No better plaything can be found for your child. From \$3.25 up.

LEARN TELEGRAPHY. Complete outfit, high grade telegraph key, sounder, battery, wire and complete instructions for learning. Only \$2.00 complete.

A PRIVATE TELEPHONE, guaranteed to ring and talk a distance of 1,000 feet, including 100 feet of wire, screws, staples, two complete instruments and instructions for installing. Only \$7.00.

OUR NEW CATALOG illustrates and describes over 100 other novel and useful electrical novelties ranging in price from 75c. to \$30. We want you to see it. Sent free on request. Write to-day.

AGENTS make big money quickly selling our goods. No experience necessary. Write to-day for particulars.

305 J. W. SCRIBNER & CO.
Niagara Street TONAWANDA, N. Y.



FREE This valuable and interesting 32-page Book of Card Rules free with every pack of Golf Playing Cards—a sample pack of which we will send you for 25c and the name of a dealer who don't keep them.

Golf Playing Cards

are now the choice in club and society circles. Best ever sold for anything like the price. Made of fine linen stock with high finish—handsome—stylish—with unusually good dealing qualities. Last longer and look better than most higher priced cards.



Send 25c with name of your dealer (if he don't keep Golf Cards) and receive a sample pack with the 32-page book of card rules—Whist, Euchre, Poker, Pinochle, Bezique, Skat, etc., free. Write today.

AMERICAN PLAYING CARD COMPANY

316 Taylor Street, Kalamazoo, Mich.

ORDER NOW AND GET WHAT YOU WANT

And Save From 20 to 50 Per Cent



Gent's Gold Filled Curb Links chain.
12 inches long. Complete with bar, toggle and swivel. Price . . \$2.25
Holiday Price 3.00



Gent's Watch Charm, Gold Filled Mounting, Genuine Cut Stone.
Price now \$1.00
Holiday Price 1.50

Remit by P. O. Order, Express Order or Bank Draft Payable to Our Order.



Gold Filled Ladies' Guard Chain, Solid Gold Polished and Chased Slide, 48 inches long. Price \$2.50
Holiday Price 3.50




Gold Filled Locket, Set with 1 Fine Brilliant hand cut Star. Price, \$1.50
Holiday Price 3.50

All Goods Sent Prepaid and Money Refunded if not Satisfied

JOHN ALLEN & COMPANY, The Guaranty Jewelry House
OAK PARK, ILL.

1100




THE LATEST \$2.25 EACH THE BEST

No. 602 NAPANOCH Pocket Knife Tool Kit

Most Useful Pocket Knife Combination. *Made in America by Skilled American Mechanics.* Warranted Leather Pocket Book 4 1-2 in. Long by 3 1-4 in. Wide. Pocket Knife, File, Saw, Chisel, Screw Driver and Reamer. *Ask your dealer, or will be mailed to you on receipt of \$2.25.*

U. J. ULERY, . . . 9 Warren St. N. Y.



To Prove
We Can
Better
YOUR Position

Mr. Joseph V. Woodworth, mechanical expert with the Mergenthaler Linotype Company says:

"I owe my advancement and success in my profession to the I. C. S. I believe your School will enable any ambitious man to gain great advancement, no matter how meager his education may be when he enrolls."

This proof is merely one of thousands which we have to show that we can help any ambitious man, no matter what his circumstances are, to gain a better position and increase his earnings.

If YOU want to gain a better position, write us today stating the occupation you wish to rise in, and we will explain how you can better yourself without loss of time from your present work or paying more than you can afford.

INTERNATIONAL CORRESPONDENCE SCHOOLS
BOX No. 872, SCRANTON, PA.



Our No. 40 Bench

Teach The Boys to Use Their Hands

Every boy ought to have a little carpenter shop of his own. He can earn money doing carpenter work for his family and friends and have lots of fun besides.

Our Youth's Manual Training Bench is a whole carpenter shop in itself for a bright boy. It is used in the best manual training schools in the country.

Bench 4 1/2 ft. long, 32 inches high, 20 inches wide—fitted with a 13-inch glued up maple top 1 1/2 inches thick, with 7-inch well for tools, fitted with two vices. Back board and tool rack as shown in illustration. Frame, glued up top, vices and tool rack all made of hard maple.

Our catalog gives complete information in regard to this and other manual training benches, and it shows a number of styles especially designed for manual training school use. Write for a copy.

GRAND RAPIDS HAND SCREW CO.
146 S. Ionia Street
GRAND RAPIDS, . . . MICH.

This wrench is made of 50-point Open Hearth Drop Forged Carbon Steel. Jaws will take 1-4 to 3-4 inch pipe.

ORDER
75c
NOW

PATENTED IN UNITED STATES, CANADA, FRANCE, GERMANY AND GREAT BRITAIN. PATENTS PENDING



5 IN 1
NUT
WRENCH

PIPE WRENCH, THREAD CUTTERS.
Will Remove "Neverslip" and "Rowe" Calks.



Bolts before and after using the Hawkeye . . .

No. 200 Regular.
No. 400 same as No. 200 only full Nickel Plated.
The dies in wrench for English and foreign thread, furnished with Withworth style of thread if wanted.

Every mechanic should own one. UNTIL JANUARY 1, 1906, the wrench will be delivered to you, charges prepaid, FOR 75 CENTS, by HasMore Uses Than Any Wrench Made. The Hawkeye Wrench Co., Marshalltown, Ia.

YOUR Opportunity

is here to-day.



MAIN BUILDING
ARMOUR INSTITUTE

COURSES OF INSTRUCTION

ENGINEERING

Electrical
Mechanical
Locomotive
Stationary
Marine
Municipal
Railroad
Structural
Sanitary



MACHINERY HALL
ARMOUR INSTITUTE

COURSES OF INSTRUCTION

DRAWING

Mechanical
Perspective
Architecture
Telephony
Telegraphy
Mathematics
Textile
Manufacturing
College
Preparatory

We open wide the gateway to advancement, placing at your command resources for self-improvement possessed by no other correspondence school.

THE AMERICAN SCHOOL OF CORRESPONDENCE

is the *only* school able to offer mail instruction in engineering under the direction of the regular teachers of a resident engineering college—those who preside over the laboratories and teach the classes in the Armour Institute of Technology. It is the *only* correspondence school whose instruction counts toward entrance to resident engineering schools and colleges. Fill out and mail us now the following coupon. It may prove the turning point in your career—the turning from a life of obscure, ill-paid drudgery to a life of achievement, promotion and uninterrupted prosperity.

Popular Mechanics, Nov., 1904.

COUPON—Cut out and mail to-day.

Please send me 200-page handbook and particulars about course in.....

Name.....

St. and No.....

City..... State.....

Do not fail to write to-day. It costs you nothing to inquire; neither will it bring an agent to annoy you for all time to come. We employ no agents. All money paid by the student is used in instructing the student. Tuition fees are moderate—from \$10 up—and may be paid in small monthly payments.

AMERICAN SCHOOL of CORRESPONDENCE
AT
ARMOUR INSTITUTE OF TECHNOLOGY,
CHICAGO, ILL., U. S. A.

30000 SPARKS PER MINUTE

Produced by **DUPLEX SPARK COIL**

Eliminates your sparking troubles—Increases the power of your engine without decreasing the life of your batteries—Saves your battery current—No sticking at the contact point—Greatest range of adjustment—This is especially adapted to high speed one cylinder engines—All coils can be furnished in various cases and with pure iridium points.

\$4.00 TO \$40.00

WRITE AND LET US TELL YOU HOW WE DO IT.

Waukegan, Ill., Sept. 15th, 1905.

Phillips Motor Works, 415 Tacoma Bldg., Chicago.

Gentlemen:—You, no doubt, will be interested to learn that the Duplex Spark Coil you furnished me was placed in my Launch, which by accident was sunk in Lake Michigan for one week, and upon raising the Launch to secure the Spark Coil, same was found intact, although the wooden case had been separated from same.


This Coil, without being repaired, is now being used to operate a Stationary Engine.

Yours very truly,

ROBERT S. HALL.


PHILLIPS GASOLINE ENGINE AND MOTOR WORKS 415 TACOMA BLDG., CHICAGO.

Phillips 'De Moir' 2-H. P. Air Cooled—Described in Free Catalogue No. 16



The Best Christmas Gift For Man or Boy

Cabinet No. 15.



Wivanco Tool Cabinet

OUR TOOL CABINETS are equipped with all the tools needed about the house, shop or farm, and the use of such an outfit will result in a substantial saving, as well as the great convenience of having the little repair jobs done without hiring a carpenter. These cabinets are substantially made of handsome polished quartered oak, with brass trimmings, and have two-keyed cylinder locks. The drawer contains a full assortment of screws, screw-eyes, tacks and nails for any kind of work. Prices, according to assortment of tools, from \$10 up. Catalogue of cabinets, work benches and lists of tools sent anywhere without charge upon request.

600-Page Catalogue FREE to Popular Mechanics Readers

We have just issued a Big Catalogue of over 600 pages, illustrating and describing 20,000 articles for house, shop and farm. The prices quoted are as low as our 90 years in this business make possible—and no house anywhere can beat them. Our location in New York makes shipping by express, freight or mail easier, quicker, and cheaper than anywhere else. Our book costs us 75c., but we send it to you free if you live anywhere except Chicago or New York City; but we send our tool cabinet catalogue to anyone anywhere.

Oldest Mail Order House in America.

WHITE, VAN GLAHN & CO., No. 30 Chatham Sq., New York City

Please mention Popular Mechanics when writing Advertisers.

POPULAR MECHANICS


Vol. 7. No. 11.

CHICAGO, NOVEMBER, 1905.

10 Cents a copy.
\$1.00 a year.

A SEA OF FIRE

**Great Conflagration Covers Four Square Miles and Consumes 2,250,000
Barrels of Oil--Workmen's Families Flee in Terror--
Lives Lost, Homes Destroyed**



L. L. Allen, Phot., Humble, Texas.

The Conflagration at Its Height


A sea of fire that surged its burning waves over its brim and swept into that awful holocaust the bodies of men and beasts and the lowly dwelling places of many workmen wrought fearful havoc at Humble, Texas, a new oil field 16 miles from Houston, recently. The disaster occurred at four o'clock on a Sunday afternoon, a time when people were resting quietly in their homes. A bolt of lightning struck an earthen oil reservoir and set fire to the oil it contained.

Two hundred men and 75 mules were put to work at throwing up an earthen embankment to keep the fire within bounds, when suddenly the oil boiled over and the fire spread to other tanks. Fifty mules were burned to death and that some men perished is certain. The people at the oil field abode in tents and these frail structures were ready prey for the flames. Men, women and children, half clad, fled in terror.

At its height the fire covered an area of

four square miles and in all 2,250,000 barrels of oil were consumed. Placing the value at 25 cents per barrel, the total loss

in oil alone was \$562,500. It required several days' work to get the fire under control. The fight was carried on amid great danger.



L. L. Allen, a shot, Humble, Texas.

The Oil Tanks Before the Fire

AIR SHIP IN CHICAGO

Knabenshue and his air ship have come and gone. The demonstration was disappointing, for the flights were few and not nearly as successful as at New York or Columbus. The reason given was that the air currents from the lake made operations dangerous, and as the navigator refused to go up when the wind exceeded 12 miles an hour, which it did nearly every day for two weeks, few opportunities were afforded. Several short flights were successful so far as returning and landing within a few feet of starting point, and one flight of two miles and return was made.

The air ship consists of a 62-ft. gas bag with a capacity of 7,000 cu. ft. of gas, and weighing 65 lbs. From the bag is suspended a bamboo framework 38 ft. long which, with the 10-hp. gasoline engine weighs 200 lbs. The "propeller" is two-bladed, 16 ft. in diameter and pulls the ship along, being placed in front. The propeller revolves at 180 r. p. m., being geared down from an engine speed of 2,160 r. p. m. When the engine stops during a flight the operator makes no effort to start it, but descends.

That we are a long way from any commercial travel in air ships is clearly indicated in Mr. Knabenshue's statement:

"I do not believe that air ships will ever be made practicable for aerial navigation for the public. I consider that out of the question. They are of service in time of

war, where one can sail over the enemy's camp and return and report his position and strength."

TELEPHONE BEATS CYCLONE-- SAVES LIVES

That the telephone is responsible for the saving of the lives of an entire family near Clyde, Minn., is an undisputed fact. It was at the farm of Frank H. Sanders, where he and his wife and six weeks old baby, his mother and his father-in-law were seated at the supper table, says the American Telephone Journal.

They knew that a storm was approaching, but thought it would amount to nothing more than the average summer thunder storm. Suddenly the telephone rang long and loudly, and Mr. Sanders answered. The call was from his neighbor, A. McConchie, who told him that a funnel-shaped cloud had formed over toward the south and was then driving directly for the Sanders place. Mr. Sanders called the family, and picking up the baby he dashed out of the house, followed by the others. They sought refuge in a clump of willows a few rods away. Hardly had they reached the trees, where they held on for life, when the cyclone struck the house and in a minute the large brick structure was in ruins.

No member of the family was injured beyond a few bruises from flying debris.

INTERURBAN AUTO LINE

The Motor Car Enters the Field Against the Trolley Car--First Line is 22 Miles Long in Ohio--Results Encouraging thus Far.


An interurban auto line is now in operation in Ohio, a state already a network of interurban trolley lines. To what extent the new system may affect further construction of electric lines remains to be seen. Such undertakings seem particularly well adapted for use on exclusively summer lines, such as connecting lakes with railroad stations. The saving over the cost of track construction and power houses is very great, and the motor buses cost no more, and usually less than electric cars.

The line referred to connects Springfield, O., with Jamestown, 22 miles distant, passing through two other towns on the route, with a combined city population of 42,500 people. The roads are fairly good, but the motor line offers to pay \$100 per mile per year toward the maintenance and improvement of the roads, if the local authorities will do the same. Two cars are already in service (with one in reserve), making the run of 22 miles in 1 hr. 45 min. A rate of

an extra \$1 must be added, making the actual operating expenses for a round trip for each machine, \$1.67. Four and a half such trips are made each day, so that the daily expense is \$7.51, and the yearly cost



One of the Vehicles



The Route

2½ cents per mile is charged, or 50 cents for the through trip. The Motor Age says, "From Present running the cost of operation can be fairly well calculated. In a round trip of 44 miles 4½ to 5 gallons of gasoline are consumed and 2½ pints of lubricating oil. The former costs 10½ cents per gallon and the latter 50 cents per gallon, making the expense for each round trip 57 cents. The operator is paid 25 cents an hour and as 2 hours are required for the round trip

amounts to \$2,253. The company is allowing 2 cents per car mile for repair and depreciation. The two machines make together 220 miles each day or 66,000 miles per year, 300 days, so that the yearly repair allowance amounts to \$1,320, which, taken with the annual fuel bill, gives a grand total of \$3,573.

"The three machines cost \$6,600, an extra sum of \$1,000 was spent in fixing up a garage and repair shop, and \$1,000 was spent on highway repair. On this investment 5 per cent interest must be placed, which adds \$430 to the total of \$3,573 already reached, making in all \$4,003 expenses for the first year.

"Where are the receipts to cover this expenditure to come from and what will the company have as a revenue at the end of the year? Supposing that only one passenger was carried throughout the entire year, the receipts therefrom, at 2½ cents per mile, would be 2½ cents taken 66,000 times which gives \$1,650. Two passengers carried all of the time would be an annual revenue of \$3,300 and four passengers would yield yearly receipts of \$6,600. Take from this sum the operating expenses, \$4,003, and there remains \$1,597 as a dividend on the \$20,000


paid-up stock. A 5 per cent dividend on the \$20,000 stock would only amount to \$1,000, so there remains a margin of \$597 for some things that are sure to lighten the coffers of the concern."

The cars will accommodate 14 passengers each; an 18-hp. gasoline engine furnishes power for an average speed of 15 miles an hour. Arrangements are being made to extend the service 35 miles to Marysville. The experience of this line will be watched with great interest.

THE GAS ENGINEER

In his annual address to the Pacific Coast Gas Association its president refers to the promising future to young men in gas engineering. While the title is at present a self-conferred one, the near future will recognize it as distinctively as electrical engineering. A course in mechanical engineering is essential as a foundation.

Of the future of the gas engine he said: "The great future universal success of the



Turns out Pies Ready for the Market

MACHINE MAKES 300 PIES AN HOUR

Three hundred pies every hour is what the new pie machine is doing. For people with whom pies do not agree, this is something fearful to contemplate, but to the small boy the announcement is next to a circus or the millennium. The dough is mixed in a special machine and fed into the pie machine which cuts out both top and bottom crusts, lifts the plates, drops the filling into place, lays the covers, trims and finishes the pie ready to be placed in the oven. Only three attendants are required, and the machine will operate as long as the proprietor furnishes the dough. The filling is prepared separately and poured into a large receptacle which lets down just the right amount as each pie form passes along.

gas engine is dependent on some form of cheap, though effective, power gas, all kinds of which are now being experimented with, and all forms of fuels are being tested, including coals, coke, charcoal, petroleum, oils, hydro-carbon residues, volatile hydro-carbons, wood, peat, hay, straw, leaves, rushes, reeds, moss, sawdust, shavings and dried sewage. All kinds of combustibles are economically usable in one manner or another, and the time is probably not far distant when an enormous amount of our power will be derived through the medium of the gas engine from fuels we now allow to go to waste."


As an experiment, 5,000 boxes of choicest peaches were put in cold storage in California. It is hoped to market them at Christmas.

GASOLINE-ELECTRIC 'BUS FOR NEW YORK

Unusual Combination of Powers in the Test Vehicles

An electric street car without any trolley or track, and running on pneumatic tires, is a brief description of the gasoline-electric motor car, the first of its kind to be operated in a large city in America. It is unlikely that the newcomer will seriously compete with street cars, although the body has been built at one of the largest street car plants in this country, and the electrical machinery by one of the large builders of street car motors. The car or 'bus is on trial and making regular trips on Fifth avenue between Washington Square and 88th street. Passengers are carried at a fare of

power producer, a vertical 4-cylinder gasoline engine of 40 h. p., direct connected to an electric generator of 45 h. p. Two electric motors are placed beneath the car, convenient to the rear wheels, and driving them by means of a sprocket chain. Twenty cells of storage battery, which must be charged once daily, are also carried beneath the car and supply current to start the generator, which in starting sets the gasoline engine at work. The generator does not restore any power to the batteries. This is a change from previous operations in which the gas engine has run continuously, and



"An Electric Street Car Without Trolley or Track"

10 cents each, and with a saving over the horse-drawn buses of 10 minutes.

The car has no upper deck and deserves no special description. Entrance is entirely by one side at the rear, and a narrow aisle divides the two rows of cross seats, accommodating two passengers each, or 28 in all.

The power, however, is an interesting combination of a gas engine, an electric generator and motors, with storage batteries as auxiliary power to start and for lighting. The power combination is not altogether new in principle, having been employed more than 10 years ago, by Wm. Patton, of Chicago, as power for cars on track, at a time when gas engines were much less efficient than now.

Beneath the driver's seat is the prime

was supposed to contribute to the battery any surplus electrical power generated, such as while going down hill when more power is produced than used. The batteries also furnish the light, both for interior, headlights and rear signal lamps. No standing passengers are allowed.

Should the experiment prove a mechanical and financial success, it is the intention to entirely replace the Fifth avenue stages with the new cars.

On January 1 of this year there were 537,105 miles of railroad in the world, of which 270,386 are in America; 187,776 in Europe; 46,592 in Asia; 15,649 in Africa and 16,702 in Australasia.

FILTERED BREATH FOR MINERS

Filtering the exhaled breath, so that a little store of oxygen may be used again and again as the medium for expelling from the lungs the carbon dioxide and vapor of water produced there, is the means by



How the Apparatus is Worn

which, in the future, rescue parties will be enabled to carry on their work for an hour at a time in the deadly atmosphere of mines where explosions have occurred.

The ingenious device by which this is accomplished is the invention of two scientists of the Polytechnical University of Vienna. The apparatus comprises three boxes containing the same amount of sodium-potassium peroxide supported in a frame provided with a hose, a mouthpiece and a bag in the form of a jacket. The boxes are inclosed in an insulated covering of braided pasteboard.

To use, the boxes are placed in the frame so that the sheet lead plates with which they are sealed come in contact with perforated crowns of the frame. The hose-connecting joint is placed upward and the bag-connecting joint downward. The jacket

is put on the body and the supporting frame hung about the neck and locked in position by means of a leather waistband. All the joints are screwed tight. The bag is then filled with 8 qt. of oxygen, either by means of an oxygen producer and filling tube provided with the apparatus, or by pumping it in from a supply. The mouthpiece is then inserted between the lips and teeth and a nose clamp is adjusted.

The sodium-potassium peroxide, assisted by the filters, absorbs the carbon dioxide and vapor of water from the exhaled breath. Breathing takes place simultaneously through two boxes and the third may be switched on when these are exhausted, which is made known by a high resistance offered to breathing. With this apparatus, a man can breathe for a period of 90 minutes, allowing 60 minutes for work and 30 minutes for retreat from the locality.

The apparatus may be cleansed and recharged, and may be kept in reserve for emergencies for years with only an occasional inspection.

RATTLESNAKE STOPS AN AUTO

Two enthusiastic automobilists who are crossing the continent relate in the Automobile, their experiences in crossing the plains. In some districts the rattlers were so numerous that sleeping on the ground was impossible. On one occasion they ran into a mass of rattlers sleeping in the sun, several of whom were thrown into the air. One



Snake Stopped this Auto

fell on the canvas covering of the tonneau, but fortunately slid off without doing any harm. One of the wheels was less fortunate, for a big fellow fanged the tire and in a short time it went flat. The car is making a transcontinental trip, New York to San Francisco.



BIG STREAMS TO FIGHT FIRES

Recent Invention Enables Firemen to Throw 2 1-2-inch Stream Over 300 Feet


For a full half century there had been practically no change in the manner of handling fire streams. Then a man with a mechanical turn of mind studied the subject and produced a device which has made it possible to hurl a stream of water 2½ in. in diameter at the nozzle, a distance of 400 ft. And what is much more remarkable a little girl 10 years of age can direct the stream without assistance from anyone.

If "a little knowledge is a dangerous thing," even more so is a small stream of water on a big fire. Under proper conditions the water, instead of putting out the fire, only serves to make it burn more fiercely. At 212 degrees the water is converted into steam, and at 1,470 degrees the steam is converted into its natural gases, oxygen and hydrogen. Hydrogen is considered, when burned separately, the hottest of all known gases, and when mixed with



Courtesy Samuel Eastman Co.

"A Child Can Direct the Stream"



Two Ways of Fighting a Fire

three-sevenths of its volume of air, explodes, and in its incandescent state burns at such an intense heat as to melt almost any known substance; wrought iron melts at 2,900 degrees, a temperature often reached in fires.

Some years ago larger streams than had previously been possible were secured by the use of siamese couplings, in which two or more small streams from engines or hydrants were brought together in the coupling and emerged from the farther end in a large, powerful stream. Standpipes are operated on this plan, and with two or more powerful fire engines to furnish the water will pour a small river into an eighth story. But only the larger cities can afford standpipe outfits.

Even where the siamese is in use the handling of the big stream is something calling for strength and nerve. The chief reason heretofore why large streams have not been used has been the difficulty and danger of controlling them at the nozzle.

The recoil, or pull back, of all nozzle pipes is in exact proportion to the size of discharge. A 1-in. nozzle under a pressure of 160 lb. requires the best efforts of two strong men in directing. Increase the size




Nozzle a Child Can Control

to $1\frac{1}{8}$ in. and it requires the third man; to $1\frac{1}{4}$ in. and it calls for the fourth man. As the space at the pipe is limited only about three men can work to advantage, and this is why all fire companies practically stop with 1 and $1\frac{1}{8}$ -in. streams, the same sizes that were formerly used on hand engines.

The latest improvement—it might almost be called a discovery—is in the construction of a nozzle which can be adjusted from the smallest stream to one of 3 in. without shutting down, and which, instead of requiring several strong men to control, almost stands alone. So easy is it to control a child can, with perfect safety, direct the great deluge of water which would knock a man down 100 ft. distant. Horizontal streams have been thrown a distance of 350 ft. and vertical streams repeatedly to a height of 200 ft.

WATER COMPRESSES AIR

Wind and water are so frequently mentioned in connection with mining stocks, that it is interesting to find one instance where the use of these two great forces in nature are an actual asset. A gold mining company in British Columbia uses com-




Water-Wheel Air Compressor

pressed air for hoisting and drilling, and the compression is secured by means of a water wheel. The wheel develops 90 h. p. under a head of 170 ft.

VARIABLE EXHAUST FOR LOCOMOTIVES

This device is intended to lessen the tremendous draft in a locomotive without interfering with its steaming qualities, and is known as the Wheaton variable exhaust. At certain times and under certain conditions the exhaust escapes through a separate pipe outside the stack, with sufficient force to maintain the necessary fire to steam properly. The illustration shows the attachment on a Chicago Great Western engine. Locomotive Engineering says: "The apparatus acts with the action of the reverse lever and the pressure of the exhaust in the stack is directly dependent upon the relative position of the reverse lever upon



Engine Showing the Variable Exhaust

the quadrant. If the reverse lever is at the end of the quadrant the separate exhaust is at its greatest opening, and this opening is gradually reduced as the lever is hooked up to running position. At this point the valve is closed."

TURBINE BATTLESHIP FOR BRITISH NAVY

The British navy is to have an 18,000-ton turbine battleship, the first of its kind to be built. The vessel will have four sets of turbines mounted on four shafts and operating ahead turbines. Each shaft will be equipped with ahead turbines for high and low pressures and with astern turbines, also. Water-tube boilers will be used and the ship is designed for a speed of 21 knots.


A SAWDUST HILL

Old Mother Nature's rock-ribbed eminences have a promising rival in a huge pile of sawdust that has been accumulating for several years at Cheboygan, Wis. The hill covers 14 acres of ground, is 1,080 ft. long, 875 ft. wide, ranges from 20 to 50 ft. in height, and is composed almost entirely of white and Norway pine sawdust.

The mill that produced this enormous amount of sawdust was run by water power and so had no way of disposing of the waste, says Wood Craft. The village prohibited the company burning it on account of the smoke, and they were not permitted to dump it into the river. The sawdust is rotting a little at the bottom. Chemists have examined it at times with a view to extracting its chemicals (its only value), but nothing has been done in this regard.

RUBBER TIRE PROTECTOR

The protector is made of rubber with a corrugated tread $\frac{3}{4}$ in. thick; on each side are 10 ears, projecting toward the center of the wheel, and to each ear is riveted a metal hook. A steel cable passes around and engages with each hook, and the two ends are joined by a turnbuckle,




Tire Protector

the tightening of which draws the protector down on the tire as closely as may be necessary. The cable is $\frac{3}{4}$ in. in diameter. The device is put in place when the tire is deflated, and after inflating the tire, the protector is pulled down with the turnbuckles.

SIXTEEN THOUSAND HORSEPOWER FEED WATER HEATER

One of the largest feed water heaters ever built was recently installed in a Philadelphia power house. The heater is 90 in. in diameter and 15 ft. long overall. All its working parts and the bottom are made of cast iron, and as this material is found to



Courtesy The Heppes Mfg. Co.

Mammoth Feed Water Heater

be less corrosive in certain waters than steel plate, it is used in all parts coming in contact with the water. To save weight the shell above the water line is made of steel plate. The lime-catching surface in the heater is 2,010 sq. ft., the pans being multiple trough-shaped pattern; by the use of this form of pans the water is made to flow over the sides and through the slots and to follow along the underside of the pans in a thin film so that the steam comes in direct contact with it, even when the pans are coated with lime or other solids. Owing to the large amount of lime-catching surface and the settling chambers provided by the troughs, no filter is required.

A large oil eliminator is provided at the rear end of the heater and the feed water is regulated by means of a float in an outside box.

The front head of the heater is removed and swings to one side by means of a crane provided for the purpose, opening up the entire end of the heater so that the pans may be removed for cleaning, and as lime and other solids form only on the pans, this work may be done entirely on the outside.


BATTLESHIP "NEW HAMPSHIRE"

The new United States battleship "New Hampshire," now in course of construction, will be of 16,000 tons displacement and equipped with the heaviest armor and most powerful armament for a vessel of her class. Her dimensions are: Length on load waterline, 450 ft.; extreme breadth at load waterline, 76 ft. 10 in.; mean draught to bottom of keel, 24 ft. 6 in. She will be of 16,500 horsepower, and her trial speed is placed at 18 knots. She will carry a complement of 860 officers, seamen and marines.

The fighting equipment of the vessel will

separate water-tight compartments. Steam will be supplied by twelve water-tube boilers at a working pressure of 265 lb. They will have not less than 1,100 sq. ft. of grate surface, and not less than 46,750 sq. ft. of heating surface. The three smoke stacks will be each 100 ft. high above the base line.

The vessel will have an evaporating plant capable of turning out 16,500 gal. of fresh water daily, and distilling apparatus capable of condensing 16,500 gal. daily. There will also be a dense-air refrigerating plant and an electric-generating plant. An electric dish-washing machine, an electric



U. S. Battleship "New Hampshire"

comprise: Four 12-in. breech-loading rifles, eight 8-in. and twelve 7-in.; twenty 3-in. 14-pounder rapid fire guns, twelve 3-pounder semi-automatic guns, four 1-pounder semi-automatic guns, two 3-in. field pieces, two machine guns and two automatic guns. She will also carry four submerged torpedo tubes for the discharge of the largest and latest type of 21-in. automobile torpedoes. The hull protection will consist of a complete belt of waterline armor, 9 ft. 3 in. wide, having a uniform maximum thickness throughout a range of 285 ft. amidships, gradually tapering thence to 4 in. at the bow and the stern.

The ship will be driven by twin screws, actuated by triple-expansion engines of the four-cylinder type, capable of developing 16,500 indicated horsepower when making 120 revolutions a minute under an impulse of steam at a pressure of 250 lb. to the square inch. The engines will be placed in

dough-kneading machine, a steam bakery and a steam laundry will be among the modern features. Wireless apparatus will be provided, also. The hygienic facilities throughout will be of the best. The cost of the battleship will be \$4,400,000.

MINERALS IN THE PHILIPPINES

The Philippines are rich in precious metals. A report just issued by the Department of the Interior tells of gold, silver, copper, platinum, iron, coal and petroleum. Stamp mills and cyanide plants have been erected by enterprising Americans, and other improvements are under way.


Cement and concrete are poor conductors of electricity. Even when re-inforced with steel it is believed to be as immune from lightning as ordinary buildings.

MODERN MANUFACTURE OF VENEERS

Rich Effects Obtained--Scarcely a Square Inch of Waste--Methods of Cutting and Drying--Used for Fine Work

Veneer is no longer a term of deception, for to-day the finest doors, pianos, furniture, floors and sleeping cars are veneered. The province of the veneer machine is to make a single log of mahogany, for instance, cover as much space as otherwise twenty logs would be required to do. The work of converting the solid log into a long

Veneers are manufactured in two ways, by sawing and by cutting with knives. Sawed veneers are so expensive, however, that the demand for them is small. Nearly the thickness of the veneer is lost in sawkerf and, on an average, a saw can make only five cuts before refiling is necessary, an operation requiring two and one-half



Veneer Cutter With Stay-Log Attachment for Cutting Fine Veneers

strip no thicker than pasteboard, and which can be rolled up like carpet, is an interesting one.

The process by which huge logs or "flitches," ranging in value up to \$5,000 apiece, are reduced to thin sheets sufficient to constitute thousands of square feet of surfacing, with hardly a square inch of waste, is of unique importance in this age. The time has passed when man may reap the forests with a wanton hand. His improvidence has brought upon him its penalty—enforced economy—which is alike his recompense, affording him, in forestry, a healthful science for his brain and a wholesome labor for his body.

hours. Where the wood is very gritty only one cut can be made before refiling the saw. Flitches often remain on the saw three weeks before all sawn up. The only advantage of the sawed veneer is that longer stock can be used in the sawing machine than in the slicing machine.

It is the knife-cut veneer, however, that has brought the industry to its present enormous proportions. This method of manufacture is so practical and so economical that the demand for the product is greatly in excess of the supply. Furniture manufacturers use millions of feet of fine veneers every month; car builders use fancy veneers for ceiling and finishing; banks,




Veneer Cutting Knife

offices, hotels, stores, churches, public buildings and homes use this finish, and beside these finer uses there are the basket, box and fruit package business and the veneer barrel manufacture, all large consumers. A single veneer cutting machine of one make on the market will cut the material for 100,000 barrel staves in ten hours, and still the demand exceeds the supply. Any kind of lumber will make good cut veneers, even crooked logs not worth sawing, and all our native timbers can be worked in any thickness up to the practical limit of about $\frac{1}{2}$ in.



The Log Trolley

In preparing a log or flitch for cutting, it is first sawed up in lengths suitable for the machine to handle, its surfaces freed of bark, and it is then either steamed or boiled in a vat. Logs can be cut cold, but better results are obtained by heating, which softens the wood, renders it flexible, drives out the sap so that less time is required for drying, and overcomes any disposition to check or split. Boiling is preferable to steaming, as the heating is even throughout and the logs remain in cutting condition for several hours, whereas after steaming they must be cut immediately, for, once cool, they become brash and hard and can never be put in good cutting condition again. From the boiling vat the log is




Wringer for Soft Wood Veneers

carried to the veneer cutter by a log trolley, consisting of an I-beam track provided with a carriage and a chain hand hoist for raising and lowering the log.

The rotary cutting machine has an A-frame, giving it a broad floor base; the log is held in the machine by dogging spindles, operated either by hand or power. The knife is attached to a head block and is firmly clamped between heavy castings, which cover both its sides up to the necessary clearance from log and stock. Its pitch can be changed instantly to suit the wood being cut by merely shifting a lever. This is very important, as timber varies in its characteristics as to grain, structure, hardness, density, etc., so that no rule can be made for setting the knife. Practical machines up to 10 ft. in length are built along these lines.

Veneers cut from figured woods, such as mahogany, walnut, ash, curly birch, cedar and quartered oak bring the highest prices. For cutting these fine woods the machine is furnished with a stay-log device, consisting of an arm or offset chuck for each spindle connected by a heavy cast iron bar incapable of spring under any knife pressure, with $\frac{3}{4}$ -in. holes, drilled in its face at intervals of every 3 in., to which the flitch is securely bolted by special lag screws. Suppose quartered oak is to be cut. The



Veneer Clipper

log is first sawed into quarters and then a small piece is cut from each outer corner of each quarter to accommodate the chucks of the stay-log attachment. Then along the side of the flitch $\frac{5}{8}$ -in. holes to correspond with the holes in the stay-log are bored. The flitch is then bolted to the stay-log and the machine is ready to set in motion. Each revolution brings the face of the flitch in contact with the knife, cutting any desired thickness and producing the proper quartered effect. Any length of knife up to 120 in. may be used in such a machine, while the weight of these machines ranges from 20,000 to 52,000 lb.

The veneer comes from the veneer machine in continuous sheets, and its quality and purpose determine its future treatment. Usually it is divided into widths by one of the several types of veneer clippers. From the clipping machine the neat piles of material are conveyed to the drier. For soft wood veneers, usually a mechanical wringer is provided which extracts from 25 to 50 per cent of moisture from the stock, reducing the cost of drying.

The modern drying machine consists of a series of iron rollers incased in an iron box of the length and breadth required for the stock. The iron rolls are geared to and driven by a shaft running the full length of the box. The shaft is driven by an independent engine. A hot-blast fan driven by an engine is used in connection. The veneer is fed in at one end of the drier by a boy and comes out at the other dry, flat, free of checks, wrinkles or splits and with its surface partially polished, and is then ready to ship. The drier can be instantly adjusted to dry any kind or thickness of veneer and two boys can handle it. Poplar veneers $\frac{1}{30}$ in. thick can be dried perfectly in 15 minutes.

With this perfected process of manufacture and the growing scarcity of lumber, the veneer industry is becoming so profitable that many sawmill owners all over the country are adding a veneer cutting department, realizing that, while there will always be the natural demand for sawed lumber, the uses for thin lumber are daily increasing.



The Drying Machine

TO KEEP SHEEP IN A FIELD

Here's a kink for the farmer whose sheep persist in jumping fences. Dr. Matthews, of Blue Mound, Ill., was annoyed in this way and had tried several means of preventing it, all without success.

One day he noted that each sheep would walk up to the fence, step backwards a few steps, then make a run for the fence and jump over it. The doctor sharpened one end of a stick 3 ft. long and lashed it by the other end to the underside of the sheep's tail, then turned the animal loose.

The sheep walked toward the fence as usual, measuring its height with great precision, but when it backed off for the spring the sharp end of the stick was pushed into the ground and the discomfited sheep turned in a line parallel with the fence and with a shake of the head and a little snort gave up the performance of the feat. In this way all the sheep were broken.—Contributed by John Trainer, Girard, Ill.

HOW BINDER TWINE HAPPENED

The first reaping machines brought out by McCormick bound the sheaves with fine wire, a method both neat and economical, but one that was followed by disastrous results. Flour mill after flour mill was destroyed by fire and investigation showed that bits of broken wire getting into the mill-stones with the wheat was the cause. This difficulty was overcome by a Yankee who proposed drawing the wire from the wheat by means of a magnet.

A little later horses and cattle all over the country died from a strange disease, which post-mortem examinations revealed was caused by swallowing wire with their fodder. The magnet would not work in this case and so John Good, a rope worker, produced a loosely-spun yarn made of coarse fiber as a substitute for the wire binding. \$12,000,000 worth of binder twine is made and sold in this country in a single year.

DISCOVERS SECRET OF NORTH POLE

Simple, Economical, Mechanical Process Freezes 60° Below Zero--Expected to Revolutionize Cold Storage and Ice Manufacture--Produces the Dry, Cold Air Found in High Altitudes--Remarkable Curative Powers for Tuberculosis and all Fevers--Can be Piped Into Houses Like Gas

It was a sultry day in August in a Southern city; men were dropping in the streets by scores, overcome by the terrible heat. The clang of gongs was incessant, as the never-ending stream of ambulances sought the entrance of a great building. Patient after patient went in on stretchers through the swinging doors. If you should follow one of these senseless, dying bodies you would see it laid out on a wheeled stretcher, and rapidly pushed onto an elevator, which quickly reaches the upper floor. In another instant the patient is rolling along a hallway, passing through several tight fitting doors which automatically open and close.

You enter a small room without openings, save for the door and a ventilator. The walls, ceiling and floor are of spotless white tile. The only objects you notice are an enormous thermometer, the cluster of incandescent lamps in the ceiling, and a small table on which stand a few partly filled bottles.

Outside, on the street, 30 seconds before you were in a suffocating atmosphere with the mercury marking 105 in the shade. Here the air is like that on a snow clad mountain peak, cool, clear, absolutely dry, and fairly sparkling with vitality. You glance at the big thermometer, and look a second time before you realize its red column really stands at 50°. You return to the patient. The nurses already have him in hand, his clothes are stripped off, and there he lies, an inert, unconscious mass of flesh whose life hangs by a very slender thread. One of the internes has already taken his place near the thermometer. His hand is on a valve controlling a 2-inch pipe which projects a few inches from the wall.

The head physician has finished his hurried examination. Without raising his head he softly gives the command—"40 degrees."

The interne opens the valve slightly; a rushing sound follows; his eyes are riveted on the big thermometer, which has already commenced to fall. Down, down, steadily down goes the red streak until it marks 40 degrees.

"Forty," calls the interne, and his breath shows white in evidence.

The physician still bends over the patient, one hand on his pulse. He gives the order—"30."

The valve opens a little more; down goes the red line, steadily falling, until the interne reports "30."

The physician has an anxious look. For the first time he raises his head to remark: "Slowly to zero."

Again the valve opens wider, while in response the red line drops, drops, passing 25°, 20°, 15°. To all appearances the patient is dead. Not until the temperature is within 2° of zero does he show the slightest sign of life. Then a faint change is noted in the face, the whole body seems to absorb the vitalizing ozone; a moment later it gives a little quiver, the first indication of returning muscular action. Slowly, almost imperceptibly at first, the chest shows a slight movement, gradually becoming more pronounced and regular, until at last with a full strong breath the lungs fill to their utmost—the patient dreamily opens his eyes—his life has been saved.

"That was a close one," the physician remarks to his assistants. "He was 107.5, but he is down to 101 now. Put him in the 50° ward." And the patient is wheeled out while the operating room is made ready for the next "emergency."

Today the foregoing treatment does not exist. Less than a year hence, it will doubtless cause no more wonder than other great discoveries, and like the X-ray and wireless telegraph, pass out of the realm of mystery into the practical, commonplace condition of every day commercialism.

The following account of what gives every assurance of being one of the most remarkable discoveries and inventions of recent years—for it partakes of both—is here given publicity for the first time. And this article has been held back several months in order that time might demonstrate any failure of the process. A plant which has now been in actual, practical, successful operation for several months leaves no doubt in the minds of all who have witnessed the demonstration that a discovery has been

made, the importance of which is so far-reaching, commercially and therapeutically, as to entitle it to rank high among the mechanical accomplishments of the century.

For years inventors and scientists have labored, and millions of money have been spent, in the hitherto fruitless attempt to produce the dry, cold air of the Arctics and snow-clad mountains, in such quantities and at a cost which takes the production out of the experimental laboratory and sets it firmly among practical, commercial undertakings. For the past ten months, in a quiet out-of-the-way place, a man of practical mechanical ideas, not a scientist, has actually been doing what so many in America and Europe have attempted, viz., producing unlimited quantities, as desired, of either moist or absolutely dry air at extremely low temperatures, and at a cost which cannot fail to cause a sensation.

It is a purely mechanical process, in which no chemicals whatever are employed. Compared with present processes it is very much cheaper to install, and its operation is so simple that skilled labor is unnecessary.

A temperature of 30° below zero is as easily obtained as 6° above. No one knows as yet what is the extreme limit of cold, as all thermometers so far obtainable in making the tests have frozen and burst at 30° below zero: 60° below is considered well within reasonable bounds. Our readers will be more interested in what is done rather than in a detailed account of how; the operation may briefly be stated as a purely mechanical one, in which the power may be furnished by steam or gas engines, water wheels, or electric motors, as most convenient.

The results are two-fold:

First. The manufacture of ice for all commercial purposes; and,

Second. The use of the cold air not consumed in the ice-making, for cold storage purposes. Used in this way it is a by-product which would otherwise go to waste, and can be delivered in either a moist or dry state.

The plant costs less to install than any of the systems at present in use, and the expense of operating is very much less.

It is estimated that \$25,000 will cover the entire expense of installing a plant, including buildings, necessary to provide all the ice used and the cold storage rooms required by a city of 25,000 people. Ice is made in one-half the time required by present artificial methods, and with the great advantage

of dispensing with expensive, dangerous chemicals. Hence a plant of given horsepower, say 100 hp., will produce twice the tonnage of an ammonia plant of 100 hp.

If cold storage, or cold air, and not ice, is desired, that can economically be produced. There has developed thus far no apparent reason why the cold, dry air, at any temperature desired, cannot be delivered to residences, stores, hotels, etc., in identically the same way that gas and water are now delivered. When a city is piped for the cold air, ice will no longer be required in the house, and instead the cold dry air will be allowed to escape into the present icebox or refrigerators by opening a valve, just as one turns on gas in the parlor. If the weather is unusually hot, the valve can be opened a little more; in cooler or cold weather the supply may be decreased or turned off entirely. Bedrooms, or sick rooms, can be kept cold by running a rubber pipe extension if the house is not piped for the cold air. A remarkable feature in the cold room experiments has been that the operators and others have repeatedly gone into the cold room where the temperature was at zero, while in the shade outside it was around 90° , when they were perspiring at every pore and so far none have taken a cold. The explanation is in the absolute dryness of the air. This has convinced several prominent medical experts who have witnessed the demonstration that the cold, dry air process will be the successful treatment for tuberculosis and pneumonia, as well as typhoid, scarlet, yellow and other fevers and diseases.

A tuberculosis specialist recently announced the plan of taking a colony of patients to Greenland, that they might breathe the cold, dry air of the Northland. The remarkable health of Arctic explorers, in spite of manifold hardships and terrible exposures, is well known. There is no reason now why special sanitariums should not provide the same cold, dry, bracing air of Northern latitudes right at home, where the patients can breathe it continually, at temperatures suited to each case, while living in rooms flooded with sunshine. In typhoid, for instance, a rising fever could be gradually checked and reduced by lowering the temperature of the room without resorting to the shock of the ice bath. Local application can also be made wherever desired by means of an air-spray nozzle, and for many operations a jet of the cold air will produce and maintain a local anæsthesia regardless

of heart condition, and insuring a bloodless operation.

Notwithstanding the fascination of the new process in its possibilities from a medical standpoint, the original object and main purpose was the economical production of ice in large quantities for commercial purposes. Natural ice lasts longer, and gives out more cold than artificial ice for the reason that the natural ice is frozen at a lower temperature than is usually employed in ice plants. Obviously what has not been put in is not there to take out. Artificial ice is usually made at about 30°. Under present methods extremely low temperatures are practically impossible, and are obtained only at an increased ratio of cost. It is a good deal like speed in a boat. If 1,000 h. p. will drive at 15 miles an hour, 2,000 h. p. will not be sufficient to make 30 miles. The new cold process, however, is less affected in this respect, and low temperatures are not only easily obtained, but at only slightly increased effort. Ice is therefore made in one-half the time of present methods, and is harder, and contains more cold.

The process is equally available for the small plant which a butcher can install in his retail market, to the larger one for the largest hotel, or the big commercial plant capable of turning out several hundred tons per day. A plant can be installed in a single box car, and the cold air piped through an entire freight train, just as the air for operating the brakes is already piped. With such an installation a fruit train, for instance, can run from Los Angeles to Boston, across deserts during the hottest weather, with a variation in temperature of not to exceed two degrees in any car during the entire trip. For packing houses and other establishments requiring large cold storage facilities the new system is calculated to effect a saving of thousands of dollars annually, while the convenience and safety due to the absence of all chemicals is scarcely less important.

The combination of first making ice and then using the by-product dry cold air for supplying cold storage warehouses is something which cannot be done with the ammonia process, but is practical under the new system. One example will illustrate the power of the mechanical process. A cold storage room 15 ft. square and 10 ft. high was built where it was exposed on all sides to the full effect of the sun. The walls consisted only of one thickness of inch matched flooring. It was little more than a pine box. This repeated filling with the


dry cold air had shrunk the boards until in many places the tongue had drawn from the groove, leaving cracks through which one could see. The thermometer stood at 91° in the shade outside when the party of visitors entered and the door was shut. The cold air pipe, 2 in. diameter, was opened. Fifteen seconds was the extreme limit anyone could hold his hand in the chilling blast. In five minutes the thermometer had fallen to zero. The representative of a big packing company remarked as he witnessed the tests. "With 200 h. p. I could freeze an entire city of 100,000 inhabitants."

What will greatly surprise engineers is the small amount of power required. A temperature of 30° below zero is produced and maintained in commercial quantities, with a 40 h. p. water turbine, at the plant in which the tests have been made. The ice is of finest quality and has found ready sale.

A large demonstrating plant in one of the largest cities will shortly be completed, when the works will be thrown open to the public for inspection.

COMPRESSED AIR TUNNEL SWEEPER

For cleaning the dirty walls of its tunnels, the District Railway Company of London is using a new mechanical brush or sweeper mounted upon an electrically propelled car.



Sweeping a Tunnel

The sweeper is mounted on a swivel and is operated by compressed air. It consists of a series of brushes which revolve at great speed against the roof and sides of the tunnels and dislodge all the dirt accumulated there. The "sweep" can turn the brush in any direction he desires. The truck is provided with two air-pumps which compress the air to a pressure of 200 lb. to the inch.


THE "BEDBUG" SPECIAL

Probably the only train in the world of its kind and name is now going over the main line and branches of the Union Pacific. It is equipped with all modern appliances for exterminating bugs and insects of all kinds, and will fumigate all the section houses on the system. Steam from the engine is carried to the car where it is mixed with poisons or disinfectants according to requirements, and the building sprayed inside and out by means of hose and suitable nozzles.

FRONT WHEEL AUTO DRIVE

A number of manufacturers are bringing out machines in which the front wheels only are the drivers. One of these we illustrate. The Motor Age thus describes its operation:


The principle of driving the front wheels is by placing a universal joint between the steering knuckles and the outer ends of the drive shafts and by placing a stationary axle a few inches beneath the drive shafts and carrying the shafts on it. The driving shaft is divided at the center where a differential and sprocket for single-chain drive are carried. The drive shafts with their inner ends carrying the differential gears revolve in a casing attached to the stationary axle, leaving the driving shafts free of



any load carrying, the only strain remaining on them being that of driving the wheels. The steering knuckles take the form of a short sleeve or ring on the part of the drive shafts outside of the universal joints, being that part to which the wheels are rigidly attached. From the bottom and top of this sleeve extend short curved arms pivoted on other arms on the ends of the stationary part of the axle. At the rear side of the sleeve carrying the knuckle is an arm connected with the connecting rod between the two knuckles and which is connected with the base of the inclined steering column for turning the wheels.

THE GET TOGETHER IDEA

An extremely suggestive article with experiences of the writer, Mr. H. F. J. Porter, appears in the American Machinist. He advocates a closer relationship between owners and managers of a works and the superintendents, foremen and employes. He says: "To bring about these conditions, a



Factory Banner

meeting of all the employes of the company was called to take place one day at noon, and there I announced the desire of the company to change its policy of management to one in which all the employes should have a voice. The employes were requested to elect a factory committee, with representatives from the office, the selling organization, the factory operatives and the foremen. Of this committee the superintendent, representing the management, would be permanent chairman, while the term of service of each of the other members would be six months, so arranged that one member would retire and a new one take his place every month. This committee would act in a recommendatory manner to the management on all matters which would come automatically to it through a suggestion system.

Then follows the details of how these suggestions are made, referred and acted upon.

The employes adopted the motto "Get together," and framed a banner emblematic of the principles involved in that policy. This is shown in the accompanying sketch, and an outline of it they wore as a badge of membership in the organization.

STORAGE BATTERY LOCOMOTIVE



The Underground Electric Railways Co., London, has constructed two steel storage battery locomotives, 50 ft. long. A cab for the motorman is placed at each end. The battery compartment holds 80 chloride cells

weighing 36 tons; the car complete weighing 55 tons. The Locomotive Magazine, London, says: "These locomotives will be employed on goods traffic, and it is expected the number will soon be increased."

SIMPLE STEAM GRADER


This grader is the invention of a railroad builder in the state of Washington; its operation which is extremely simple will be understood from the illustration. The scraper, which is a sort of steel box with a cutting edge at the sides and bottom, is 7 ft. wide, 8 ft. long, and 36 in. deep. The knives are 10 in. wide and 7 ft. 6 in. long. A 7-ft. scraper will hold 3 yds. A crew of five men is sufficient. The scraper is returned to starting point by reversing the donkey engine, which reverses the movement of the endless cable to which the scraper is attached. The Railway Review says: "The longest haul should not be over 1,500 ft., and under ordinary circumstances 3 minutes is ample time for a haul of 800 ft. to 1,000 ft."

About 75 of these machines are now in operation throughout the country. Two of

them have been sent to Nome, Alaska, to be used in bringing out beach sand which lies under water, and could not be worked otherwise on account of the movement of the tide. It has also proved a success in taking ballast from a river bed through which water was flowing, so that the ballast could not be gotten in any other way.

FORTY-TWO STORY HOTEL PLANNED


A New York architect is at work drawing plans for a proposed hotel to contain 42 stories. The building would be 500 ft. high, making it the tallest in the world, and would accommodate 2,200 guests. A roof garden on the top and an immense swimming tank in the basement are included among its essentially modern features.



"About 75 of These Machines are Now in Operation."

THE "MIKASA" DISASTER

After passing in safety through all the dangers which surrounded the Port Arthur blockade for months, and also escaping serious injury in the great sea battle which



The "Mikasa"

closed the war, Admiral Togo's flagship, the "Mikasa," was destroyed by fire and explosion in the home harbor of Sasebo on September 11. About midnight fire was discovered at the base of the mainmast, and in less than an hour spread to the after magazine, which exploded. The ship sank in shallow water and will be raised.

Naval engineers say the ship could have been saved had the sea-cocks been opened and the vessel submerged. Probably the extent of the fire was not realized by those on board. The fire was caused by electric wires. The ship was 400 ft. long; 75½ ft.

beam; drew 27 ft.; had displacement of 15,200 tons; 16,400 h. p.; speed 18.6 knots; was built in England in 1902.


TELEPHONES FOR LOST ALPINE TRAVELERS

On various parts of the famous St. Bernard Pass in the Alps the monks have erected huts for the benefit of lost travelers. Each hut is numbered and connected with the hospice by telephone. The lost traveler telephones to the monastery the number of the hut he has reached. The number is repeated to one of the trained dogs kept at the monastery and the dog immediately sets forth for the hut.

CRANKSHAFT INGOT WEIGHED 126 TONS

A single ingot of open-hearth steel, weighing 126 tons, was used to form the big crankshaft for one of the engines of a California gas engine electric station installation. The crankshaft is a ninety-degree double-throw, 38 in. in diameter, and will support a fly-wheel weighing 130,000-lb.

The engines of the installation will be the largest ever built. Each will indicate 5,333 hp., the capacity required to drive a 4,000 kilowatt generator with which they will be direct connected. The nearest approach to these engines are two at Hastings, Va., each of 4,500 horsepower capacity.




Open Hearth Steel Ingot Weighing 300,700 Lbs.

Courtesy Bethlehem Steel Co.

PRIZE AUTOMOBILE DECORATION

In a floral parade at Oconomowoc, Wis., recently, in which there were forty-five entries the prize was given the owner of the automobile shown in the illustration. The


Still more effective was the float which took the prize in a parade at Syracuse, N. Y. A miniature battleship, well proportioned and faithful in its details even to the



Prize Automobile Decoration

motor wagon was given the form of a sail boat. The Florist's Review says: "Thousands of Shasta daisies and pansies were used with trimmings of asparagus."

small boats, presented a very realistic appearance. In order to support the bow and stern a single wheel was placed under each end; the forward wheel being steered from



Prize Battleship Float

the cabin. As the ship moved along the street with smoke pouring from its stacks, it presented a very business-like appearance.


LIGHT STATION CONSTRUCTED ON TERRIBLE "MILE ROCK"

One of the most difficult and dangerous engineering feats recorded in lighthouse construction has been the erection of the new light station on the famous "Mile Rock," located just outside of the Golden Gate—San Francisco Harbor. This station has just been finished, after more than a year's work, at a cost to the government of more than \$100,000.

For the past half century, Mile Rock has been a standing menace to all vessels entering, or departing from, the Bay of San Francisco. The rock stands three-eighths of a mile off the southern shore of the entrance, and just one mile eastward from a line drawn from North Head across to the Cliff House beach. As the rock was too large to blow up, the government finally determined to beacon it. The very liberal appropriation of \$100,000 was made in view of the fact that the difficulties of building this particular station were great, and the perils extreme.

At mean tide the sharp and ragged rock jutted only 16 ft. above the surface of the heaving waters. At very high tide the points were entirely submerged. It was a mere rocky pivot exposed to the full force and fury of open sea, winds, and sweeping tidal currents. Only 1,000 sq. ft. could be found on the rock after the rough edges were leveled off—around the ragged sides; and for the foundation but 704 sq. ft. were secured for the base.

Over and around these ragged pinnacles was constructed a huge steel cylinder 42 ft. high, elliptical in shape, 40 ft. long, and 25 ft. wide in the broadest place. This great cylinder-base was composed of steel plates 2 ft. and 10 in. wide, and $\frac{3}{4}$ in. thick, very strongly riveted together—boiler fashion. All the inside space was filled with concrete—nearly of pure cement. The point and sides of the rock jutted upward, and, uniting with the hardened cement, formed so many powerful and massive braces to hold the cylinder foundation impregably firm against the fury of gales and seas. Over 1,200 barrels of cement were required to form the



The Beacon on Mile Rock

foundation, and 60 tons of steel plates were used. Above the foundation was erected the main tower—rising 50 ft., and requiring 92 tons additional steel. The total height of the station above mean sea level is 92 ft.

All the work was done by sailors under the personal supervision of an engineer; for so great and constant were the perils of operating on the wave-swept rock that no regular landsmen could be found hardy enough to undertake the task. The materials were all carried out on a little steam tender, and landed amid the greatest difficulties and dangers. Necessarily, the work progressed very tardily. It is a remarkable fact that no lives were lost, and no serious accidents occurred during the building of this navigation beacon. For many years the beaconing of this rocky pinnacle was deemed impossible, even by engineers. Its accomplishment must be recorded as a

wonderful piece of marine engineering. It is an ocean monument to those who planned and were courageous enough to carry the work forward to completion.

The top of the tower is surmounted by a third-order light. In the base the storage of provisions and fresh water are provided for. The fog signal machinery occupies the first story of the steel tower; the second is used by the keepers as a kitchen; the living and sleeping apartments are in the third story, and the fourth is the watch room. Surmounting the tower is the lens lantern, 12 ft. high and 10 ft. in diameter. The stories are graduated from 11 ft. 6 in. to 7 ft. 10 in. in height. The entrance to the lighthouse is through a door 10 ft. above the rock. Landing steps lead down into the water. Winding steps of cement lead up to the storeroom. The fog horn is operated by means of compressed air obtained by a 20-hp. oil engine operating the air compressors.

This machinery, together with an engine for operating the derrick, which is used to hoist supplies landed at the station, is packed within the lower story of the steel superstructure. Communication with the shore is maintained by means of a cable so that the keepers can be in constant touch by telephone with their superiors.

Engineers claim that the foundation can successfully defy the combined forces of seas, winds and tides. Some four years ago the large steamship "Rio de Janeiro," coming from the Orient with 200 passengers and a very valuable cargo, attempted to enter the harbor during a dark and foggy night. The vessel ran on a rock, and inside of 40 minutes went down. More than two-thirds of the passengers were lost, and the vessel also. There is every reason to believe that the ill-fated steamer struck on Mile Rock.

WHY POPCORN POPS


Volatilization of the oil contained in the kernel, upon being heated, is given by the Department of Agriculture as the reason why popcorn pops. Popcorn differs from field corn in that it has a larger proportion of corneous element and a greater per cent of oil. The outer portion of the kernel of field corn is more porous than it is in popcorn, also, and the oil escapes as it volatilizes. The great pressure exerted by the volatilized oil in popcorn causes a sudden explosion and the kernel turns wrong side out.

THE TELEMobilOSKOP

Locates Vessels in Foggy Weather, Reducing Danger of Collision.

The telemobiloskop is a new nautical instrument which enables the pilot of one vessel to locate the nearness of another vessel in a fog, even though no signals are given. The instrument is operated by electricity, which all large ships now have means of producing, and sends out sparks which form electrical waves. The electrical waves travel along the surface of the ocean until they strike a metal part of another ship, whence they are reflected back to their source, and are caught by a receiver, similar to those used in wireless telegraphy operation.

The illustration shows the mechanism of the apparatus. Axle C is the carrier which is adjusted so that it always remains in the



Mechanism of the Telemobiloskop

same vertical position. A large projecting box, moved by a machine, turns around this axle. The box stands on a high elevation, the mast perhaps, and slants toward the water. The inductorium of the sparks is at H. Two lenses, R, inside the box shape the electrical waves into a cylindrical body so that they travel compactly.

The receiver is placed over the box and is separated from it by a metal plate so that it can take only returning waves. The exact distance to another vessel is ascertained by turning lenses R by means of handles W and Z so as to get the strongest reflection from metal parts of the other vessel, which the loudness of the indicator marks out.

Oregon fir is destined to supplant Norway pine as a durable building material. Government tests have lately established its superiority.

HOW MANILA ROPE IS MADE

Pound for Pound as Strong as Steel--Old Method of Manufacture -- Putting in Couplings--Table of Technical Terms

No longer ago than 1881 it was stated as a notable fact that at the government rope walk at Boston ropes 170 fathoms (1,020 feet) long could be turned out. The primitive method of rope manufacture that had been in use for 3,500 years was still employed there. While other industries were being developed by the introduction of ma-

spin was twisted into strands and the strands into rope, horsepower being employed in the last operation.

It was when one of the first Atlantic cables broke in mid-ocean and a rope 2,000 fathoms (12,000 feet) long was required for grappling that the possibilities of machinery in this connection were first exploited.



Courtesy C. W. Hunt Co.

Opening Bales of Manila Fibre

chinery and the application of power the manufacture of rope remained a hand process. The rope walk at these plants consisted of an enclosure often more than 1,000 feet long; the machinery was a wheel with a series of hooks on it placed at one end of the walk. The workman wrapped a bunch of the hemp fibre around his waist, attached some of the fibres to the hooks and while an assistant turned the wheel, he walked slowly backward, drawing out the proper number of fibres with one hand, compressing them with the other, twisting them into yarn as he went. The yarn thus


Up to this time the longest rope manufactured was less than 200 fathoms long. Then John Good, a young workman in a rope walk, offered to build machinery from his own designs and with it turn out a rope of sufficient length for the purpose. The bold enterprise was carried out successfully, but it was not until 20 years later that the use of machinery became general and to this day a cordage works is called a "rope walk."

In the modern manufacture of rope the bales of hemp (manila hemp being the strongest material used for rope) are opened and the fibre shaken apart lightly and

placed in layers which are sprinkled lightly with kerosene oil. Animal oil would effect spontaneous combustion, but kerosene oil does not heat the fibre. The bales of hemp weigh about 270 lb. and hanks of fibre 10 ft. 7 in. long have been received, though the ordinary run is less than 8 ft.

The hemp is first passed over revolving cylinders having sharp steel teeth. This process is called "scutching" and its purpose is to straighten the hemp and remove the coir, dirt or foreign matter of any nature. It is then combed into a continuous ribbon or sliver by passing through breakers, after which it goes through spreading and drawing machines and comes out straight, even and ready to be wound on spindles and be spun.

The spinning machine operates two spindles which move at 1,500 revolutions per minute and twists the fibre right-handed



Cross Section of Three and Four-Strand Ropes

into yarn. The yarn is about $\frac{1}{8}$ in. in diameter and from 20 to 80 yarns are twisted in the opposite direction or "left hand" to form a strand. This is done by a machine called a "former," which has a circular iron disk at the center of which is erected a perpendicular shaft with a "head" or die at its end. Several bobbins full of yarn, the number being determined by the size the strand is to be, are spaced around the edge of the disk and the free end of each yarn is carried to the die, where they are twisted left hand by the revolving of the disk. As fast as twisted the strand is wound off on a drum. Thus the length of the rope is not limited as in the old method. The strands, three or four, are twisted in the same way into rope, only in the opposite direction or right hand.

The process may be thus briefly described, but in the actual manufacture, a deal of expert knowledge is involved. There is a wide difference in the qualities of manila fibre and the material must be selected for the use to which the rope is to be put. Then there is the question of internal wear, easily illustrated by untwisting an old rope and noting the powdered fibre that drops out. Manufacturers use different means of preventing this. One firm lubricates the fibres

with plumbago mixed with sufficient tallow to hold it in position. The tallow makes the rope partly water-proof and the lubricant fills up the hollows and uneven places until all the threads are lubricated. Then again the question of strains caused by twisting fibres, yarn and strands always in opposite direction to the preceding twist must be considered as the strains must be carefully balanced. A four-strand rope is more durable than a three-strand as it comes nearer forming a circle. A table of terms relating to cordage is given below:

TECHNICAL WORDS RELATING TO CORDAGE.

YARN.	Fibres twisted together.
MARLINE.	Two yarns twisted together.
THREAD.	Two or more small yarns twisted together.
STRING.	The same as a thread but made of slightly larger yarns.
STRAND.	Three or more large yarns twisted together.
CORD.	Several threads twisted together.
ROPE.	Several strands twisted together.
HAWSER.	A large three-strand rope.
CABLE.	Three hawsers twisted left-handed together.
SHROUD-LAID.	A rope of four strands with a heart.
HAUL.	To pull on a rope.
TAUT.	Drawn tight or strained.
BIGHT.	A loop in the rope.
FAIL.	The rope in a hoisting tackle.
KNOT.	A loop or fastening with a rope.
HITCH.	Attaching a rope to an object.
BEND.	Attaching two ropes together or to an object.
TACKLE.	An assemblage of ropes and blocks.
	A rope is:
LAID.	By twisting strands together in making a rope.
SPLICED.	By joining to another rope by interweaving the strands.
WHIPPED.	By winding yarn or small stuff around the end.
SERVED.	When wound continuously with yarn or small stuff.
PARCELED.	By wrapping it with canvas.
SEIZED.	By binding two parts together by a yarn or small stuff.
PAYED.	When painted, tarred, or greased, to resist wet.

The transmission of power by manila ropes has within recent years been demonstrated practical. It has been found that the rope is capable of transmitting large amounts of power, will run in any direction, is smooth and quiet running, there is absence of electrical disturbance, its use is economical in first cost and in maintenance and accurate alignment of sheaves is unnecessary. The coupling system of mounting ropes on pulleys is considered better than the band or tension pulley systems though the first cost of couplings is high. Figs. 1, 2, 3, 4 show how ropes are spliced, and Figs. 5 and 6 show the method of splicing in a coupling.




Fig. 1. Unlaying the Strands



Fig. 2. Butting the Ropes Together




Fig. 3. Laying the Strands in Position



Fig. 4. Tucking in the Ends




Fig. 5.

Splicing in a Coupling





Fig. 6.


Courtesy C. W. Hunt Co.

Manila rope, pound for pound, is as strong as steel. A bar of rolled steel 1 in. square and 1 ft. long weighs 3.33 lb. and has a breaking strength of 64,000 lb. A 1-in.

rope with leather belting, it is found that a manila rope 1 in. in diameter is equal in driving power to a double leather belt $2\frac{5}{8}$ in. wide, each running at the same speed.



Coupling Spliced in the Rope Ready to be Put on the Drive



Courtesy G. W. Hunt Co.

Coupling Ready for Use

manila rope weighs 0.34 lb. per lineal foot and has a breaking strength of 7,160 lb. Deduced from this, the strength of a rope equal in weight to the bar of steel 1 in. square is $(7100 \times 3.33) \div 0.34 = 69,000$ lb. Comparing

A knot and a splice in rope are always its weak points and in all installations where rope plays an important part these points should be in the hands of one who understands the matter thoroughly.

USE OF ACETYLENE IN FRANCE

14,500 Tons of Carbide Used in One Year

The use of acetylene in France is decidedly on the increase. There are now 40,000 installations for various purposes in use in that country and 112 towns, having a population up to 5,000, where it is used for municipal lighting.

"In the six years from 1896 to 1902," says Engineering (London), "there were no less than 2,350 patents dealing with the production and utilization of acetylene granted in France." The government places installations of this kind, where the capacity of the gasometer does not exceed 35.3 cubic feet, in the third class of risks, and the rather stringent laws in regard to them are not strictly enforced, as there have been so few accidents from them. Insurance companies charge no extra premium because acetylene is used, provided that the gas producers and the store of carbide are placed outside the insured buildings. Where they are placed inside, a carefully ventilated room is fitted up for the purpose and the carbide must be kept in a metallic chest in a dry place. Insurance premiums are much higher in these instances; consequently the latter arrangement is not often employed.

In the towns where acetylene is used for lighting, the pipes are mostly of lead, diminishing in diameter from 3.14 inches at the gas generator by stages to 0.51 inch at private dwellings and street lights. Street lamps usually contain but one burner. They are very troublesome to clean and recharge. Gas is sold to a municipality at 57 cents per 1,000 cubic feet and to private consumers at 67 cents per 1,000 cubic feet.

The consumption of carbide in France for 1902-3 was 14,500 tons. Figures for a later period could not be obtained. Aside from lighting purposes, acetylene is being used for miners' lamps, oxi-acetylenic blowpipes yielding a temperature of about 5,432 degrees Fahr., soldering irons of many varieties, several types of stoves and other appliances.

In Germany the increase in acetylene installations is even more marked. The price to consumers is less than in France, and where it is installed two houses out of every eleven take the gas, and each house piped averages $8\frac{1}{2}$ burners. There are about 8,000 installations of all capacities in active operation in Germany at the present time.


All the articles appearing in this department are reprinted in book form at the end of each year.

SHOP NOTES

Contributions to this department are invited. If you have worked out a good idea or know of one, please send it in.

SUBSTITUTE FOR PIPE WRENCH

The hot water front was to be removed from my stove, but I had no pipe wrench. I had a 12-in. monkey wrench, a cold chisel



Substitute for Pipe Wrench


and a flat file, however, and the sketch shows how the job was done. A indicates the chisel, B the flat file, C the pipe and D shows the direction of pull. It took all the power I could exert on the wrench to start the pipes, but it did the work.—Contributed by W. L. Dines, Jr., 74 Mason street, Worcester, Mass.

TO TEST TURPENTINE

To test the purity of turpentine drop a small quantity on a piece of white paper and expose to the air. No trace will be left if the turpentine is pure; but if it contains oil or other foreign matter, the paper will be greasy.

SUBSTITUTE FOR AN OFFSET FILE HANDLE

Take two files and bolt them together, one on top of the other with suitable small bolts. Two $\frac{1}{4}$ -in. or $\frac{3}{8}$ -in. bolts with nuts



Substitute for Offset File Handle

and two washers each will do nicely. This makes a simple and convenient substitute for an offset file handle.—Contributed by M. M. Frickling, Southern Railway Shops, Columbia, S. C.

HOME-MADE STEAM WHISTLE

This whistle may be made from whatever materials one may have on hand and so the dimensions may vary with the requirements.

Take a piece of pipe, say, $\frac{3}{4}$ in. for the whistle stem and $3\frac{1}{2}$ -in. pipe for the bell and base. Put a thread on the stem long enough to reach through the whistle base and make connection. Mark the stem flush with the top of the whistle base and cut a thread on




Fig. 1

Fig. 2


Fig. 3

that end all the way down to the mark, in order to get the disk down just flush with the top of the base, and leave a clearance of about $\frac{1}{32}$ in. between the walls of the whistle base and the disk. Cut holes in this stem just below the disk for steam. Now screw on the bell, which should be tapped the same size as the stem, until it comes over the opening in the base. Then screw on a cap nut and you have a pretty good whistle.—Contributed by L. C. Haskine, 366 6th street, Laramie City, Wyoming.

IMPROVED HOME-MADE ANVIL BLOCK

The anvil block shown in the sketch is made of $1\frac{1}{2} \times 1\frac{1}{2}$ -in. iron, which is about ordinary wagon tire—something that most blacksmiths have on hand. The feet are bolted to 2x4's, which may be nailed or otherwise fastened to the floor.

The advantage of using such a block is



Home-Made Anvil Block.

that it is not in the way when bending a long piece of iron. With a wooden block one cannot make a square bend in a piece of iron that comes down over the block, unless the block is small, and especially one cannot make the bend over the center of the anvil. With the iron block the work comes between the legs of the block.

The shelves on the block can be removed when in the way and are handy for holding tools. Underneath the anvil there is room for scraps of iron and tools that are used very often. A sledge may be used on the anvil without affecting the block.—Contributed by B. W. Woldridge, Hickory, Mo.

HOW TO DEMAGNETIZE A SAW

One of our readers asks how to demagnetize a saw. He laid a saw on the floor of an electric car and next day when filing the saw, found that it was so highly magnetized that he was obliged to brush the filings off constantly.

One way is to let the saw fall a few times on the floor. If this does not work, try the following plan: Attach a string to the saw and twist the string. Hold the saw over


the place where it was magnetized while the electric car is in motion, or over any other dynamo. Then walk slowly away from the field of the dynamo or motor (which is sometimes a distance of six or ten feet), allowing the string to untwist and rotating the saw.

CHEAP SHEARS FOR CUTTING TIN

The materials required for this device are two old 16-in. files, a small bolt, a block of wood and a couple of screws.

Cut one of the files to the length you wish the knife (A in the sketch) to be and grind one side and one edge sharp and square. Drill holes in the top for fastening the knife to the block of wood, using the screws.

Grind the top and an edge of the other file (B) sharp and square. Drill a hole in the end of the file and one in the end of the block and mount the file with a bolt. These



Shears for Cutting Sheet Metal

shears are handy for cutting tin, sheet iron, etc.—Contributed by W. J. Slattery, Emsworth, Pa.

CAPACITY OF A HOPPER

Multiply, in inches, the length by the breadth and multiply this product by one-third the depth. Divide by 2,150.4 and the answer will be the number of bushels the hopper will hold.

TROUBLE ALARM FOR GAS LIGHTING SYSTEM

In response to the request in our July issue for a trouble alarm plan for a gas lighting system a number of our readers have favored us with replies and diagrams.

Figure 1 is submitted by Geo. W. Bentley, Chicago, and shows the right wiring for Mr. Williams's system as it now stands.

Figure 2 is a system of wiring recommended by W. J. Slattery, of Emsworth, Pa.




Fig. 1

A is the spark coil; B is a soft iron armature suspended in front of the coil about $\frac{1}{4}$ in. from the iron core of the spark coil; C is a regulating screw and binding post, such as is used to regulate induction coils. In case of ground the soft iron armature and the soft iron core of the spark coil will contact, closing the circuit at D and ringing the alarm. Harry W. Krug sent in a plan essentially the same as Fig. 2, and says:

"The bell will ring for a second every time the gas is lighted or extinguished. If the same battery is used for the five lights it is best to use marked or tagged wires so that a ground can be located. Each wire should also be provided with a separate switch. When the bell begins to ring, open one switch after another. The one last opened before the bell ceases to ring is the grounded circuit."

Figure 3 is sent us by J. M. Berger, 717 9th street, N. W. Washington, D. C. A soft iron armature is pivoted on one end of the spark coil (see A in sketch) and one wire of the alarm circuit is connected with it. The other wire is connected at B. In case of a ground the core of the spark coil attracts the armature and closes the circuit at B. Mr. Berger says:

"It is a very good plan, when you are going to use a large number of burners in a house, to run a separate wire to the battery for the pendant circuits and also for the automatics. That is, make a separate circuit for each floor and a circuit for the automatics on each floor to the battery wherever it may be placed, then connect them to switches. This will be found a very good arrangement and costs but a trifle more. When a ground occurs with a system arranged in this manner it is only necessary to open the switches in succession until the circuit that is in trouble is reached. This switch should be left open and the fault traced while the rest of the lighting system is left in full working order."

The installation submitted by J. H. Edleman, Philadelphia, Pa., corrects the faults in Mr. Williams' system. He says: "Mr. Williams has his spark going through his bell. If he will ground wire A with gas pipe and connect wire B with wire between sparking coils and batteries his bell will give an alarm whenever there is a short circuit or ground any place along his system. I use six wet batteries." The arrangement is shown at Fig. 4.

In a diagram submitted by A. M. Larson, Minneapolis, Minn., the wiring of the lighting circuits remain the same as in Mr. Williams' plan. At A, Fig. 5, however, an arma-




Fig. 2

ture lever, kept away from the end of the spark coil by means of a small spring of sufficient strength, is introduced. This lever is connected to one terminal of an independent bell circuit, the other terminal is

connected to a small metal point to the right of the lever. When a switch is closed, completing one of the lighting circuits, the gas is turned on and lighted, and in the meantime the current passing through the coil has made a strong magnet of the core, which, acting upon the lever, draws it until it touches the metal tip, thus completing




Fig. 3

the outside bell circuit. As the lighting switch is usually operated by making two or three quick connections, if the system is working properly, each switch, when thus operated, will cause the bell to make these same short rings. A short circuit would cause continuous ringing. A break in the line would be indicated by no action in the bell whatever. With this plan the electric door bell of the house could be used as the alarm, or, if desired, a cut out switch could be introduced and use it merely as a test, whenever desired.




Fig. 4

Figure 6 shows plan of wiring as suggested by Geo. S. Barnet, Chicago, the principle being the same as in Fig. 5. Mr. Barnet suggests putting the bell in the basement, or other out-of-the-way place, as it taps every time the gas is lighted.

"Providing the resistance in the sparking coil is greater than the resistance of the bell, there is no excuse for Mr. Williams' system failing to work," writes D. D. Morin, Chicago. "If the resistance of the coil is lower than that of the bell, it can easily be seen that the greater part of the current will flow through the coil and to the ground, thus leaving very little, if any, to pass through the bell.

"The reason the alarm failed to work after a time, must have been that the batteries had become exhausted by ringing for some time without his knowledge. I would suggest that he put a two-point switch between the coil and line that comes from the lighter, so as to cut out the coil entirely, thus giving the bell the full benefit of the current. Of course, the switch must be put on the coil before he attempts to light the gas. Referring to Fig. 7, when the switch is on at A, the coil is in position to be used; when on at B, the alarm bell is in position. If the switch plan is not convenient, he might replace the bell with a 'drop,' so that when the lighter becomes grounded or short circuited, the 'drop' will fall and thus close a local circuit having a closed circuit battery in it, so the bell can ring for some time without injuring itself or the other circuit. Referring to Fig. 8, switch No. 1, when on C, is used on the coil; when on D, is used to throw the drop. Switch No. 2 is used to stop the bell from ringing when the drop contacts at A."

W. S. Hodill, East Liverpool, Ohio, repeats D. D. Morin's statement in regard to resistance, and suggests merely adding another battery so that more current will pass by way of the bell.

L. J. Voorhees, Sayre, Pa., says it is uneconomical to divide the current in this way, and recommends putting in a switch as shown in Fig. 9. In this plan when there is a short circuit in the line A, B or main circuit for lights, it magnetizes the core of coil C, causing the steel spring D to come in contact with point E, causing a circuit through battery and bell without interfering with the main circuit in any way.

In Fig. 10 the connections of automatic




Fig. 5




Fig. 8




Fig. 12




Fig. 6




Fig. 9




Fig. 11




Fig. 13




Fig. 7




Fig. 10




Fig. 14




Fig. 15

and pendant burners, also the tell-tale bell on a separate circuit, is shown. The armature, A, is pivoted to the end of the spark coil and held a short distance away from the magnet core, either by means of a spring or by gravity, in such position as to be attracted by the magnet core when the circuit is closed, thus closing the local circuit. This will show a heavy ground or a short circuit, writes Wm. Lachman, Chicago, but a slight leakage, which is a drain on the life of the battery, must be found with the aid of a galvanometer or magneto.

In Fig. 11, plan submitted by Wm. T. Hall, Chicago, A represents a spark coil, with the end of one wire grounded to gas pipe, while the other end passes to terminal of battery cells, and thence to switches, S. A lead of wire is then run to each gas jet in service, and the gas can be lighted by operating pendant. For detecting ground and short circuits, B is a spring with a soft iron at one end and fastened at the other. O S is a second spring made fast at one end. The terminals of two cells of batteries with a bell in series is connected to the springs as shown in the diagram. When short circuits or grounds occur, the iron core of the spark coil will become magnetized, thereby attracting B, which, in turn, will contact with O S. This closes the circuit and causes the tell-tale bell to ring. Trouble can be located by opening switches.

In Fig. 12 the bell is in series with the lighter spark coil and batteries. The plan is suggested by J. S. Gibbs, Dallas, Texas.


Henry H. Peebles, of Cleveland, Ohio, sends us Fig. 13, and says: "Make a relay on end of spark coil and connect in series with a bell and battery. Contact, in case of trouble on the line, will be at H. The spark coil to be connected up in the usual manner."

W. J. Barber, North Adams, Mass., comments on Mr. Williams' system as follows: "The alarm resistance wire should be of suitable size to operate upon the circuit in question. If of high resistance, or very long, or very fine wire, resistance wire should be fine also. In Fig. 15 the contact arrangement is shown. A is a spring tending to touch the contact block and B should be iron wire about 22 or 24 B. & S. gauge. (For wiring plan, see Fig. 14.) The idea is to let all the current that goes to lighter or burners traverse the spring and resistance wire, so that if it is on long enough to heat the same, it will expand and allow the spring to touch the contact of the bell

circuit. The time element is governed by the size of the wire, longer wire being slower to respond. The alarm can be gauged to sound in from 10 seconds to two minutes after ground or short circuit.

SCAFFOLD BRACKET FOR A LADDER

A good scaffold bracket for a ladder is shown in the accompanying illustration. It is made of 1x1/8-in. flat iron and 1-in. round iron. The key-holes at A are for adjusting



Scaffold Bracket for a Ladder

the slant of the ladder. The bracket may be used on the inside of the ladder for low work, or on the outside for high work.—Contributed by G. B. Hiskey, Berlin, Nevada.


TO DRIVE FLIES FROM THE HOUSE

During the fall flies are often a greater nuisance than at any other time of the year. A good way to rid the house of them is to saturate small cloths with oil of sassafras and lay them in windows and doors. The flies will soon leave.—Contributed by B. F. Lamb, Minier, Ill.

The Department of Agriculture are experimenting with the cold storage preservation of seeds which, if kept in a warm place, are subject to attack from insects which hatch eggs among the seeds.

TO DETECT GROUNDS AND SHORTS

The outfit illustrated herewith is useful for detecting grounds and shorts in armature and field winding and saves the extra work of testing every now and then.



Ground Detecting Device

When there is a ground the 16 candle-power light is turned on. Shorts may be found by connecting wire B to the brass box as indicated by the dotted lines. If there is any amount of wire on the reel, the light will burn dimly and when a short is made in the winding the lamp will burn brighter.—Contributed by B. R. Van Valkenburg, 2212 E. Lake Ave., Seattle, Wash.

A METHOD OF CLEANING RUSTY PIPE


At the annual meeting of the Pacific Coast Gas Association, in San Francisco, in July, an interesting experience on the cleaning of rusty pipe was described. Some plain and steel tubing for use in high pressure lines came from the factory to the point of shipment on flat cars, and in consequence was badly rusted before it could be gotten under cover. Cleaning machines not being immediately available, a part was cleaned by hand and efficient tools proved a serious problem. Coarse and fine files were not much of a success, because they would not clean out pitted spots and irregularities in the surface of the pipe without removing valuable metal. Emery cloth and sandpaper did not last long enough to make a showing. Steel wire casting brushes proved quite efficient, coarse brushes being used to loosen the larger pieces of scale and rust and fine brushes to work into the pits and clean the dust off. Soft red brick, such as would be used only for filling, and furnace slag were found excellent, the fine particles

working into the pitted spots and irregularities as they broke off. The dust left can best be removed by a fine wire brush, leaving the surface of the pipe clean and bright, ready for receiving the paint.

HOME-MADE GASOLINE TORCH

Procure an old tin can, pint size, with a screw top, for holding the gasoline. Punch a hole in the center of the top and insert a piece of $\frac{1}{4}$ in. gas pipe to within $\frac{1}{8}$ in. of the bottom of the can, letting the pipe extend out of the can 4 or 5 in., soldering it in position. Screw a common cap on top of the pipe and drill eight or ten holes around the cap. Fill the pipe with wicking or asbestos.

When ready to light the burner, heat the can on the top and hot gas will flow from the holes. When lighted it will burn as



Gasoline Torch


steadily and brightly as gas light. This is a handy torch for use around the shop or outside, as it takes a very strong wind to blow it out.—Contributed by Thiede.

Shop Notes for 1906 will be ready December 1st. Order your copy now. Price, 50 cents.

HOW TO MAKE YOURSELF A DESK

In constructing this desk care must be taken in particular to always have the pieces of wood of exactly the right dimensions and cut with square angles. Further than this the work presents no difficulties to one of average ability. Oak is the most suitable wood for the purpose, though white wood makes a nice desk also, says the Engineering World.

Make the side pieces 50 in. long, 12 in.



Home-Made Desk

wide and $\frac{3}{8}$ in. thick, with curved openings 6 in. high and 8 in. wide at the bottom. Send the sides to the mill to have the pieces cut out, sending a drawing showing what you want done, also. Make the bevel at the top 45° or 3 in. each way. Cut the four cross-pieces from $\frac{3}{8}$ -in. material $24\frac{1}{2}$ in. long, two of them 12 in. wide for the top and bottom and two $11\frac{1}{2}$ in. wide for the middle. In the top and bottom pieces cut $\frac{3}{4}$ -in. rabbets on the back inner edge for the backing, which should be of $\frac{1}{2}$ in. matched stock. Cut grooves $\frac{1}{4}$ in. deep in the side pieces to receive the cross-pieces. Place the top piece 5 in. from the top of the side pieces, the second cross-piece place $14\frac{1}{8}$ in. lower, the third $12\frac{3}{8}$ in. lower yet and the bottom piece 10 inches lower than the third piece and $8\frac{1}{2}$ in. above the floor.


Make the partitions for the pigeon holes of $\frac{3}{8}$ -in. material 10 in. wide, two pieces being $23\frac{1}{4}$ in. long, two 9 in. long, two $6\frac{3}{4}$ in. long and two 6 in. long. Nail the two end pieces to the ends of the cross-pieces, then nail the two vertical pieces in place, first nailing to them the ends of the two short shelves. Nail the other ends of the short shelves through the end pieces.

Attach this frame to the desk by screws put through from the inside. When the backing is on, further support the frame by a $\frac{1}{2}$ -in. square strip screwed to the backing. The backing should be in $36\frac{1}{2}$ -in. lengths and may be nailed on with small nails.

Make the drop-leaf from two pieces glued up, 24 in. long by $14\frac{1}{8}$ in. wide. Fit a cleat 2 in. wide and $\frac{3}{8}$ in. thick at each end to corresponding rabbets cut on the upper side. After fitting and gluing the cleats keep the shelf in clamps until the glue is dry. Attach the shelf to the desk with ornamental T hinges of brass or black iron and put on side chains as shown. Fit a lock to the outer edge and to the inside upper corners of the case glue stop blocks to hold the leaf flush when desk is closed.

WASHING WASTE

Though waste is cheap, in a plant where economy in all branches is practiced, a good method of cleaning it for second use will not be scorned. Save the waste as it is used, allowing it to accumulate in a receptacle provided for it. When sufficient is on hand fit up an old barrel with a heating



Waste-Washing Apparatus

coil, says a correspondent of the Engineer's Review, fill it half full of water and, using sal-soda or soap, boil the waste until it is clean. When dry it will be as good as new.

"A wooden floor laid over hollow tile or concrete with not more than $\frac{1}{2}$ -in. space between the wood and concrete, burns very slowly, and would have but little effect in feeding a fire."—Kidder.

Life subscription to Popular Mechanics, only \$10 or sent five years for \$3. Addresses may be changed as often as desired.

AN INEXPENSIVE JACK

A jack suitable to meet with an emergency may be constructed at a cost of three cents, as follows:

Take an ordinary machine bolt (Fig. 1) any size and length that will bear the weight to be lifted or let down—say, $\frac{1}{2}$ to $\frac{3}{4}$ in. diameter by 4 in. to 10 in. long. Get a block 4x4x12 in. and bore a hole about $\frac{1}{8}$ in. larger in diameter than the bolt through the center; also cut a mortise the size of the nut as at a, Fig. 2. The mortise is to keep the nut from turning.

Get another block about 2x4x12 in. and on one side in the center fasten a plate (b,

An ordinary bolt is only threaded an inch or so at the point end, therefore only a short lift or release can be made at a time. To raise or lower more than the thread will allow, two jacks of similar construction would hasten matters, using one until the thread is exhausted, then setting the other and using its limit of thread; then setting the first jack again, and so on until the weight is adjusted as required. If only one jack is used it will be necessary to block up for each adjustment. If a long lift or lowering is desired and a tap and die are handy, it would be well to thread the bolt to within an inch or so of its head; this will give a longer movement of bolt. A




Fig. 3) $\frac{1}{8}$ to $\frac{1}{4}$ in. thick and 2 to 4 in. square or round. If there are not holes drilled in the plate, fasten it to the block by driving in four or five nails at its edge and allowing the heads of the nails to hook over the edge of the plate.

When blocks A and B are ready, place block A on the base or foundation, setting the bolt and nut in the hole and the mortise, the head of the bolt being up, and put block B with plate b on the head of the bolt on the underside of the weight. (See Fig. 4.) Fit a pipe wrench (d) around the stem of the bolt (c) and proceed to tighten or release as the case requires.

jack of this description will lift a very heavy load; the writer has one in use that is made out of a machine bolt $\frac{3}{4}$ in. in diameter and $3\frac{1}{2}$ in. long that cost 3 cents, and which lifts one corner of a house.

A jack for general use can be made at small cost, as follows: Get a machine bolt $\frac{3}{4}$ to 1 in. in diameter and 10 to 12 in. long. Have it threaded to within one or two inches of the head and make a countersink (e, Fig. 7) in the head of the bolt. Make a square box (Fig. 5) out of $\frac{7}{8}$ -in. strong, light timber and fasten a block about 2 in. thick by 4 to 5 in. square (d, Fig. 6) at the top of the box. In the center of this block cut a


mortise for a nut, as at a, Fig. 2. At the bottom fasten a pasteboard 2 in. thick and 6 in. square. Prepare a block as at B, Fig. 3, fastening the plate in this case with countersunk screws and a bolt with a sharp-pointed head (f, Fig. 8) in the center. This bolt is to set in countersink in head of bolt at e, Fig. 6.

A better and more substantial way is to make a screw with a permanent swivel plate, as follows: Have the bolt forged for the purpose. (See Figs. 9 and 10.) Have the square head set about an inch below the point end, then turn down the point end (g) about half its diameter for a distance $\frac{1}{8}$ in. longer than the thickness of the swivel plate h. Plate h should be $\frac{1}{4}$ to $\frac{1}{2}$ in. thick and about 3 to 4 in. square with a hole bored in the center of the same size as pin g and slightly countersunk on one side to make swivel, taking the place of block B, Fig. 3, thus making a cheap and handy jack.—Contributed by C. N. Leonard, 1319 Barth avenue, Indianapolis, Ind.

HOME-MADE WHEAT HEATER FOR A MILL

For the country mill where steam is not used a home-made wheat heater will be found serviceable. The American Miller describes such an installation.

Cut a hole in the middle of a stove pipe




Home-Made Wheat Heater

and join two half links of pipe on each side. Cover the ends of the short pieces with sheet iron, making an opening in each large enough to admit a 2-in. gas pipe. Run the gas pipe from the wooden spout at the wheat bin, through the hot air chamber so

made to the rolls. The stove pipe, of course, runs from stove to chimney. Keep up a good fire in the stove and the wheat as it moves through the gas pipe will be put in good condition for grinding.

CONVENIENT STENCIL HOLDER

For applying stencil decorations a new stencil holder, a recent invention, will be found convenient. The device holds the stencil in working position against either a




Stencil Holder

side wall or a ceiling while the pattern is being reproduced upon the surface against which it rests. The holder is adjustable to any height within its limit and is also collapsible, making it convenient for transportation from one job to another.

TO DRESS UP A HEXAGON

Turn the work round in the lathe, caliper the diameter and file a flat on round equal to one-half the diameter. File the next side of the hexagon in the same way, and let the edge of this flat just reach the edge of the first flat. Proceed in this way until the eight sides are filed. If carefully done the work will come out exactly as shown in the sketch.—Contributed by F. A. Sustins, Stevens Point, Wis.



Life subscriptions to Popular Mechanics, \$10, or, sent five years for \$3.

TO FIREPROOF PAPER


By immersing paper (plain, printed or written on) in a strong solution of alum water and then drying it, the paper will be made fireproof. Some paper, however, requires several immersions and must be immersed and dried until saturated. Test by holding saturated paper in the flame of a lighted candle. Money can be fireproofed in this way.—Contributed by John Weldon, 433 Columbia St., Brooklyn, N. Y.

CONNECTING UP AN ALARM CLOCK TO RING AN ELECTRIC BELL

Construct a shelf 6 in. x 4 in. of any hardwood. Get a strip of thin brass 4 in. x $\frac{1}{4}$ in. Bore a small hole $\frac{1}{4}$ in. from each end to admit a small round-headed screw. Screw the brass strip $1\frac{1}{4}$ in. from the front edge and 1 in. from each side of the shelf.

When this is completed make a contact point out of a piece of No. 16 iron or copper wire about 4 in. long. Bend one end of this wire in the shape shown at A, Fig. 1, so that $\frac{1}{4}$ in. of the end at the center of the coils will project at right angles to them. Bend the other end of the wire so that it can be fastened to the shelf. Fasten this contact point 2 in. from the brass strip and $2\frac{3}{4}$ in. from the right hand side of the base. The distance from the center of the coiled part to the base should be 3 in. B, Fig. 1, shows a side view of this part.

Remove the alarm key from the clock, and




if it has square corners cut it so it may be bent in the shape shown at C, Fig. 2, if it is round fasten a piece of No. 16 wire, bent in the shape indicated at C, to it, using wires to hold it in place.

Connect one wire from the electric bell to one of the screws in the brass strip and connect the other wire to the contact point. Set the clock on the shelf with the front legs resting on the brass strip and so the contact point is a little to the right of the set key. The clock may be taken down to wind, and in winding the alarm only one turn is necessary. Leave the bent part of the key pointing upward so that when the alarm goes off the key will turn downward, striking the contact point and closing the circuit, remaining so until someone comes to move the clock, and stop the ringing. The advantage of this method is that there are no connections to loosen when the clock is taken down to wind.—Contributed by R. M. Taylor, Cincinnati, Ohio.

HOME-MADE SCREWDRIVER AND NAIL PUNCH

A good screwdriver can be made out of an old flat file about 8 in. long by grinding it smooth on both sides and on the edges



Home-Made Screwdriver and Punch

to the shape of a screwdriver. One of these screwdrivers after a year's use is as good as when first made.


A nail punch may be made of an 8-in. rat-tail file by taking a piece 4 in. long out of the middle and grinding the point half smooth and leaving the other half as it is.—Contributed by Edgar Robertson, Castleton, N. Y.

LINSEED OIL AS FLUX IN TINNING ROOFS

Tin roofs need have absolutely no preparation previous to painting, if the tinsmith uses linseed oil for a flux. The oil is not quite as rapid as rosin or acid, but it leaves nothing objectionable to be dealt with afterwards. Acid will run into the seams and cause corrosion, while rosin is extremely hard to remove, especially from pits and irregularities in the surface.—Contributed by James H. Beebe, Rochester, N. Y.

RING WIRING AND DISTRIBUTION

Circuit distribution in closely built districts is a problem which differs largely from that encountered in suburban or rural localities. The most improved method utilizes a scheme called The Block, says the American Telephone Journal. In the center of blocks consisting of the area enclosed within four streets, terminal boxes are installed. From there the twisted pairs are run through rings fastened to fences or



Ring Wiring, Showing Details of Installation

walls, and in this manner distributed to the subscribers' stations. The cable leading to the terminal box is brought in underground and the box placed in a dry cellar to which access can be readily secured at all times. The supports employed for this method of distribution consist of iron screw eyes or rings not smaller than No. 4, and of sufficient size to allow all the present and prospective lines along any route to readily pass through them without binding. These supports should be covered with an insulating enamel which not only adds to the resistance of the line in damp weather, but also prevents to a large extent any chafing of the insulation when the wires are pulled in.

These rings are shown at B in the accompanying illustration. In placing them, if in brick or stone, the hole should be drilled and a wooden plug driven in to give a sufficiently strong holding point for the screw thread. Insulated rings should never be driven in, as by so doing, the enamel will be cracked off, destroying its insulating quality, and also forming a rough surface upon the ring which will wear away the insulation upon the wire. For turning corners, rings with angle irons in place of the screws should be employed. Where the line route is along fences no trouble will be experienced in screwing the eyes to the woodwork. At the final ring where the twisted pair leaves the run to enter a subscriber's premises, it should be tapped off as shown at G. This gives additional strength to the circuit and prevents the wires slipping.


This method of distribution is slightly and affords excellent protection to the circuits in cases of storm, by holding them close to the building or fence, which acts as a shield against the wind.

SAND THE SECOND COAT OF PAINT

If the second coat of paint is well sanded with fine sand, it will not need to be painted again in twenty-five years, writes James H. Beebe, of Rochester, N. Y. Use seashore sand, well washed and freed from all impurities.

HAND-PACKER FOR SACKING FLOUR

The accompanying sketch shows a handy packer for sacking flour by hand. There is little to explain in the sketch, as anyone can see at a glance all that is required to make it. It can be put on any hand packer, says American Miller.



Hand Packer for Sacking Flour

It can be made by anyone, and all that is required is a 2x4, a rope, rope pulley and weights to little more than counterbalance and draw up the sack platform.

METHOD OF WINDING COILS


In replacing some burnt-out coils in a controller I hit on the accompanying kink, writes O. N. Tait, electrician, Mountain View, California:

In a piece of $\frac{1}{4}$ -in. iron 12 or 14 in. long

HOW TO PRESERVE POSTS

Wood can be made to last longer than iron if treated according to the following directions, writes Anthony Haselman, 80 Morton street, Newark, N. J.:

Into boiled linseed oil stir pulverized coal



Good Coil-Winding Method

drill two holes, one near each end. Over this rod slip two common bushings, such as are used to go through walls. Have the heads of the bushings away from each other, and use gummed paper to hold the ends together. Then with a piece of asbestos paper take one turn around the tubes, holding this in place with gummed paper also. Put the work in the lathe and wind on the wire its own width apart. Cut off the wire and put the other end in the other hole. Then take the work out of the lathe and place in a gas flame, turning it once, until the wire is red hot all over. Allow to cool slowly; by doing this the wire may finally be cut off without danger of its unwinding. When cold coat with shellac. Knot the ends of the wire and you will have a coil that is noncombustible and can easily be removed from the mandrel.

I have a set of these coils in a controller on a huge rotary press and they have given good service under hard usage.


TO FIND HOW MUCH GRAIN ANY BIN WILL HOLD

For finding how many bushels of grain any bin will hold try the short cut of multiplying the length, breadth and height in feet together and then multiply by 0.8. The result will be the number of bushels the bin will hold. This rule is shorter than the old rule, says the Grain Man's Guide, and is accurate,

until the mixture is of the consistency of paint. Put a coat of this over the timber, and there is not a man living who will see it rot.

HOW TO HEAT LARGE BODIES OF WATER

Large volumes of water, such as contained in swimming tanks, etc., can be rapidly heated by means of the arrangement shown in the illustration. It consists of an ejector having space for steam around a




Heating Large Bodies of Water

central tube through which the water passes. The steam is turned on and rushes out of the concentric opening, drawing the water after it. One hundred gallons of water can be raised 50 degrees in three minutes in this way with only a $\frac{1}{2}$ -in. steam connection, and a $1\frac{1}{2}$ -in. water inlet, or in one minute with a 1-in. steam pipe and a $2\frac{1}{2}$ -in. water opening.

HYDROFLUORIC ACID vs. SULPHURIC ACID FOR PICKLING CAST IRON

By F. W. Hobbs, Electroplater.

The use of hydrofluoric acid for pickling cast iron preparatory to polishing and plating marks a great stride in the reduction of cost and quality of work produced. The old method of pickling with sulphuric acid was very unsatisfactory at best; in spite of the various alkali baths used after pickling, the work nearly always behaved badly in the nickel bath, owing to the acid remaining in the pores of the iron, and the result was a dark unsightly deposit, especially in the backgrounds or unpolished surfaces, and a contaminated solution. Suppose a plain surface is to be pickled: If the sand is burned in in patches, which is often the case, the acid must work its way under the



Apparatus for Pickling Castings

sand, dissolving the iron, thereby freeing the sand; at the same time the acid is going much deeper into the exposed places where there is no sand; result, an uneven surface requiring extra work to grind it even again.

Hydrofluoric acid has very little effect upon iron, but dissolves sand very freely and therein lies the secret of its superiority. Its use results in a smooth grey casting free from sand and scale, and one which, when rinsed and soaked for ten or fifteen minutes in lime water, will grind easily and come out of the nickel bath a perfect white, and the condition of the solution will not be affected in the least. After using hydrofluoric acid for two years, I can positively say that the use of sulphuric acid for pickling is simply a loss of time and material as compared to hydrofluoric. Hydrofluoric saves emery, glue, wheels, solution and time and produces a far better class of work than could be had by the use of sulphuric acid or no acid.

A convenient method of using the acid is shown in the accompanying sketch. At the left is a bench a trifle higher than top of

the tanks. On this bench is a shallow lead tray large enough to permit the barrel of acid to be stood in it. A small lead pipe leads to the first tank, which should be lead-lined with seams burned, not soldered. This tank is to contain the acid, one part to fifteen parts of water. Tank No. 2 is for clear water, and Tank No. 3 for hot lime water. The lime water can best be heated by inserting a coil of steam pipe. Above the tank is a track with a set of small falls connected to a truck on the track. The cage or car is made of soft wood doweled together with wooden dowels and slung from falls by an iron strap sheathed in lead pipe. The cage is first loaded and lowered into tank No. 1, then raised, run along the track and lowered into No. 2, then up and along and into No. 3, then up and run back and lowered on to pieces of scantling placed across No. 2, where it may dry by the heat caused by the hot lime water. Have two or more heavy hoops made and rolled in hot lead, and when a barrel of acid is received, place the hoops on as a protection, should the acid find its way through the pitch lining and attack the slender hoops on the barrel. Put a strap on the barrel and raise it into the tray, then puncture the side near the lower head with a nail in such manner that when the acid runs out it will strike in the tray and be conducted to the tank by the small lead pipe. When the proper amount has been drawn off, stop up the puncture with a wooden plug. Should this leak a little or should the joints leak a little, the acid will be conveyed by way of tray and pipe to the tank so none will be lost. When the barrel is empty it may be lowered and the heavy hoops knocked off for use on the next barrel.

The acid is shipped in pitch-lined barrels or lead-lined carboys; the carboys soon become leaky, owing to rough usage in transportation and are expensive; therefore, I recommend that the barrels be used for transportation.


MADE A WASHER OF A KEY

While looking for a washer, which I failed to find, I ran across an old brass key with a round ring at the top and flattened at both sides. Using a cold chisel, hammer and file I cut the ring off, then filed it perfectly round. It worked like a charm for the water faucet.—Contributed by W. A. Perry, 74 Orange street, Brooklyn, N. Y.

HOW TO TIE A JURYMAST KNOT

This knot is also known as a mast-head knot and a bottle hitch and is used at the top of a temporary derrick in place of a mast iron to fasten the guys to. A correspondent of the American Machinist tells how to tie the knot.

these two bights with the left thumb and forefinger, measure off another 6 in. and throw the last "bight." Place it on top of the last one made and you have Fig. 3. Take the part E in the last bight at Fig. 3 and—while holding the other parts in place




Take a piece of stout cord and hold it between the thumb and forefinger of each hand with a space of about 6 in. between the hands. Then twist the cord right-handed with the thumb and forefinger of the right hand only. This will throw up a "bight" like Fig. 1, with the part A under B. Grasp the loop thus formed between the thumb and forefinger of the left hand at the point where the two parts cross. Then move the thumb and forefinger of the right hand along the cord about 6 in., and throw up another "bight," laying it on top of the first one. You then have Fig. 2. Hold

—pass it under B, over C and under A. This makes Fig. 4. Then take B, Fig. 4, and pass it under D and over F. The result is Fig. 5. Then, while holding E in the left and B in the right hand, take hold of X with the teeth and pull it. The result will be Fig. 6. In practice the part O in Fig. 6 goes over the reduced part of the mast or derrick head. The forestay is made fast to X. The stays to E and B. Y and Z form the back stays. Any strain on the stays tightens up O. By pulling Y and Z in opposite directions the knot comes out. Every workman should know how to tie this knot.

PIPE-CLEANING MACHINE

A machine for freeing pipe of oil and rust preparatory to painting, consists of a wooden drum, 4 ft. in diameter and 22 ft. long, which is worked at about ten revolutions per minute, says the Journal of Electricity, Power and Gas. The pipe to be cleaned is placed in the drum and nearly covered with clean, sharp sand. Sand is added as required after the first charge.


There is enough pipe for one time in the drum when the top piece drops and rolls over the other pipes, about one each turn, or so. If it drops too often, remove one piece at a time until right, or if it drops not at all, add pipe until it does. This method will clean the pipe bright inside and out. All the cost is for power to run the machine and help to handle the pipe.



Wooden Drum for Cleaning Pipe

REMOVING KEYS FROM VALVE STEMS AND SHAFTS

While adjusting a high duty pumping engine with Corliss valve motion, I frequently found it necessary to remove the



Removing a Key

keys from the valve stems. Most all keys are driven in to stay and it is no easy matter to start one without breaking off the head or bending the key, but by means of the following wrinkle I found it quite easy to remove most any key.

Place a monkey wrench on the head of the key as in the illustration, and drive a chisel or wedge between the head of the key and the stem, or the shaft, or whatever it may be. While driving, press against the handle of the wrench.

The wrench puts an even strain on the key and also keeps the wedge or chisel in place. Squirted kerosene oil around the key will also aid in extracting it. I learned this scheme in a machine shop where it was used to remove sprocket wheels keyed on the ends of shafts.—Contributed by John Weldon, 433 Columbia St., Brooklyn, N. Y.

SAID TO CURE FELON

A very simple cure for a felon is given in the Medical Visitor by Dr. Whitman. The doctor says that for the last fifteen years he has used egg to cure felon, and has yet to see a case it will not cure. The way to apply the egg is as follows:

Take a fresh egg and crack the shell at the larger end. Make a hole just large enough to admit the thumb or finger, whichever it may be, and force it into the egg as far as possible without rupturing the shell. Wipe off the egg which runs out and bind a handkerchief or soft cloth around the finger or thumb, leaving the egg on over night. This will generally cure in one application, but if not make another application.

White spots on polished furniture, caused by hot dishes or alcohol, may be removed by the use of spirits of camphor.

HOW A GAS ENGINE TALKS

To the experienced man the gas engine has a language of its own which the man who runs it must at all times understand, says Gas Power. If he cannot do this then his experiences with the engine are going to be varied, but they won't be pleasant. When the engine is right and is, in consequence of being so, doing what is right, the only sound it emits are such as are made up from the clicking of the valves, the inhalation of the air and the exhaust. When the usual sounds are well understood, any unusual ones will be promptly noticed and their cause located and removed. The trained ear is probably a better trouble detector than the eye. The best way to become acquainted with the natural sounds is to first operate or run the engine for a time, say from a half to an hour, free; without a load.

It will be noticed that under no load, besides driving itself, if it is a hit-and-miss governor engine, it will produce an inhalation sound followed immediately by a loud exhaust report. If the governor is the least bit off or sluggish a second or third of this pair of sounds may follow in quick succession. But usually the first is followed by an intermission, which is made up of a series of suction sounds at the end of the exhaust pipe, if the governor serves to hold up the exhaust valve when no impulse is needed. These suction or blowing sounds are due to the inhalation and expulsion of the air through the exhaust pipe, at each movement of the piston, so long as the governor holds up the exhaust valve. The moment this valve is released a loud suction or inhalation sound is again heard at the mouth of the receiving pipe, followed immediately by the loud report at the end of the exhaust pipe, which pair of sounds is the result of taking into and igniting the charge within the cylinder and exhausting the burnt gases under the pressure that remains in the cylinder at the time the exhaust valve opens.

Now, if the inhalation sound at the receiving pipe is heard and the loud exhaust report does not follow, the operator knows at once that the charge taken during the inhalation was not ignited or exploded. He knows there is a natural sound missing which signifies an abnormal condition. He reasons, if the charge isn't exploded, why not? Did the gasoline fail to get into the air current in sufficient quantity to make

the proper mixture? or did it overcharge the air? or was the mixture right and did the battery fail to make a spark? or if proper mixture and spark were both present, is there a leak of sufficient gravity through the valve or around the piston, by the packing rings, to allow practically all of the charge to escape before the spark is made?

The absence of a natural sound production will often point out an abnormal condition as readily as the presence of an unnatural one will. A careful operator notices all of these things. None of them escapes his ears so long as he is within hearing distance of his engine. To him the absence of one natural sound is the letter that mis-spells the two words, successful operation, consequently the importance of being able to detect the absence of the natural sounds. To know them is the only sure way to notice their absence.

The frequency of the exhaust reports increase as the engine is put under a load. And the heavier the load the more frequent the reports, until a full load is reached. A trained operator can be away across the country and within hearing distance of his engine, or rather the exhaust reports of it, and be able to say that the engine is running well and easily carrying its load, or that there is something wrong with it.

Now, one of the common expressions of discontent the engine makes is pounding in the cylinder; and this usually occurs when the engine is under a heavy load. The interior of the cylinder gets so hot that some burnt carbon or projecting point of iron becomes heated to the igniting point. This in connection with the heat generated by the compression pressure ignites the charge before the piston has completed its compression stroke. The result is a sudden conflict between the explosive and compression forces. This sudden collision of forces causes a heavy pound in the cylinder. A loose flywheel causes a thump, usually at every impulse the engine takes. Looseness at the wrist box causes a knock. A loose crosshead box usually causes a clatter. A knock once located around the connecting rod may be due to either the crosshead or wrist boxes being adjusted too tightly. One may be so tight as to lift and depress the other end at each revolution. Often a knock or clatter at the crosshead or wrist bearing may be cured by simply loosening up the bearing or box at the other end of


the connecting rod from that where the knock is located.

A flywheel loose on the shaft sometimes makes a rubbing sound, caused by some part of the circumference of the rim of the wheel rubbing at each revolution against some object near the engine. There is a barking or coughing noise at times from the cylinder, due to escape of the explosive force past the piston rings. This seldom occurs unless rings are badly worn or poorly fitted to the piston. Sometimes gummy oil will cause rings to stick in their grooves. A blowing noise just in advance of the exhaust report at the mouth of the exhaust pipe indicates a leak at the exhaust valve.

GASKETS FOR CYLINDER HEADS

Cylinder head gaskets sometimes have a frayed or chewed appearance after being in use a short time, due to a breathing action or movement of the cylinder head outward, which action permits water to escape between the gasket and head.

If a gasket similar to the one shown at B in the illustration is made, treated to a



Gaskets for Cylinder Heads


coating of graphite and cylinder oil and inserted in place, a water-tight joint will result, says the National Engineer, even though the breathing action of the cylinder head continues. The method of applying the gasket is shown at A.

Varnish should not be thinned with turpentine, says the Master Painter. It reduces the gloss and if the turpentine has been adulterated with mineral oil injures the varnish.

Shop Notes for 1906 will be ready December 1st Price, 50 cents.

ENGINES CROSS RIVER ON AERIAL TRAMWAY

During the construction of a new bridge over White river at Indianapolis recently, a daily spectacle, enjoyed by hundreds of people, was the transportation of material and machinery across the river on an aerial



"Frequently the Engineer Rode Across"

tramway. It was nothing unusual for the apparatus to pick up a large engine, hoist it high in the air and send it across to the other side on the suspended cable. Frequently the engineer rode across on the engine, although the great load traveled at a giddy height.

By using soap and water on an oilstone, as a substitute for oil, a smoother and finer edge can be given to knives and wood-working tools, writes John Weldon, of Brooklyn, N. Y.

DYNAMITE SHIP BLOCKS SUEZ CANAL

Explosion Hurls Wreckage 2,000 Feet in Air

The British steamer Chatham sank while passing through the Suez canal. Engineers declared it could not be raised, and as the vessel blocked the canal it was decided to blow her up with 90 tons of dynamite and blasting gelatin which formed part of the cargo.

Mines were placed in and around the hull, and fired through electric wires from a point five miles distant. At the expiration of 8 seconds water had reached a height of 2,000 ft., and wreckage continued to rise for 35 seconds. The canal was practically emptied of water for a length of 600 ft., and 500 ft. of one bank was destroyed. Thousands of dead fish were scattered in all directions.


CODE TO DETERMINE LETTERS IN TELEPHONING

Have you ever tried to name a letter when using a telephone where the party at the other end cheerfully persisted in hearing your "B" as "T" or "D"? To remedy such difficulties and insure absolute accuracy J. H. Bailey, manager of a telegraph office, suggests a simple plan in telephony. He recommends a universal code which could be printed in all telephone directories, and be available for either local or long distance use. One word which cannot be confused with any other word in the code is selected to represent each letter, the word commencing with the letter it represents. The following code would be a good one.

Arthur	Nancy
Benjamin	Oliver
Charlie	Paul
David	Queen
Edward	Robert
Frank	Samuel
George	Thomas
Henry	Underwood
Isabel	Violet
John	William
Klondike	(X) for Cross Road
Lady	Yellow Dog
Mary	Zebra.

For train dispatching where accuracy is absolutely essential the code could be extended to indicate the numerals in the same manner as letters.

CRAFT THAT TRAVELS ON WATER, LAND, OR SEA



The Craft in Use on Land

The interesting craft shown in the illustration was constructed by T. Richmond, Jessup, Iowa. The power is a 3-cylinder gasoline engine. For use on land the machine is operated as shown. In the water a set of hinged paddles, which can be attached to the wheels, automatically open

and close as the wheels revolve. For an ice boat spikes are fastened to the driving wheels and a runner placed under the forward wheel; two runners are also placed beneath the craft inside the driving wheels. Any of the three changes can be made in a few minutes.

GASOLINE-DRIVEN RIVER BOATS



Courtesy Fairbanks, Morse & Co.

"They Make 9 Miles an Hour Up the Mississippi"

For work on shallow water and against a swift current, flat-bottom stern-wheel boats, propelled by gasoline engines, are found to be swift and serviceable. The illustration shows three of these boats which ply between the shrimp fishing ground at Grand Isle, La., and the cannery of a New Orleans firm.

The boats are of 16 gross tons each, 60

ft. long, 15 ft. beam and $3\frac{1}{2}$ ft. depth or hold. Each is equipped with a 30-hp., 3-cylinder vertical type special marine engine. The engines are set fore and aft and drive the stern wheel through a worm gear and sprocket wheels and chain. They make 9 miles an hour, upstream, against a 4-mile current in the Mississippi river, a good speed for a boat of this kind.



CHEMISTRY FOR MECHANICS

By M. G. KOPP



PART III

The following will be needed: 8 oz. of potassium chlorate (KClO_3), (10 cents); 8 oz. of manganese dioxide (MnO_2), (5 cents); a piece of sodium hydroxide; a hard glass test tube (10 cents); a Florence flask ($\frac{1}{2}$ liter, 15 cents); a two-holed rubber stopper to fit $\frac{1}{2}$ l. flask (10 cents); another stopper but having one hole to fit hard glass test tube (10 cents).

DISTILLATION.

Distillation is the process of converting a liquid into vapor and then condensing the vapor to the liquid state. Water is purified by filtration or by distillation. Filtration serves merely to separate insoluble particles from a liquid, whereas distillation separates the soluble and insoluble particles from a liquid. When impure water is distilled all the substances more volatile than the water will appear in the first portions of the distillate; all much less volatile particles will remain behind in the retort or distilling flask as a "residue."

For example: place in a $\frac{1}{2}$ liter Florence flask about a teaspoonful of salt (NaCl), sodium chloride; a small quantity of sand (SiO_2), silicon dioxide; and then half fill the flask with water (H_2O). Taste the liquid. By means of a rubber stopper, a tube (such as was bent in Part II, Fig. 5), ring stand, etc., arrange an apparatus as shown in Fig. 1. Heat the mixture in the flask to the boiling point. The heating should be done very slowly so as not to break the flask. When the liquid boils, steam, i. e., water vapor, will pass through the tube "a" and into the bottle "b," where it will condense into water and run into the dish "c." The bottle "b" can be a small preserve jar or the like and the dish "c" a common saucer. Taste the water in the dish. It has a "flat" taste but is free from the sand and does not taste salty. This water is called the distillate. The reason that the sand and salt did not pass over into the dish is that sand and salt are not volatile at the boiling point of water. If one filtered the solution in the flask the filtrate would not be free from the sodium chloride, since sodium chloride is soluble

in water, so that to free the water from the sodium chloride it would have to be distilled. The reason that distilled water has a "flat" taste is due to the fact that all the gases present in natural water are boiled away. Distilled water can be made more palatable by either allowing air to bubble through it or by shaking it vigorously in a bottle open to the air.

CRYSTALLIZATION.

If a solid separates from a solution slowly, it will frequently be found to consist of regular masses called crystals. The more slowly crystallization takes place, the larger and more perfect will the crystals be. If the solution containing dissolved crystalline matter be boiled so as to leave a saturated solution (saturated with crystalline matter) and then cooled quickly, small, irregular crystals will be formed. When a substance separates from a solution, either through rapid cooling or the addition of some substance, small crystals or amorphous (non-crystalline) particles form. This substance is called a precipitate. In Part I when to a K_2SO_4 solution $\text{C}_2\text{H}_5\text{OH}$ was added a white precipitate was formed.

In a test tube dissolve some CuSO_4 . Boil the solution for several moments and allow to cool slowly. Notice crystals produced. Repeat above experiment, but cool quickly by allowing a stream of water to flow over tube. Notice size of crystals.




When two substances are dissolved in a liquid and the resulting solution allowed to crystallize, the two substances will crystallize separately. Crystals do not contain solids alone, but have a certain amount of water contained in them. Put a piece of CuSO_4 in a test tube and heat. The CuSO_4 turns white and water condenses near the top of the tube. This shows that CuSO_4 contains water of crystallization. Add a drop of water to the white substance in the tube. Notice effect.

Place a crystal (dry) of sodium carbonate (Na_2CO_3), which is common washing soda, on a piece of paper. Place a crystal of CuSO_4 on a similar piece of paper. Allow to stand for a day or two. The Na_2CO_3 will be found all crumbled up and the CuSO_4 unchanged. The Na_2CO_3 crumbled up

because it gave up its water of crystallization to the air. This process is known as "efflorescence." Place a small piece of sodium hydroxide (NaOH) in an evaporating dish and allow to stand for several hours. If the air is not too dry the NaOH will be found surrounded by a thick solution. NaOH on standing exposed to the air takes in moisture. This process is known as "deliquescence."

HOW TO WRITE EQUATIONS.

When chemists wish to indicate certain compounds they write the compounds by placing the symbols of the elements, making up that compound, side by side. Thus, copper sulphate is written CuSO_4 , which means that a compound of copper and sul-




phuric acid is referred to. To write the graphic representations of various compounds, which is known as formula writing, one must know what "valence" means. The power of the atoms to unite with different numbers of other atoms is called valence. An element such as chlorine, whose atom can hold only one atom of hydrogen, is said to be univalent. An element like oxygen, whose atom can hold two hydrogens, is said to be bivalent (valence of two); one like nitrogen, trivalent, and so on. Valence is not only the power of combination, but also the power of replacement. Thus the formula of potassium sulphate K_2SO_4 is derived from that of sul-


phuric acid— H_2SO_4 , by replacing two hydrogen atoms by two of potassium, since the valence of potassium is one. In the case of zinc nitrate $\text{Zn}(\text{NO}_3)_2$ —one atom of zinc has replaced two hydrogen atoms in (2HNO_3) , hence zinc is bivalent. Similarly, iron is trivalent in ferric phosphate, FePO_4 ; for the formula of phosphoric acid is H_3PO_4 . Aluminum is also trivalent in aluminum sulphate, $\text{Al}_2(\text{SO}_4)_3$; for two aluminum atoms, each with a valence of three, replace six hydrogen atoms in $3\text{H}_2\text{SO}_4$. The valence of an element is represented by a Roman figure directly above and to the right of the

symbol of an element. In Part II, in the table of elements, the valencies are shown. A bivalent element, like oxygen, unites with two atoms of a univalent element, but with only one of another bivalent element. Thus, calcium chloride has the formula CaCl_2 ; but calcium oxide the formula CaO . When a bivalent element unites with a trivalent element, two atoms of the trivalent element generally require three of the bivalent one. Thus Al_2O_3 for aluminum oxide.

Knowing now how to write formulas, one can easily learn how to write "equations" representing a chemical change. Thus, take for example the reaction of H_2SO_4 on Zn. The equation is written thus:



and read, sulphuric acid plus two of zinc give zinc sulphate and two of hydrogen. The number of elements on one side of the equation must equal those on the other. In the above there are two hydrogens, one sulphur, four oxygen and one zinc on both sides of the equation. Since the valence of zinc is two it exactly replaces the hydrogen in the H_2SO_4 . Take for example:




Here there is only one replaceable hydrogen, so, since the valence of zinc is two, two HCl's must be taken. To become proficient in writing formulas and equations one must constantly practice writing out all kinds of reactions and compounds, bearing in mind to always have the equations equal in quantities on both sides, and that the correct number of replaceable elements be taken to satisfy the combining substance.

OXYGEN.

Symbol O. Valence 2. Discovered by Priestly in 1774.


In the free state oxygen occurs in the air, mechanically mixed with about four times its volume of nitrogen. In combination with other elements it is found in large quantities. It constitutes 44 to 48 per cent of the weight of the earth's crust, 88.89 per cent of water and about 23 per cent by weight of the air.

Heat a small quantity of mercuric oxide (HgO) in a test tube of hard glass. The oxygen is driven off while the mercury condenses on the sides of the tube. The equation representing the reaction is:




Light a small piece of wood, blow out the flame, and while the wood is still glowing plunge it quickly into the test tube. It immediately bursts into a flame of a very

bright color. Notice how much quicker the stick burns in pure oxygen than in the air. Clean out the test tube as well as possible. If any Hg remains on the sides put a little HNO_3 into the tube and warm, when the Hg will dissolve. Clean out the tube well with H_2O and dry. Repeat the HgO experiment, using potassium chlorate (KClO_3) in place of HgO . On heating KClO_3 it melts, and at about 400° (Centigrade) decomposes with brisk effervescence, giving off oxygen and potassium chloride:




Try glowing splinter experiment as above. Next arrange an apparatus as shown in Fig. 2, using a hard glass test tube (A).



Partly fill the test tube with KClO_3 and manganese dioxide (MnO_2), using one-third as much MnO_2 as KClO_3 . Heat slowly and pass the evolved gas into a wide-mouth bottle or fruit jar, as shown in Fig. 2, having filled the jar with water and set in the tube (B) over the collector (C). When all the water is displaced slip a piece of cardboard, vaselined on one side, over the mouth of the jar, and then set upright on the bench; the vaselined cardboard prevents the gas from escaping. Collect three $\frac{1}{2}$ -pint jars full of gas. Into one jar plunge a red-hot iron wire. Into the other put burning sulphur. The sulphur is put on the spoon shown in Fig. 3, and then the spoon put into the flame of the burner. When the sulphur burns, the spoon with it on is put into the jar of oxygen. Into the third put a glowing piece of charcoal, or zinc and sulphur heated, by means of the holder shown

In Fig. 3. The KClO_3 and MnO_2 decomposes as follows:



$\text{MnO}_2 + \text{KClO}_3$ decompose to form oxygen at about 200° Centigrade as compared with 400° with KClO_3 alone. From the above experiments it can readily be seen that oxygen is a colorless, odorless, tasteless gas. It is somewhat heavier than air and 16 times as heavy as hydrogen. It is condensed to a bright blue liquid at a temperature of 118° Cent. and 50 atmospheres pressure. As the above experiments show, oxygen is an energetic supporter of combustion. Oxygen is the power of life; without it we would die. It is the only part of the air that supports our life.

Fire or combustion is produced by the union of the fuel with atmospheric oxygen. Before a substance can unite with oxygen it must be heated to what is termed its kindling point; to produce flame, it must be changed into gas. A flame is burning gas. In a bunsen burner we have oxygen entering at the base, through the holes, into the burner where mixing with the gas it produces a non-luminous flame. On covering the holes and thus keeping out the oxygen, the flame is a smoky one, since the carbon and gases in the flame have not oxygen enough to heat them up. In the next part we will study more fully the bunsen burner under the title of "Flames."

Oxygen plays just as important a part in the operation of our coal stoves as it does in the flame of a bunsen burner. Referring to Figure 4, we have the air (oxygen) entering at the bottom of the fire and, uniting with the coal (carbon), forms CO_2 (carbon dioxide). As the CO_2 passes through the hot coals it is reduced to (CO) carbon monoxide ($\text{Di}=2$; $\text{mon}=1$). The CO burns at the top of the bed of coals into the familiar blue flame, uniting with the oxygen of the air above the coals to form CO_2 again:



In the next part we will take up flames, Centigrade and Fahrenheit thermometers, and hydrogen and its properties.

The first disaster at sea to be reported by wireless telegraph occurred on the vessel "Campania" when just off Nantucket, recently. An inrush of a terrific sea had seriously injured ten steerage passengers. Arrangements were made to give the vessel medical assistance when she arrived.

HOW A TELEGRAPH CABLE IS LANDED

The new Atlantic cable was successfully landed on the Irish coast, recently. The cable was handled by the cable ship "Cambria," of 1,954 tons gross register and able to carry 800 miles of deep sea cables.

When one of these heavy cables is to be landed, two light ropes are brought ashore by boat from the cable ship, which is anchored some distance out. One of these ropes is passed around a pulley firmly secured in the ground and is then spliced to the other rope. The ship, on being signaled,



H. P. Endean, Phot., Waterville, Ireland.

Landing the New Cable


hauls on one end of the rope and so draws in to the shore a heavier rope attached to the other end. This passes around the pulley and is drawn back to the ship, drawing to the shore the cable which is attached to it. The cable passes over a number of barrels placed at regular intervals between the vessel and the shore. The illustration is by courtesy of Mr. A. Murray, of Waterville, Ireland.

MECHANICS FOR YOUNG AMERICA

ANOTHER ELECTRIC MOTOR

This form of electric motor is used largely in England in the form of an indicator. It is very easily made and if you have an old electro-magnet will cost about nothing.

A large soft-iron wheel is mounted on an axle with a pulley-wheel on one end



Electric Motor

and a circuit breaker on the other end. The teeth on the circuit-breaker must be the same number as on the soft-iron wheel.

The electro-magnet is mounted so that its core is level with the axle and in a line with the wheel. One wire from it is attached to one binding screw and the other end is grounded to the iron frame that supports it. This frame is connected to the frame supporting the wheel. A small brush presses on the circuit-breaker and is connected to the other binding screw.

In the diagram A represents the iron wheel; B, the brush; C, the circuit-breaker; D, the magnet. The wire connecting the two frames is shown by a dotted line.



To start the motor, attach your battery to the screws and turn the wheel a little. The magnet attracts one of the teeth on the wheel, but as soon as it is parallel with the core of the magnet the circuit is broken and the momentum of the wheel brings another tooth to be attracted.

To reverse the motor reverse the connections and start the wheel the other way. Be sure that the frames are screwed down well or the motor will run jerkily and destroy the connections.—Contributed by F. Crawford Curry (14 years old), Brockville, Ontario, Canada.

USE FOR AN OLD CLOCK

Remove the hair spring of the clock, and fasten a spring to one end of the pawl and a small wire to the other end. Make a slit in the case of the clock opposite the pawl. Fasten the spring on the outside in any convenient way and pass the wire through the slit to an eccentric or other oscillating body.

To make the dial, paste a piece of paper over the old dial, pull the wire back and forth one hundred times, and make a mark where the minute hand stops. Using this for a unit divide up the whole dial. The hour hand has an inner circle of its own.



Revolution Recorder


Put the alarm hand at a little before twelve and wind the alarm. When the alarm is unwound the hour hand starts on a new trip. The clock I used was put on an amateur windmill and when the hour hand went around once 86,400 revolutions or jerks on the wire were made, while the minute hand recorded one-twelfth of this number, or 7,200.—Contributed by Richard H. Ranger, 19 W. 10th street, Indianapolis, Ind.

TO MAKE AN ELECTRIC PIANO

Make or buy a table about 3 ft. long and a foot or more wide, and about 2½ ft. high. Nail a board (A, Fig. 1) about 8 in. wide and of the same length as the table, to the table as shown in the illustration. Paint the table any color desired.

Purchase a dozen or so battery electric bells (they are cheaper if bought by the dozen) and screw them to the board. (See Fig. 2.) Arrange the bells in the scale

another wire attached in the same way; L is the carbon wire running from the batteries to I; M is the zinc wire running from the batteries to wire J; O indicates the batteries; P is a wire running from J to one post of a button; Q is another wire running from the other post of the button to one of the posts of the bell; R is a wire running from I to one post of the bell. When the button S is pressed, the bell will ring. Each button should be connected with its bell in the same way. One battery can be used with



Details of Electric Piano

as shown at B, Fig. 2. Bore two holes, near the posts of each bell for the wires to pass through.

Buttons for the bells may be purchased, but it is cheaper to make them in the following way: Take a piece of wood and cut it round, about 2½ in. in diameter and ¼ in. thick (Fig. 3) and bore two holes (C and D) through it. Then get two posts, about an inch long (battery posts will do) and put them through the holes as at Fig. 4. Cut out a piece of tin, ⅜ in. wide, punch a hole through it and put it under post E, Fig. 4, so that when it is pressed down, it will touch post F, Fig. 4. It may be either nailed or screwed down (G, Fig. 4).

Make two holes in the table for each button and its wires (H, Fig. 2). Nail or screw the buttons to the table as shown at Fig. 5 with the wires underneath. The connections are simple: I in Fig. 5 is a wire running from one end of the table to the other end, attached to a post at each end; J. is


each bell if preferred.—Contributed by Vincent de Ybarrondo, 1148 W. 25th St., Los Angeles, Cal.

HOW TO MAKE A TELEGRAPH INSTRUMENT AND BUZZER

The only expenditure necessary in constructing this telegraph instrument is twenty-five cents for a dry cell battery, providing one has a few old materials on hand.

Procure a block of wood about 6 in. long and 3 in. wide and take the coils out of an old electric bell. If you have no bell, one may be had at the dealers for a small sum. Fasten these coils on the blocks at one end as shown in Fig. 1.

Cut a piece of tin 2 in. long and ½ in. wide and bend it so the end of the tin when fastened to the block will come just above the core of the coil. Cut another piece of tin 3 in. long and bend it as shown



Home-Made Telegraph Instrument

at A, Fig. 2. Tack these two pieces of tin in front of the coils as shown in the illustration. This completes the receiver or sounder.

To make the key, cut out another piece of tin (X, Fig. 1) 4 in. long and bend it as shown. Before tacking it to the board, cut off the head of a nail and drive it in the board at a point where the loose end of the tin will cover it. Then tack the key to the board and connect the wires of the battery

as in Fig. 1. Now, move the coils back and forth until the click sounds just the way you wish and you are ready to begin on the Morse code.

When tired of this instrument, connect the wire from the coils to the key to point A and the one connected at the point under the key to B, leaving the other wire as it is. By adjusting the coils the receiver will begin to vibrate rapidly, causing a buzzing sound.—Contributed by John R. McConnell.

ONE-MAN ENGLISH MOTOR BUS



"The Bus Seats 32 Persons"

One English firm has brought out a novelty in a motor omnibus the vehicle being entirely in charge of the driver. The entrance is at the front, the upper deck being reached by the usual winding stairway, hence all who enter or leave are seen by

the driver who sits opposite one side of the entrance. The bus seats 32 passengers who place their fare in a box on boarding the car.

The omnibus has been well patronized from its first appearance.

Judge

Liquozone by What It Does. The First Bottle Is Free.

No testimonials are published on Liquozone. We prefer to buy the first bottle, and let the product itself prove its power. A simple test will do more to convince you than any argument or claims. We ask you to learn, at our expense, what this wonderful product means to you.

If you are sick, use Liquozone to get well, as millions have done. Learn what it does that other remedies have not accomplished. If you are well, use it to keep well; to ward off germ attacks and as an invigorant.

What Liquozone Is.

The virtues of Liquozone are derived solely from gases. The formula is sent to each user. The process of making requires large apparatus, and from 8 to 14 days' time. It is directed by chemists of the highest class. The object is to so fix and combine the gases as to carry into the system a powerful tonic-germicide.

Contact with Liquozone kills any form of disease germ, because germs are of vegetable origin. Yet to the body Liquozone is not only harmless, but helpful in the extreme. That is its main distinction. Common germicides are poison when taken internally. That is why medicine has been so helpless in a germ disease. Liquozone is exhilarating, vitalizing, purifying; yet no disease germ can exist in it.

We purchased the American rights to Liquozone after thousands of tests had been made with it. Its power had been proved, again and again, in the most difficult germ diseases. Then we offered to supply the first bottle free in every disease that required it. And over one million dollars have been spent to announce and fulfill this offer.

The result is that 11,000,000 bottles have been used, mostly in the past two years. Today there are countless cured ones, scattered everywhere, to tell what Liquozone has done.

But so many others need it that this offer is published still. In late years, science has traced scores of diseases to germ attacks. Old remedies do not apply to them. We wish to show those sick ones—at our cost—what Liquozone can do.

Please mention Popular Mechanics when writing Advertisers.

Where It Applies.

These are the diseases in which Liquozone has been most employed. In these it has earned its widest reputation. In all of these troubles we supply the first bottle free. And in all—no matter how difficult—we offer each user two months' further test without the risk of a penny.

Asthma	Fevers—Gall Stones
Abscess—Anaemia	Goitre—Gout
Bronchitis	Hay Fever—Influenza
Blood Poison	La Grippe
Bowel Troubles	Leucorrhea
Coughs—Colds	Malaria—Neuralgia
Consumption	Piles—Quinsy
Contagious Diseases	Rheumatism
Cancer—Catarrh	Scrofula
Dysentery—Diarrhea	Skin Diseases
Dyspepsia—Dandruff	Tuberculosis
Eczema—Erysipelas	Tumors—Ulcers
	Throat Troubles.

Also most forms of the following:
 Kidney Troubles Liver Troubles
 Stomach Troubles Women's Diseases
 Fever, inflammation or catarrh—impure or poisoned blood—usually indicate a germ attack.
 In nervous debility Liquozone acts as a vitalizer, accomplishing remarkable results.

50c Bottle Free.

If you need Liquozone, and have never tried it, please send us this coupon. We will then mail you an order on a local druggist for a full-size bottle, and will pay the druggist ourselves for it. This is our free gift, made to convince you; to let the product itself show you what it can do. In justice to yourself, please accept it today, for it places you under no obligations whatever. Liquozone costs 50c. and \$1.

CUT OUT THIS COUPON.

Fill it out and mail it to The Liquozone Company, 458-464 Wabash Ave., Chicago.

My disease is.....

I have never tried Liquozone, but if you will supply me a 50c bottle free I will take it.

.....

.....

.....

Give full address—write plainly.

M 341

Note that this offer applies to new users only. Any physician or hospital not yet using Liquozone will be gladly supplied for a test.

O. T. LOUIS CO. SCIENTIFIC INSTRUMENTS

We supply complete apparatus to cover course in Chemistry for Mechanics, including bunsen burner, glass and rubber tubing, ring stands, test tubes, platinum wire, chemicals, etc.

59 FIFTH AVENUE,

NEW YORK CITY.



TIZ-IT
Trade Mark
(Cut 1/2 Size)

SEE THAT BALL?

This New All-Metal-Ball-and-Socket-Swivel-Joint HORN CONNECTION will positively improve your PHONOGRAPH or GRAPHOPHONE. Fits all Edison and new Columbias. Price 50 C's Postpaid. —KREILING & COMPANY—
—Inventors and Sole M'frs.—
855 N. 40th Ave., CHICAGO.

BE YOUR OWN BOSS

MANY MAKE \$2,000 A YEAR

You have the same chance. Start a Mail Order Business at home. We tell you how. Money coming in daily. Enormous profits. Everything furnished. Write at once for our "Starter" and FREE particulars.

P. M. Krueger Co., 155 Washington St., Chicago, Ill



BIG MAIL FREE Send 10 cents for our illustrated magazine one year on trial and we will put your name in THE AGENTS' DIRECTORY free. You will get hundreds of Free Samples of every description, such as Medicine, Books, Pictures, Novelties, Magazines, Cards, Household Articles, from firms all over the U. S. You will also get the contents of SIX BOOKS FREE as follows: How to Hypnotize, Art of Love Making, Guide to Fortune Telling, How to Get Rich, Black Art, Mormonism Exposed. DON'T MISS THIS OFFER. Write today and enclose 10 cents. THE GEM, Buchanan, Mich.

"SHOP NOTES"

200 Pages

386 Illustrations

PRICE . . . 50 CENTS

POPULAR MECHANICS

You Cannot Lose


If you buy Kansas Co-Operative Refining Co. stock now while it is selling at 7 Cents Per Share.

PAR VALUE \$1.00. It will sell at 15 cents or higher within a very short time, with good prospects of its selling at 50 cents to \$1.00 and paying Big Dividends almost before you know it. This is a great independent oil refinery, strictly co-operative and has great prospects. This company owns a very valuable refining site and some of the best oil lands in Kansas and has agreements with oil companies to supply at least 500 barrels of crude oil per day. Only a limited amount of stock for sale at present price. Buy Now, if you want to make good big money. Write for "Co-Operative Refining" prospectus. Don't Wait. Address

UNION SECURITY COMPANY,
461 Gaff Bldg., - CHICAGO, ILL.


NEW MECHANICAL IDEAS

SLEEPING BAG.—A waterproof bag 6 ft. 3 in. long by 27 in. wide, containing an air mattress which inflates to a thickness of 3 in., leaving plenty of room for blankets. The pillow is also inflated and attachable. Extra pocket at the foot and warm pocket for the feet. Can be used on a bunk or in the open air upon the ground. The Sporting Goods Dealer says: "Where the covering goes over



Sleeping Bag

the shoulders there is a fullness of fifty-five inches which is gradually reduced to thirty-six inches at the foot. This affords ample room for a large man to wrap himself up in blankets and yet move around freely."



THE IDEAL SIGHT RESTORER

Is Your Sight Failing?


All refractive errors, muscular trouble and chronic diseases of the Eye successfully treated by scientific MASSAGE.

"I am in my seventy-ninth year, and have the Sight Restorer and yourselves to thank for renewed eye-sight." (Testimonial 177)

"I wish I could impress every one afflicted so they would give the Restorer a trial." (Testimonial 244)

English, German or Spanish pamphlet mailed free. Address
THE IDEAL COMPANY, 239 M Broadway, New York.

Please mention Popular Mechanics when writing Advertisers.



SPECIAL GAS ENGINE GENERATOR

Steady light from an ordinary Gas or Gasoline Engine. Write for Bulletin.

Rochester Electric Motor Co.

28 FRANK STREET

ROCHESTER, N. Y., U. S. A.

The MIETZ & WEISS

OIL ENGINE, Stationary and Marine

1 to 75 H. P.

128-138 Mott St. - New York

KEROSENE OIL ENGINES

MARINE. STATIONARY. PORTABLE.


No Danger, Maximum Power, Lightest Weight, Simple, Reliable, Economical No Batteries, Self-ignition by compression. Fully Guaranteed. Write for Catalogue P. M.

International Power Vehicle Company

253 Broadway, NEW YORK.

Gasoline Engines and CASTINGS

AUTO, MARINE and STATIONARY



ARE you in the market for Gasoline Engines or Accessories? We conduct a real Bargain Place on these lines. Write us.


Booklet on Request.

L. W. GILLESPIE & COMPANY, MARION, IND.

GET MONEY-I DID-GOT \$301²⁷



In 2 weeks doing plating, writes M. L. Smith of Pa. (used small outfit), Start as Smith did—that's easy—hundreds already started—new ones daily—money coming in—goods going out. People everywhere have tableware, watches, jewelry, etc., for the "Gray Plating Man." Practical outfit, all sizes, heavy plate, guaranteed, pure gold, silver, nickel metal plating, equal to new goods, latest process, taught free quickly, experience unnecessary, all easy, secrets exposed. Own and Boss a business at home or traveling all or part time that pays \$15 to \$50 weekly. Write today for new offer, sample, and hundreds letters from successful agents—free. M. Gray & Co., Plating Works, 102 Miami Bldg Cincinnati, O.



15 Days' Trial on this Engine

No cash payment required. We pay freight to any point within 1,000 miles of Chicago. Spark Plugs guaranteed for 365 days, \$1.50 each.

Second-Hand Engines all Sizes McDONALD & ERICKSON,

36 West Randolph St., Chicago.

You Can Make

BIG MONEY

With My New **PRIZE VENDING MACHINES**

Best Novelty and Money Maker ever placed on the market. Operated with nickels. Also six other new style Vending Machines now ready. Write to Manufacturer for full particulars and prices. **THOS. H. SHERBORNE, 29 South 3rd Street, PHILA, PA**



Gasoline Engines

Three Styles—All Sizes.

Feed Mills, Saw Machines, etc.

LOWEST PRICES

Write for descriptive circulars and price list. Agents Wanted.

GILSON MFG. CO.

26 Park St., Port Washington, Wis.

POPULAR MECHANICS, Journal Building, Chicago

Send your Magazine one year, commencing with the month of _____

NAME _____

STREET _____


CITY _____ STATE _____

and notify party named above that the subscription has been paid for, and is sent with the compli-

ments of _____

Please mention Popular Mechanics when writing Advertisers.

1158



WONDER GASOLINE ENGINES

THE ENGINE OF FEW PARTS.

HAS only one-third the parts found in other engines. The strongest engine on earth for the money, in fact, so simple a child can operate them. Two cycle, jump spark, no valves, gears, etc.

The testimonial attached is a remarkable showing. You can use the "Wonder" with the same result. We manufacture engines for any purpose, both marine and stationary up to 5 H. P. Send for catalogue. Prices and terms will surprise you. A fine agency proposition for you.

The R. M. CORNWELL CO., 408 So. Salina St., Syracuse, N. Y.

The R. M. Cornwell Co., Syracuse, N. Y.

Gentlemen:—The 1 1/2 H. P. Engine purchased of you, called "The Little Wonder," is appropriately named. I am using it to pump water with complete success. I am able to fill a tank containing 750 gallons at an average of 45 feet in 45 minutes, at an expense of less than two cents for fuel. I cheerfully recommend the "Little Wonder" to all that want cheap, effective and economical power.

Yours very truly,
J. W. T.

"COLUMBUS"

Gas and Gasoline Engines

Observe its Simplicity

The cut shows all of the working parts and no complicated mechanism is concealed on the back side or within the bed. Send for

Catalogue No. 63

Columbus Machine Co.
Columbus, Ohio.




ECONOMY HOT AIR PUMP

Will pump water from wells, cisterns, lakes, etc., to any desired place. Does away with the uncertainty in windmill and the unreliable gasoline engine. Runs equally well in winter and summer. No explosion; so simple that a child can operate it.

10 DAY FREE TRIAL.
Send for illustrated catalogue.

THOMAS & SMITH, Dept. G.
19-21 So. Carpenter St., Chicago.
288 Hudson St., New York



SIMPLICITY GASOLINE ENGINES

Vertical and Horizontal, 1 1/4 to 15 h. p. Stationaries, Portables, Pumping Outfits and Sawing Rigs.

GET OUR PROPOSITION
and 1905 catalogue

Western Malleable & Grey Iron Mfg. Co.
131 Chase Street, Milwaukee, Wis.

Convert Your Bicycle Into a Motorcycle




We have a 1 1/4 H. P. B'ke Motor. We sell the set of castings \$7.50 & drawings for

We also have a 2 1/4 H. P. set of castings. Send stamp for catalogue and full particulars.

EUREKA MFG. & SUPPLY CO.,
ST. PAUL . . . MINN.


CENTRIFUGAL OIL FILLER.—A recent German invention, said to be very successful. Especially intended to remove oil from refuse matter, waste, etc. The mass is placed in a perforated



cylinder which revolves rapidly. Five minutes are sufficient to extract all the removable oil which is drained into a receptacle ready for use.

MANUFACTURING OPENING.—There is a growing young city in northern Nebraska with an inexhaustible supply of fine glass sand. The town is on a river which affords a water power capable of developing 4,000 h. p. Particulars can be had by addressing Industrial Dept., C. & N. W. Ry., Chicago.

COUNTER ALARM.—The counter is not unlike those in general use, but has in addition a bell alarm



which sounds whenever 100 counts has been registered.

WIRELESS TELEGRAPHY.—Young electricians are taking great interest in constructing and experimenting with wireless telegraph instruments. Now that the most difficult parts of the apparatus can be procured ready made, for a few dimes each, the wireless fad will receive a great impetus.



BUY A CAPITAL GAS ENGINE

And you will not sit up nights worrying about expensive power.

Our engines are beyond the standard set by older gas engine builders and no one who is looking for the best and most economical power should buy any engine without first investigating the merits of the Capital Engine. Write for Catalog P.

CAPITAL GAS ENGINE CO., - Indianapolis, Ind.

Please mention Popular Mechanics when writing Advertisers.

OTTO ENGINES

LESS REPAIRS and LESS FUEL

It is what an engine costs to *keep it running* that cuts the big figure and not the *first cost*. The St. Anthony & Dakota Elevator Co., Minneapolis, Minn., writes: "In April, '02, we had 92 'Otto' engines running, all of which gave better satisfaction, cost less for repairs and consumed much less fuel than any others we had tried. During the season of 1902 we bought 35 more 'Otto's' and now have 127 of them." A splendid testimonial to the merits of the "Otto" from people who have tried many others.

OTTO GAS ENGINE WORKS, Phila., Pa.



STANDARD OF THE WORLD


WRITE FOR A DESCRIPTION OF THE

LAKE

Marine and Stationary Gasoline Engines

SOMETHING NOVEL AND ATTRACTIVE. BUILT BY

J. H. LAKE, Bourse Building Philadelphia, Pa., U. S. A.



\$100 The New Pierce Gasoline Motor IS A WONDER

It will develop more power on less fuel than any other make in the world....

Built on modern lines and up to the very latest practice; made from the best material, and with ordinary care will last a life-time.


We have been building Gasoline Motors for over twenty years. More than 12,000 PIERCE MOTORS are in use in all parts of the world. We know how to, and do, build them right, in fact, we

Guarantee Them to Give Satisfaction.
If they do not, send them back and we will refund your money in full. . . .

The PIERCE MOTORS are the best in the world and cost less than the poorest. We guarantee them against defective material for life. If you want power for any purpose, write for our printed matter, stating your needs. We also build other sizes up to 100 H. P., also Marine Motors, Launches and Auto Boats. Be sure and address

PIERCE ENGINE COMPANY, - Dept. 2, Racine, Wis.
3 1-2 Actual Horse Power

**10 Lights
10 Hours
10 Cents**



Make Your Own Light

The FAIRBANKS-MORSE Electric Light Outfit gives plenty of good light at a moderate cost.


Gas, Gasoline or Kerosene Engines for all purposes, from 2 h. p. up.

Cut out complete advertisement and send to
Fairbanks, Morse & Co.,
Monroe St., Chicago, Ill.

Please send me Illustrated Catalogue No. C 449
Gasoline Engines.

I may want.....h. p. to run.....

Name.....Street No.....
Town.....State.....



B. F. BARNES' ELEVEN-INCH SCREW CUTTING LATHE

For foot or power as wanted. Has power cross feed and compound rest. A strictly high-grade modern tool. We also build a 9-inch lathe. Descriptive circulars of each lathe upon request.

B. F. BARNES CO., Rockford, Ill.



THE LOCKE ADDER

Only \$5


The Modern Business Necessity

CAPACITY 999,999,999

The famous Calculating Machine. Enthusiastically endorsed the world over. Rapid, accurate, simple, durable. Two models: oxidized copper finish, \$5.00; oxidized silver finish, with case, \$30.00, prepaid in U. S. Write for Free Booklet and Special Offer. Agents wanted.


C. E. LOCKE MFG CO., 98 Walnut St., Kensett, Iowa.

GASOLINE WELL DRILLER.—This is a portable 6 h. p. machine which will drill to a depth of



600 ft. through rock. Is not self-propelling, but easily drawn by one team.


SELF-BOUNCER FOR BABIES.—For the mother whose baby demands someone's attention nearly all the time the self-bouncer will be a boon. The bouncer is in the form of a cradle and is suspended



Baby Bouncer

by means of rods on a spiral spring which is attached to a beam on braces at any convenient point. All that the cradle requires is a slight push—after that the spring will keep it in motion for a long while—or even the movements of the child's body are enough to start it and so lull him back to rest. The device can be detached and moved from room to room, the permanent fastenings for each place, however, being necessary.


FOLDING IRONING TABLE.—A well finished board 14 by 52 in. supported by three legs at one end. The sleeve board swings out of the way when



not in use. The entire board folds into a small space, and is durable and strong.

"BOYLESS" BOWLING ALLEY.—A system in which no attendant is required to set up the pins and return the balls. The set-up is accomplished by pulling a lever, which restores all the pins, and the balls return by gravity.

IF you are in the market for any kind of machinery and don't know where to get it, write : : : : : POPULAR MECHANICS



Cement Fence Posts

Cheap as wood, and will last forever. Made with simple and inexpensive tools. Fire proof, frost proof, wind proof.

Material used: Cement & Sand or Gravel. Will supplant Wood and Iron entirely. For part's write with stamp

A. D. MACKAY & CO.

Chamber of Commerce, Chicago

What Is Daus' Tip-Top?



TO PROVE that Daus' "Tip Top" is the best and simplest device for making 100 copies from pen-written and 50 copies from typewritten original, we will ship complete duplicator, cap size, without deposit on ten (10) days' trial.

Price \$7.50 less trade discount of 33 1/3%, or **\$5 net**

THE FELIX S. K. DAUS DUPLICATOR CO.
Daus Building, 111 John St., New York City

How To Make Mirrors

We have for years sold our renowned Mirror Formulas, and hundreds of them at \$1.00, and a large number at \$2.00, and they are worth the money.

For a short time will make a **SPECIAL PRICE** of 35 cents and give you exactly the identical formulas sold at \$1.00 to \$2.00, provided you cut out and return this adv. with your order. We also tell you **FREE OF CHARGE** how to Emboss, Etch, Grind, Foil, Gold Leaf, Frost, Chip, and make Imitation Stained Glass. How to transfer Photos onto Glass. How to Bore Holes in Glass and Cut Sky Lights. All the above and more for the small sum of 35 cents. Money back if you are not pleased.

G. L. PATTERSON & CO., Chicago, Ill.

"Union" Saw

Combination
Self-Feed Rip
and Cross-Cut

(Almost a complete workshop in one machine)

Is suitable for various kinds of work—ripping (up to 3 1/4 inch thick), cross-cutting, mitering, etc., and with the addition of extra attachments, rabbeting, grooving, gaining, dadoing, boring, scroll-sawing, edge-moulding, beading, etc.


The heaviest, most substantial, accurate and easiest running machine of its kind on the market.

Machines Sent on Trial.

Send for Catalog "A"

THE SENECA FALLS MFG. CO.


102 Water Street, - - Seneca Falls, N. Y.



87


HORN CABINET FOR TALKING MACHINES.—

The horn of the talking machine is an awkward, but essential, part of the device. A new invention for stowing the horn out of sight and yet in nowise reducing its efficiency consists of a cabinet which supports the mechanical portions of the machine while the horn is inverted and hidden within the



Horn Cabinet for Talking Machine

cabinet. The mouth of the horn opens at the bottom of the cabinet and the volume of sound is diverted into the room by a deflector secured below and held between the legs of the cabinet.



LATHES

9 to 13 inch Swing

List price, \$65.00 and up according to size. When ready to buy send for Lathe Catalog and prices

W. F. & John Barnes Co.
100 Ruby St., : : Rockford, Ill.

FOOT and POWER

AND TURRET LATHES, PLANERS
SHAPERS AND DRILL PRESSES ::::


SHEPARD LATHE CO.

A131 W. 2d St., Cincinnati, Ohio

Write for Our
Great Offer

To One Man
In Every Shop

..Popular Mechanics..



9 to 15 in. Swing.
New Features.


If It's a Sebastian, It's a Good Lathe

BUILT UPON HONOR—ACCURACY, EFFICIENCY, MODERATE PRICES.

Foot and Power Lathes, all sizes. Send for Catalogue.

Sebastian Lathe Company,

Cincinnati, O




SIMPLE BUT SAFE THE LANCASTER

High and low water and high pressure alarm for steam boilers. Whistles when water is too high, too low or for high pressure. The floats are made of terra cotta, will not collapse or fill with water. Will work at any boiler pressure. Sent on approval. You can try it before you purchase. Mechanical agents wanted everywhere. For full particulars and descriptive circulars, address

GEORGE LANCASTER. - 541 Lexington Ave. - NEW YORK CITY

1162



HASTINGS COMPOUND

Guaranteed to stop Sparking. Money refunded if it don't. Put up in convenient form, 3 3/4 in. long x 1 3/16 in. diam. We have enough confidence in Hastings Compound, to mail a full size sample stick, upon receipt of six cents to cover postage.

JAS. L. NEEFUS, Sole Agent
54 DEY STREET, N. Y.

WANTED

Engineers and all persons running belts, to write on their firm's letter head for liberal free sample prepaid of

"Pulle-Y-Grasp"

for Belts. State kind of belts.

THE CARDINAL MFG. CO.,
Cleveland, Ohio.

The "HANDLE" Rule



FOR TOOL AND DIE WORK.

35 cents each, \$1.00 per set of 4.

Send for circulars.

J. L. LUCAS, 3 Fox St., Bridgeport, Conn.

AUTOMATIC TICKET AGENT.—An Italian engineer has perfected an arrangement which performs the duties of a ticket agent for any line to which it is adjusted automatically. Take, for instance, the Naples-Rome line, using 400 different tickets. The machine will manufacture on demand any one of these tickets, indicate its price; register the price in a total figure in the manner of a cash register; total separately the different items corresponding to the different tickets; number progressively the different tickets; keep account of number of tickets issued for each class and of the total number; duplicate the tickets on a continuous ribbon and stamp advertisements on the backs of the tickets. The machine is in charge of an employee, to whom the application for the ticket is made. The machine indicates the price; the money is handed to the employee, who turns a handle and the ticket is printed then and there, without any chance for fraud or dishonesty.



SOLDERENE

Platinum, Gold, Silver, Etc., without the use of solder or acids. Solderene solders anything and everything that the old method of using bar or wire solder, acids, rosin and paste accomplished.

AGENTS WANTED. SEND TEN CENTS FOR A SAMPLE STICK.

THE CHAS. A. THOMPSON CO., 41 Cortlandt Street, New York, N. Y.

WE WILL SEND YOU

One Vise,
One Set **GENUINE**
Armstrong Stocks
and Dies,

One Pipe Cutter,
One Wrench. All for handling pipe from 1/4 to 1 inch.

ON RECEIPT OF \$10.50

Send for Catalogue of Complete Line,

ARMSTRONG MFG. CO., Bridgeport, Conn.

ALWAYS BE EXPLICIT

In the shop, as well as in the doctor's office, there is the constant necessity of being accurate. The story is told of a doctor who was visited by a young foreigner.

"The thing for you to do," the physician said, "is to drink hot water an hour before breakfast every morning."

"Write it down, doctor, so I won't forget it," said the patient.

Accordingly the physician wrote the directions down—namely, that the young man was to drink hot water an hour before breakfast every morning. The patient took his leave, and in a week he returned.

"Well, how are you feeling?" the physician asked.

"Worse, doctor, worse, if anything," was the reply.

"Ahem! Did you follow my advice and drink hot water an hour before breakfast?"

"I did my best, sir," said the young man, "but I couldn't keep it up more'n ten minutes at a stretch to save me."

Furnished with two coppers drop forged from bar, one for regular work and one for heavy work. Nothing complicated. No pump to get out of order. No platinum coil to burn out. Never too hot and never too cold. No wind will blow it out. Can be changed to blow torch instantly. Can be carried in any tool kit, or lineman's belt. Will last for years. Used by tinnerns, plumbers, painters and electricians. Guaranteed to give satisfaction. If your jobber does not handle them, write us for illustrated booklet and price.

CHAIN TOOL



THE HUSKY KIND

SENT PREPAID FOR 45c

THE MOTOR CAR SUPPLY CO.
1427 MICHIGAN AVENUE CHICAGO, ILL.

—BE THE BOSS—

Make \$100 per month. Others do it. You have same chance. Start a mail order business at home. Write for our "Starter" and free particulars.

Mgr. W. C. Co., 956 E. 23rd St., Los Angeles, Cal.

GASOLINE SOLDERING IRON AND BLOW TORCH



EMMELMANN BROS. MFG. COMPANY, Indianapolis, Ind., U. S. A.

Please mention Popular Mechanics when writing Advertisers.

STARRETT TOOLS

are the recognized standard for accuracy, workmanship, design and finish. Whether you use tools to earn your daily bread or for amusement and relaxation from a different vocation, it pays to use GOOD tools. You get a better quality of bread and a good deal more pleasure.



L. S. STARRETT

USE STARRETT TOOLS

We make hundreds of different tools. Ours is the largest plant in the world where nothing but fine mechanical tools are made. All these tools are fully described and illustrated in our Catalogue No. 17AP, which you may have by sending us your address. There is a good deal of valuable information in its 176 pages which it will pay anyone who uses tools to have.

THE L. S. STARRETT COMPANY
ATHOL, MASS., U. S. A.

INFORMATION GRATIS.

As a rule, engineers are anything but a frivolous class of men; but occasionally one comes across a black sheep. Recently a solemn-looking individual strolled into the refrigerating engine-room and asked Mr. Guppy, the light-hearted second, to give him a little information about his engines.

"Why, certainly," said Guppy, "those two brass knobs over there are called the jeremiddlers, and that thing like a distorted mangle is the freezer. Now the jeremiddler—so called because of its resemblance to a boiled owl—is really generating electricity flavored with red currents—you understand? Well, when we stir up the conflicting elements with a brass poker and an old clay pipe, the jeremiddler is connected with the freezer, and, owing to the ammonia extracted from the pipe mixing with the electricity, it freezes the freezer so cold that we have to find out the temperature with a six-foot thermometer, and—"

"My word," said his questioner, "that's wonderful!" and he walked off.

"Hear me kidding the old chap?" said Mr. Guppy, with a wink, to the chief, who had been standing by. "He's as green as a new cheese."

"Yes, I've often thought so," said the chief quietly, "but he's the inspecting engineer for the company, all the same."—Am. Machinist.

"WHICH WAY" POCKET LEVEL



Agents Wanted

TELLS in an instant "Which Way" your work is out. See? It is the size of a silver dollar and three-eighths thick. Nicely nicked and polished. To introduce it, will mail one for 50 cents in stamps. Caliper Catalogue free.

E. G. SMITH, Columbia, Pa., U. S. A.

BALL BEARINGS



"KNIPE" PATENTS

THE COMBINATION: A Ball Bearing and Cone Combined. Lowest price and best bearing made. Light, durable, strong. For thrust, weight, or both. For the smallest to the heaviest work. All sizes from 1/4 inch up. No fitting—just push it on. 10 cents for samples.

PRESSED STEEL MFG. CO.

545 The Bourse, - Philadelphia, Pa.



Box No. 30



THE CLIMAX ALCOHOL (OR GASOLINE) BLOW TORCH

Every mechanic and electrician, professional or amateur, as well as every household should have one of these torches for general soldering purposes. The price, 55 cents postpaid. Write for our special offer of one of these torches **FREE**.

CLIMAX MFG. CO., - - 1 Hartford St., Boston

DRAWING STUDENTS NEED THE DRAFTSMAN

25c for 4 months—Cleveland, Ohio



"DIVINE" WATER MOTOR

CONNECTS TO ANY FAUCET.

GRINDS, POLISHES, BUFFS ANYTHING

Furnishes Power for Sewing Machines, Small Lathes, Scroll Saws, Dental Lathes and other small machines. One-eighth Horse Power on 80 lbs. Pressure.

Price, complete, including Emery Wheel, Pulley Wheel, Buffing or Polishing Wheel and Polishing Composition, etc. **\$4.00**

\$3.50 with this ad will get the Motor.

Send us Check, Money Order or C. O. D.

SMITH & HEMENWAY COMPANY

296 BROADWAY,

NEW YORK.



EUGENE DIETZGEN COMPANY

181 Monroe Street, CHICAGO
119-121 W. 23d St., NEW YORK

SAN FRANCISCO



NEW ORLEANS

Most complete line of

Drawing Materials and Surveying Instruments

Our Rapid Printing Blue Print Paper has no equal.
The Celebrated Vandyke Solar Paper for Blue and Black line prints. Send for sample prints.

ALL GOODS WARRANTED

WRITE FOR CATALOG "P"—416 pp. PROFUSELY ILLUSTR'D.

HOW A PIPE LINE IS BUILT

R. M. Boyle, general manager of the Ajax Contracting Co., of Pittsburg, Pa., which has the contract for constructing the natural gas pipe line from Independence to Kansas City, Kan., writes in The Paint, Oil and Drug Review:

"We use Italian labor for digging the trench. These men are sheltered in tents and are cared for after the manner of soldiers. For the work of laying the pipe we employ Irish labor. These men get better wages and we board them in houses along the route.

"Building a pipe line is dangerous work. We go right through everything. The line is laid according to surveys, straight as the crow flies. It doesn't do to make many turns. If we go through a farmyard and there is a big, shady oak in the way, though it may be dear to the farmer's family, out comes the dynamite and the pipe line goes on. When we can't get a right-of-way through some man's land, we give a bond and go on. Sometimes the owner sits on the fence with a shot-gun. Then we arm one of our men, too, and he rides on the first wagon with the driver. Sometimes the farmer shoots and sometimes he doesn't. In any event the pipe line proceeds. Those Irishmen we employ form an army of 400 men and they are ready for anything that may come, if an attack is made in numbers."

BROTHER LIKES "POP."

One of our readers in Nebraska sends us a letter from his brother in Ohio, which says: "My Dear Brother:—Your esteemed favor of the 26th ult. came duly to hand, also the magazine Popular Mechanics. Why did you not tell me years ago about this magazine? I have had but little time to look it over, but every page is so interesting to me that I hasten to make remittance so that I can have it coming direct every month."

Manufacturers of Various Styles and Sizes of Draughting Tables, Drawing Boards, Blue Print Filing Cabinets, Blue Print Frames, Etc. Send for Illustrated Catalogue or ask your jobber.



FRITZ & GOELDEL MFG. CO.,
99 Alabama Street, Grand Rapids, Mich.


KEUFFEL & ESSER COMPANY OF NEW YORK

111 East Madison Street

Chicago

DRAWING MATERIALS SURVEYING INSTRUMENTS

Write for particulars about our new Mechanics Steel Tape Rule.



Running Water for Irrigation

(Pumps Water by Water Power.)

RIFE AUTOMATIC HYDRAULIC RAM

NO ATTENTION. NO EXPENSE. RUNS CONTINUOUSLY.

Complete System Extending to Stable, Greenhouse, Lawn, Fountains and Formal Gardens.


Operates under 18 inches to 50 feet fall. Elevates water 30 feet for every foot fall used. Eighty per cent efficiency developed. Over 5,000 plants in successful operation. Large plants for towns, institutions, railroad tanks and irrigation. Catalogue and Estimates Free.

RIFE ENGINE COMPANY

Suite 2104, Trinity Building, New York City.



WATER MOTORS




PELTON MOTOR AND DYNAMO DIRECT CONNECTED.

The PELTON MOTOR possesses all the advantages of the famous PELTON WATER WHEEL. It is essentially a high grade machine of the best mechanical construction, and is guaranteed to develop a maximum power using a minimum quantity of water. Tests at Cornell University show the remarkable efficiency of 88 per cent. Adapted for running from city mains or independent water supply, and can be used for any purpose requiring power. For example, dynamos, dairy and farm machinery, fans and blowers, printing presses, etc., etc. Send for catalogue giving capacity and prices of various sizes.

THE PELTON WATER WHEEL CO.,

133 Main St., SAN FRANCISCO.
145 Liberty St., NEW YORK.

IT WILL PAY YOU! THE BOWSER



Handles
All
Grades
and
Kinds
of
Lubricating
Oils

SINGLE SQUARE CABINET

NO WASTE, NO OIL - SOAKED FLOORS

The "OILER" is exactly filled
AT ONE STROKE; there is no
overflow.

Fifty Different Styles. Send for Catalog Xli.

S. F. BOWSER & CO., Ft. Wayne, Ind.

YOUR INTERESTS AND OURS ARE IDENTICAL.




Fig. 31

You Want Practical
WELL DRILLING MACHINERY

to develop that

Mineral, Oil or Water

proposition; we have it. Guarantee
it to work satisfactorily.

Tell us about the formations, depth, diameter holes;
will send printed matter and can save you money.

THE AMERICAN WELL WORKS,

AURORA, ILL., U. S. A.

CHICAGO, ILL. DALLAS, TEXAS.

Please mention Popular Mechanics when writing Advertisers.

NEW BOOKS.

Dynamo and Motor Bargains

We carry in stock over 600 machines in all sizes from $\frac{1}{8}$ to 100 horse power, both new and second hand, *all guaranteed*. Small factory equipments our specialty.

NO ONE


Can sell you a first-class machine for less money. We repair all makes. Send us your inquiries.

Guarantee Electric Co.

CHAS. E. GREGORY, Pres.

153 to 159 S. Clinton St.,

CHICAGO



STEEL SHOP BARRELS

For Foundries, Factories, Machine Shops, etc. Intended for carting and storing heavy fittings, castings, parts of valves, etc.

SIZE—18 inches diameter, depth 28 inches. Shell made from single sheet of No. 16 gauge steel, having only one riveted side seam. Bottom stamped from a single plate of No. 8 gauge steel, to form flange 1 inch deep, which is riveted to the shell and with a 1 inch corrugation 6 inches from the center, barrel bound at top with $1\frac{1}{2}$ x $\frac{3}{4}$ inch steel. Painted black outside. Weight 50 pounds each. Open at top; not water tight. Other sizes made to order.

Write for prices and information to

The Kilbourne & Jacobs Mfg. Co.

Lock Box G

Columbus, Ohio.

DIES AND DIE MAKING. By J. L. Lucas. Illustrated; 100 pages; cloth, \$1.00. J. L. Lucas, Bridgeport, Conn.

Book intended for shop use. Gives the origin of dies and directions for making them in all their types. Well illustrated with diagrams. Practical and convenient.

THE MOTOR LAUNCH—HOW TO BUILD AND RUN. By W. P. Hartford. Illustrated; cloth; price, \$1.00. W. P. Hartford, Cassville, Mo.

Tells how to build and operate a launch successfully. Is concise, free of technicalities and thoroughly practical. Explains in detail the operation of the gasoline engine, including the subjects of fuel, compression, cooling, muffling, lubrication, etc.

GEMS OF KNOWLEDGE FOR ENGINE AND TRAINMEN. By T. P. McCormick. Pocket size; morocco; price, 50 cents. T. P. McCormick, Waterloo, Ia.

This handy little book gives some valuable instructions to trainmen, exhausts the use of the air brake and the train air signal in a series of questions and answers and treats of breakdowns, telling just what to do in emergencies. It is written by a trainman.

PATTERN MAKING AND FOUNDRY PRACTICE. By L. H. Hand. Illustrated; 12mo.; over 200 pages; cloth, price, \$1.00; full limp leather, price \$1.50. Frederick J. Drake & Co., Chicago.

A book written by a practical mechanic for practical mechanics, out of the fund of his personal experience. Nearly every problem explained is taken from an actual pattern and the result is a work admirably adapted to the needs of the craft. The illustrations are numerous and helpful and the subject is handled in such a plain, straightforward manner that one cannot fail to understand.

ELECTRICIAN'S HANDY BOOK. By Prof. T. O'Connor-Sloane, A. M., E. M., Ph. D. Red leather; gold titles and edges; 768 pages; pocket book style; price, \$3.50. The Norman W. Henley Publishing Co., New York.

This handsome volume covers in a practical manner the entire field of electricity, putting the information in such convenient form as to make it especially valuable as a reference book. The language is so clear that the work is adapted alike to the needs of the student, the practical worker and the expert electrician. Beginning with the first principles of the subject it carries the reader through the advanced branches. Illustrations are used wherever they can simplify the text, and altogether there are 610 specially made engravings. Above all the work is up-to-date and leaves nothing to be desired in the way of further explanation.

PRACTICAL GAS AND OIL ENGINE HAND BOOK. By L. Elliott Brookes. Illustrated; pocket size; over 200 pages; 16mo.; popular edition, cloth, price \$1.00; edition de luxe, full limp leather, price \$1.50. Frederick J. Drake & Co., Chicago.

A manual of useful information on the care, maintenance and repair of gas and oil engines, including stationary, portable, marine and automobile engines. Tells how to adjust, repair and test engines. Contains numerous rules, formulas and diagrams and over 50 illustrations. Practical information for owners, operators and all others having to do with gas and oil engines.

(Continued on page 1168.)



Electric Light Plants

Dynamo, Wire, Fixtures, Switches, Lamps, etc., all complete ready for use. Very low prices. 7, 15, 25, 50, 80, 100, 120, 150 lights. Thousands in use. Send stamp or catalog.

STAR DYNAMO CO.
Est. 1894. Jefferson City, Mo.



Battery: Telephones only \$5 a pair


For private lines. Works 1000 ft. Inter-communicating systems up to 11 stations.

POCKET FLASHLIGHTS

In 4 sizes. Tubular, \$2.00; Coat Pocket, \$1.50; Vest Pocket, 60c and \$1.00. Send for catalog of Electrical Supplies.



SMITH ELECTRICAL WORKS, 9 Park Place, Batavia, N. Y.



CATALOGUE FREE

PRICES RIGHT

Telegraph Instruments, Telephones

Burglar Alarms, Bells, Push Buttons, Batteries, Electric Clocks, Medical Apparatus, Motors, Etc., Etc.

MANHATTAN ELECTRICAL SUPPLY CO.

32 Cortland St., New York

188 Fifth Ave., Chicago

A NEW SECONDARY WINDING OFFER
ONE INCH SPARK, Secondary Winding, FIVE DOLLARS
Including sufficient core and magnet wire for the Primary. The spark is fat and vigorous, and suitable for Wireless Telegraphy. This is absolutely the best Coil bargain we have ever offered. We invite correspondence.
NEW ENGLAND COIL WINDING CO., Atlantic, Mass.



DYNAMO CASTINGS

Sets of Material or Finished Parts for the
FRANKLIN MODEL DYNAMO
PRICE \$3.50 AND UP

Will light six 6 c. p. lamps

Write for illustrated booklet 8

PARSELL & WEED,
129-131 West 31st Street, - NEW YORK CITY



OUR SPECIAL SALE OF WET BATTERIES

A 50c wet battery we are selling for 20c each. Take one or a hundred. Cannot be sent by mail. A strictly first-class open circuit battery for door bells, telephones, etc. Easily recharged when exhausted. Consists of round carbon, square zinc, jar and one charge sal ammoniac. For this month only.

Smith Electrical Supply House
207-213 E. Van Buren St., Chicago, Ill.

BIG BOOK FREE

Write to-day for new valuable 175 page catalog, biggest illustrated electrical book ever issued, containing hundreds of valuable Christmas suggestions. Electrical novelties are just the thing for men and boys. This book contains valuable electrical information. Special Offer: Send \$1.25 and 20c postage for mailing, for this motor and instructions for operating. **J. ANDRAE & SONS,** 63 W. Water St. Milwaukee, Wis.



GASOLINE MOTORS

The most perfect motor on the market for motorcycles and tandems. Also castings for light runabout engines. Write for catalogue and particulars.

C. H. BONG and H. HOFFMAN MFG. CO.
719-723 Sheffield Ave., Chicago, Ill.

WE ARE SELLING

Toy Electric Railways	\$3.00 to \$	60.00
Passenger and Freight Trains.....	5.00	60.00
Electrical Books.....	10c to	5.00
Neckties and Cap Lights.....	75c to	5.00
Battery Table Lamps.....	3.00 to	10.00
Carriage and Bicycle Lights.....	3.00 to	6.00
Lanterns and 100 ft Lights.....	75c to	3.00
Battery Motors and Fans.....	1.00 to	12.00
Electric Door Bells Complete.....	75c to	1.50
Telephones Complete.....	2.50 and	5.95
Telegraph Outfits Complete.....	1.75 to	2.50
\$8.00 Medical Batteries.....		3.95
\$12.00 Electric Belt with Suspensory.....		2.50
Dynamos and Motors.....	1.00 to 1,000.00	
Gas and Gasoline Engines.....	3.00 to 1,400.00	

We Undersell All. Want Agents.
Catalogue Free

OHIO ELECTRIC WORKS,
Cleveland, Ohio.



ONE HOUR'S WORK

IS USUALLY SUFFICIENT

To Earn a Talking Machine



Uses All the
Standard Musical
and Talking
Records

Undoubtedly the
Best Low-Priced
Talking Machine Made

Complete in every respect. Runs with a spring. Has stop and starting lever, governor, and speed regulator. We would not offer this if we did not consider it a practical, well constructed, satisfactory machine—not a toy.

The Talking Machine, Complete with Horn
and One Record Cylinder

GIVEN FOR 6 YEARLY SUBSCRIPTIONS
to this magazine. Extra Records 25c each.

POPULAR MECHANICS, Journal Bldg., Chicago

Faster than an Auto Cheaper than a Horse



GET A MANSON

It is speedy and reliable, adapted to all roads, and maintained at a moderate expense. Attachments designed for leisure and utility

Write us

**Fowler - Manson - Sherman
Cycle Mfg. Co.,**

Clinton and Fulton Sts., Chicago, Ill.

This Shows Our

"Vim"

Butt Spark Magneto


We make other Types for

**Butt and
Jump Spark
Ignition**

Also

COILS

of all kinds. Write for prices and full information



THE TRITT ELECTRIC CO., UNION CITY, INDIANA

NEW BOOKS--Continued.

LOCOMOTIVE ENGINE RUNNING AND MANAGEMENT. By Angus Sinclair. Illustrated, 450 pages; cloth, \$2.00. Railway and Locomotive Engineering, New York.

This work has been greatly enlarged and brought up-to-date. It shows how to manage a locomotive in running different kinds of trains with economy and dispatch; gives plain descriptions of valve-gear, injectors, brakes, lubricators and other locomotive attachments; treats of the economical use of fuel and steam, and presents valuable directions about the care, management and repair of locomotives and their connections. The information is plainly given and excellent illustrations further elucidate the text.


UP-TO-DATE ELECTRO-PLATING HAND BOOK.

By James H. Weston. Pocket size, 4x6½; illustrated; over 200 pages; popular edition, full cloth, price \$1.00; edition de luxe, full limp leather, price \$1.50. Frederick J. Drake & Co., Chicago.

A manual of useful information for platers and others who wish to become acquainted with the practical art of the electro-deposition of metals and their alloys, including electro-deposition of metals, electro-deposition of alloys, electroplating dynamos, electroplating solutions, electroplating apparatus.

This book has been written to meet the requirements of platers desiring a practical and yet non-technical work on electroplating. The information given therein has been obtained from platers of practical experience, and the construction and operation of the different devices used in the electro-deposition of metals are fully described and illustrated.

While looking for "trouble," Home Telephone Company linemen ran into a swarm of bees housed in the cable box at the corner of East Maine and Vine streets, says the Batavia (N. Y.) News. There was a short but decisive battle, from which the linemen came off victorious and the buzzy family was broken up. In the box were found several pounds of honey, which the men enjoyed. The comb was not of beeswax, but of paraffine, which the bees had extracted from the cable cup within the box.



Peerless Electric Co.

**Dynamo and
Motor Repairing**

Send us a trial order

122-124 So. Green St.

Phone Monroe 1362, Chicago, Ill.

CHEAP WAY to Build INDUCTION COIL

Secondary sections, automatically wound; waxed and assembled on tube. Each section gives ¾ to 1 inch spark. Price \$4.50 each section.

N. E. COIL WINDING CO., Atlantic, Mass

MOTORS

½ H. P. BATTERY MOTOR

A PRACTICAL MACHINE—NOT A TOY

\$5.00 each

SEND FOR PARTICULARS

WALSH'S SONS & CO., Newark, N. J.

YOUR OWN ELECTRIC LIGHT PLANT.


We have complete outfits for residences of any size, summer homes, camps, hotels, schools, launches, yachts, etc. Every detail included; very best material; absolutely practical. So simple no electrician required. **Light all the time**, as storage battery included. **Gas, Gasoline or Steam** engines used give plenty of power for pumping water, sawing wood, refrigeration, etc. We would like to send every reader of Popular Mechanics who is likely to be interested our new 60-page Catalogue describing over 130 different outfits. Address

Electric Light Department

RICHARDSON ENGINEERING CO., Hartford, Conn.



Please mention Popular Mechanics when writing Advertisers.



AUTOMOBILES \$100 AND UP

We will mail our large Illustrated Bargain Sheet of new and slightly used Automobiles on receipt of your name and address. This sheet shows accurate photographic views of more than 50 Automobiles offered as low as \$100. Write plainly to

H. GRAHAM CYCLE CO., Inc.

Established 14 years.

601-603-605 Madison Street, CHICAGO, ILL.

Eldredge Battery Volt-Meter

Reading 0 to 3 Volts in $\frac{1}{10}$ Divisions

A convenient and practical instrument for those who use Primary and Storage Batteries. Its range will cover two cells of primary or one cell of Storage Battery. In Dead Ray in its readings. Non-removable nuts on strong contact posts. Price \$4.

ELDREDGE ELECTRIC MFG. CO., Springfield, Mass.



ROBERT Battery Volt-Ammeter

Accurate Guaranteed Durable

Forwarded prepaid, including case, upon receipt of \$4.50

3 VOLTS 30 AMPERES SEND FOR CATALOGUE

THE ROBERT INSTRUMENT CO.
50 Shelby St., Detroit, Mich.



"Quick Action"

IGNITING DYNAMOS and MAGNETOS

The most Reliable Sparkers on the Market.

Take the Place of Batteries.




Jump Spark Coils

FOR ALL PURPOSES

Single, Double, Triple and Quadruple for Stationary Engines and Automobiles. Guaranteed in every particular. Fine Vibrator.

SEND FOR CATALOGUE D.
THE KNOBLOCK HEIDEMAN MFG. COMPANY
SOUTH BEND, IND.



ANYBODY CAN USE IT

Blowouts, sandbell, glass cuts or other damage spots on outer casings; torn off stems, split or punctures to inner tubes vulcanized as good as new with our Vulcanizers.

We want to send you circulars, and what others say.

"Stitch-in-Time"
Vulcanizer Co.
Topeka, Kan.,
U. S. A.

Gasolene Motors AND Castings



A complete line from $1\frac{1}{4}$ to 10 h.p., for Bicycle, Automobile, Marine or Stationary. Also attachable motor outfits and complete MOTOR-CYCLES. Send stamp for catalogue.

STEFFEY MFG. CO.,
2941 Girard Avenue, Philadelphia, Pa.



To Gas Engine Operators
Dynamo Ignition.

Motsinger Auto-Sparker

No battery to start or run. The original speed-controlled friction-drive Dynamo. Driven parallel with engine shaft. No belts. No beveled pulley or beveled fly wheel necessary. For make and break and jump-spark system. Water and dust proof. FULLY GUARANTEED. MOTSINGER DEVICE MFG. CO., Main Street, Pendleton, Ind., U.S.A.




Engines and Castings

Bicycle, Auto and Marine
Also Accessories

W. HOFFMAN MOTOR WORKS

1253 N. Halsted St., Chicago

Please mention Popular Mechanics when writing Advertisers.



STERLING AIR HEATING RADIATOR

For Home, Store, Office, Factory, School, Church, Hall, Depot, Hotel, Etc.

Easily attached to any STOVE, RANGE or FURNACE using any kind of fuel. Doubles the heating capacity or saves 50 per cent of fuel expense. Insures warm floors, uniform temperature, continuous circulation, comfort and health. From 50 to 90 per cent of the heat usually escapes up the chimney and is utterly lost.

The Sterling Radiator saves and utilizes this heat. Can be used in adjoining room or in room above stove with excellent results. Constructed on scientific principles. Does not interfere with draught. Always satisfactory. Nothing like it. Neat. No other radiator that will admit of comparison. Agents and dealers wanted. Write for full description and terms.

STERLING AIR RADIATOR CO.

57 Wabash Ave.,

CHICAGO, ILL.

COUNTRY HOME LIGHTING

Made effective, easy and 50 to 75 per cent cheaper than kerosene, gas or electric lights by using our


BRILLIANT

OR

Head Light Gasoline Lamps

They can be used anywhere by anyone for any purpose, business or house use, in or out door. Over 100,000 in daily use during the last 8 years. Every lamp guaranteed. Write for P. M. catalog. It tells all about them and our Gasoline Systems.

BRILLIANT GAS LAMP CO.
42 State St. Chicago, Ill.



ADMIRAL DEWEY URGES BIG SHIPS

"As I have repeatedly said, the great lesson of the war in the far east is the necessity for bigger ships and big guns. In the battle between the fleets of Rojestvensky and Togo the damage was done by the big guns. The twelve inch guns of the Japanese ships did most of the damage, in my opinion. One Japanese officer said it was a battle of wireless telegraphy. By means of his scouts Togo knew long before he saw any of the Russians—when, in fact, they were a hundred miles away—the composition of Rojestvensky's fleet, the formation of the vessels, and the course they were steering.

"If your are going to fight as the Russians and Japanese did, at a range of three miles, anything under a twelve inch gun won't be of much use against armor. The eight inch gun is not effective."

GIRL A TELEPHONE "LINEMAN"

Grace Brennaman, the handsome 18-year-old daughter of the telephone superintendent at Lindsay, O., took her father's place while he was ill and help could not be secured. She donned a short skirt, put on a pair of climbers, and went up the poles and made the repairs as successfully as a regular line-man.

AGENTS WANTED Sell \$1 bottle Sarsaparilla for 35c; best seller; 200 per cent profit. Write today for terms. F. R. Greene, 115 Lake St., Chicago

TALC DEPOSIT FOR SALE

I own the whole and offer for sale a one-half interest in what is believed to be the largest known talc deposit in the United States, if not in the world. The quality is fine; the deposit is very close to the surface and easily uncovered and mined. Borings and outcroppings show a very large and continuous area, with unusual depth. Located in one of the southeastern states; local white labor good, cheap and abundant. This deposit is of very recent discovery. The few sample carloads taken out by hand were immediately sold and gave entire satisfaction. With the installation of machinery this talc can be crushed and loaded f. o. b. for about \$3 per ton. For full particulars address

TALC

CARE POPULAR MECHANICS

WHEN IN SAN FRANCISCO

YOU CAN ALWAYS GET

Popular Mechanics

and its books, as well as back numbers, and any other book or periodical you want.

ROBERT C. ROSS, 1203 Market Street, 'Frisco

**BE A
WATCHMAKER.**

EARN WHILE YOU LEARN. Send for our Book Free. "How to be a Watchmaker." Postal will do. Stone's School of Watchmaking, Globe Bldg., St. Paul, Minnesota.

Please mention Popular Mechanics when writing Advertisers.

SEND FOR IT

MY revised list of machinery and contractors' equipment July issue, is now ready, and covers eleven printed pages with location and prices. I will be very pleased to send a copy to you if you will let me have your address.

Willis Shaw, Machinery

171 La Salle St. CHICAGO, ILL.

TO GAS ENGINE USERS.

to home it may consume we all know a gasoline engine is a very peculiar little trick about the size of a lard can and as greasy on the outside as a lard can is on the inside.

If you have one of this kind and have trouble with gaskets blowing out take a piece of copper about $\frac{1}{8}$ or $\frac{3}{32}$ of an inch thick and heat it. Put in water to cool then cut your gasket and put it on with thick oil and gradually tighten. If it blows out or leaks send for me and I will eat it.

a lift on and engine by

E. C. Freeman, Greenville, Texas.

It's the little things that count in the operation of a gasoline engine. A rusty wire, or one poorly connected; the least bit in life too much turn of a needle valve—or not quite turn enough. A little water in the bottom of the carburettor or generator. Any of these things will cause trouble, as will sometimes a sticking trembler where the jump spark is used. Engines have even been known to stop when the gasoline tank became empty. All easy to remedy, when found, but often hard to locate.—Gas Power.

JUST PUBLISHED

Metal Working. A Book of Tools, Materials and Processes for the "handy" man. Edited by Paul N. Hasluck. 8 vo. (9 1-4x6 1-2 inches), 760 pages with 2,206 illustrations and working drawings. Cloth\$2.50 net.

The Handy Man's Book of Tools, Materials and Processes employed in Wood Working. Edited by Paul N. Hasluck. 8 vo. (9 1-4x6 1-2 inches), 760 pages with 2,545 illustrations and working drawings, cloth\$2.50 net.

The Book of Photography. Practical, Theoretic and Applied. Edited by Paul N. Hasluck. 8 vo. (9 1-2x6 1-2 inches), 760 pages with 48 full-page plates and nearly 1000 illustrations. Cloth\$3.00 net.

The Automobile. A practical treatise on The Construction of Modern Motor Cars. Steam, Petrol, Electric and Petrol-Electric based on La Vergne's "L'Automobile Sur Route." Edited by Paul N. Hasluck. Special edition, enlarged, with 804 illustrations and eight full-page plates and an addendum. 2 vols., 8 vo. Cloth \$7.00 net.

Any of the above sent post or express prepaid on receipt of the price.

Descriptive circulars free. Ask for list of technological books

W. T. KEENER & CO.

Publishers and Booksellers, 90 Wabash Ave., Chicago.


Send three one-cent stamps for 5-color
PICTURE OF LINCOLN PARK BRIDGE

W. L. STEBBINGS

Civil and Consulting Engineer
LICENSED ARCHITECT

Monadnock Block, - - - Chicago

Tel. Harrison 1104 Cable Address "Stebbing" Directory Code



Big Catalogue Free

The popular Ward Catalogue, very latest edition, 1200 pages, a new book from cover to cover. The catalogue that is known everywhere and liked by everybody. It has been in use for a third of a century and has made friends in all parts of the world.

Don't bother with unreliable, incomplete catalogues, when you can get the genuine Ward book for the mere asking. This is the catalogue for wide awake buyers. It's reliable, brand new, complete in every department, honest in descriptions, and quotes the very lowest price for really good merchandise. No cheap goods at Ward's. Catalogue No. 74 will prove a money-saver for you.

No Charge

The complete 1200-page catalogue, very latest edition, will be sent free, postpaid, to every grown man or woman who will cut out this coupon and send to us with his or her name and address plainly written. We don't ask you to write a line—only your name and address. Cut out coupon and mail to Montgomery Ward & Co., Chicago.

Cut here, fill in carefully.

COUPON

Send me FREE and prepaid one copy of your New No. 74 Catalogue for 1905-6. I saw your ad in Nov. Popular Mechanics.

Name _____ R. F. D. No. _____

Post Office _____ County _____ State _____

MONTGOMERY WARD & CO., Michigan Ave., Madison and Washington Sts., Chicago.

Please mention Popular Mechanics when writing Advertisers.

1/2 CARAT QUALITY
- A-1-\$ 80.00
\$14. DOWN
\$7. PER MONTH

OTHER QUALITIES
OF SAME SIZE
AS LOW AS \$ 60.

DIAMONDS - ON - CREDIT

THERE'S an erroneous idea abroad that all dealers doing a credit business are obliged to charge high prices to offset their losses.

True, most installment-dealers must and do charge two prices—but they follow ancient methods.

We have no losses worth mentioning because we refuse to do business with dishonest people at any price and are thus enabled to sell honest persons "On Credit" at practically cash prices.

Our methods will appeal particularly to those who are entitled to a "square deal."

Upon request we will send, subject to examination—express prepaid, a 1/2 carat diamond set in mounting like cut or in any standard 14-kt. solid gold mounting. If ring proves to be in every way satisfactory pay express agent \$14. If you would rather have goods sent by registered mail or at first writing desire to show that you mean business, send \$14 with order. Balance may be paid monthly or weekly.

Catalog No. 171 shows a wealth of diamonds from \$12 to \$1,400, also watches and a general line of jewelry. It's free.

Herbert L. Joseph & Co. *High-Class Jewelry Credit House*

213 (I 71) STATE STREET, CHICAGO
Established 1882 Responsibility, \$250,000.00

WINTER CLOTHING OFFER

FREE SAMPLE and TRIAL PROPOSITION.



If you would have any use for a heavy or medium weight all wool **Suit, Overcoat or Ulster**, then **DON'T BUY ELSEWHERE** at any price, under any circumstances, until you cut this advertisement out and mail it to us. You will then receive by return mail, free, postpaid, the **Grandest Clothing Offer ever heard of**. You will get **FREE** a big book of cloth samples of Men's Clothing, **FREE** an extra quality cloth tape measure (yard measure), **FREE** a book of latest fashions, descriptions and illustrations of all kinds of clothing for men. We will explain why we can sell at prices so much lower than were ever before known, a mere fraction of what others charge. We will explain our simple rules so you can take your own measure and how we guarantee a perfect fit. You will get our **Free Trial Offer, our Pay After Received Proposition**. With the free outfit goes a special sample order blank for ordering, return envelopes, etc. You can get a **whole suit, an extra pair of Pants and an Overcoat** under our offer for about **ONE-HALF** what some Chicago tailors would charge for one single pair of pants. The offer you will get will astonish and please you. Prices on the best clothes made reduced to next to nothing compared with what you have been paying. **DON'T BUY CLOTHES** until you cut this ad. out and send to us, and see what you get by return mail, free, postpaid.

Address **SEARS, ROEBUCK & CO., Chicago.**

SOLILOQUY OF AN ENGLISH DRUMMER

The September Journal of Gas and Sanitary Engineering, London, contains the following breezy monologue by its "Practical Man," who says:

Now don't, please!

It is really unseemly of you.

You ask me jovially, "How's trade?"

And you do not even remove your hat!

Pray speak softly and kindly of the "dear departed."

Trade! My good sir, there's isn't any!

Things are going from bad to worse.

They are. Plumbing—oh, my gracious! Plumbing!

Why look you, sir, I was told the other day by a traveler that the "cutting" was simply awful.

And as for booking orders, he'd been out a week and couldn't secure a single line.

And then the painting! Gracious, again! A traveler for one of the best varnish firms in the world makes the same complaint.

Only a more pitiful one. Yesterday, in a voice shaken with emotion, he told me he hadn't had an order for three weeks.

Going from bad to worse—what's the plural of worse? Worser! There you have it—that's trade.

The men are out in hundreds and the employers view with dismay the rapidly diminishing balance.

That is, if there ever was a balance. In many cases it must have been a fearfully attenuated one, I should think.

And to save the remnant what is done? "Substitutes" of every kind are used, and the most hateful and ruinous system of long credit offered and taken.

\$5.00 a month to one bright man in each good-sized shop. Does not interfere with regular work in the least. Address "Opportunity," Room 510—160 Washington St., Chicago.

BECOME A CONTRACTOR

We teach you by mail how to become a successful Foreman, Superintendent or Contractor in Team Work, Grading, Paving and Cement Work, Sewers, Pipe Lines, Canals, Railroad Construction, etc. Write for free booklet. Dept. 2 Randolph's Correspondence School of Construction Work, Los Angeles, Cal.



Typewriters all makes

All the Standard Machines **SOLD or RENTED ANYWHERE** at **HALF MANUFACTURERS' PRICES** allowing rental to apply on price. Shipped with privilege of examination. Write for Catalogue **TYPEWRITER EMPORIUM, 202 LaSalle St. Chicago**

DON'T WAIT UNTIL CHRISTMAS!

BUY NOW, SAVE MONEY AND GET THE CHOICE

Price Now

\$11.25



Holiday Price

\$15.00



Gent's Gold Filled Hunting Case Watch, Thin Model. 7-Jewel Elgin movement. Guaranteed 20 years. Handsomely Engraved; Different Designs.

Same size and movement in open face case, . . . \$ 9.25

Ladies' Size, same quality case and movement, . . 10.25

Holiday Price, \$13.50

All goods sent prepaid and money refunded if not satisfied. Remit by P. O. or Express Money Order or Bank Draft payable to our order.

John Allen & Co. The Guarantee Jewelry House
Oak Park, Ill.

Please mention Popular Mechanics when writing Advertisers.



Catalog Free.

The season is here to

MAKE MONEY

Get started early.

**\$40 to \$75
A WEEK**

Can be made with one of these

**Steam Peanut Roasters
and Corn Poppers****S. DUNBAR & CO.**16-18 No. Desplaines St.
CHICAGO.**\$20 to \$50 Weekly made**
selling this new invention, the**STANDARD Self-Filling Self-Cleaning FOUNTAIN PEN**No ink dropper. No smeared fingers. No twisted rubber
No Complication**\$178.90** earned in 32 days by retired business man in Ala.**\$48.00** earned in first four weeks by Rev. B. F. Geering of N. Y.**\$35.80** Spare time only. for a month's odd hours by G. Jos. Lovett of Mass.**\$5.40** made in First Two Hours by Mrs. Mary M. Lennon of Mich.Our free lessons in successful salesmanship make experience unnecessary. We send all particulars and figures to prove above and many other records. Write today. Energetic Agents and District Managers Wanted. **STANDARD PEN CO., 1156 Baker Bldg., TOLEDO, O.****The New
Popular Mechanics
PREMIUM LIST****Fully Illustrated
Is Now Ready****BOOKS FOR MECHANICS,
ELECTRICIANS, ENGINEERS
SHOP TOOLS OF ALL KINDS
SPORTING GOODS, WATCHES, ETC.**Something for everybody given for
one or more new subscribers.

ADDRESS

**Popular Mechanics
JOURNAL BUILDING, CHICAGO**

Please mention Popular Mechanics when writing Advertisers.

Nature's Coffee Pot**MAKES COFFEE A HARMLESS DRINK.**

Do you want to own a coffee pot that will separate the pure extract from the bitter and poisonous matter of the coffee bean, leaving your cup of coffee as harmless as a glass of water? Think what this means to you. You can drink all the coffee you wish with none of the bad effects that is so common to coffee when made in the old fashioned pot.

We would like to tell you all about "Nature's Coffee Pot," its wonderful workings and the clever way it transposes coffee into a drink as healthy and harmless as water from a running stream.

"Nature's Coffee Pot" is a piece of art, it is made from the famous "Poillon Ware" with its many colors and tints of glaze. Sells for \$2.00. Send us your address for further particulars.

**POILLON POTTERY WORKS, Block 5,
Woodbridge, N. J.****START A MONEY MAKING
SCHEME OF YOUR OWN**

And here is how it can be done. Let me ship you one of my Electric Floss Machines and you can immediately commence turning SUGAR into DOLLARS—here is the proof.

One pound of Sugar costing 5 cents will make 16 bags of Candy Floss; at 5 cents per bag you make 75 cents profit on every 5 cent investment—at this rate you can make your dollars earn you \$12 each.

There is an opening in every Town and City of the United States for some enterprising Man or Woman to earn a good income by operating one or more of my Candy Floss Machines. Frequently as much as \$30.00 a day has been made from one of these machines.

For further particulars, address,

**SHAFFER CANDY MACHINE CO.
Suite 19, 245 Broadway, New York.****—\$15.00—\$6.21
LIST REFRIGERATORS****Factory Closing Out
SALE**Price less than cost
to manufactureWhite Enamel Lined, Zinc Lined
Galvanized Steel Lined
Charcoal, Granite Rock Filling
Cold Air Space

Our prices \$5.00 to \$8.00 Less than Department Stores

SENT ANYWHERE C. O. D. SUBJECT
TO APPROVAL**Tolman Steel Range Co.
66 Lake Street, Chicago****BURN AIR-IT'S CHEAP NO STOVE
LIKE IT!**

Consumes 395 Barrels of Air to one gallon of Kerosene. Penny fuel, burns like gas, hottest fire, won't explode, saves work and fuel bills. No coal, wood, dirt, ashes—no wick, no valves, easy operated, handsome, durable. Grand cooker, baker, quick work, cool kitchens. 13000 Harrison Wickless, Valveless Oil-Gas and Air Burners sold 1 month. AGENTS WANTED—\$40 Weekly. Greatest MONEY MAKER. Guaranteed, all sizes, sent anywhere, \$3 up. Write, FREE proposition, 30 day trial offer.

World Mfg. Co., 5909 World Bldg, Cincinnati, Ohio.

POPULAR MECHANICS SHOP NOTES FOR 1905

Second 10,000 Edition

Easy ways to do hard things.
Of daily use to every mechanic.

"Worth it's weight in gold,"

—writes one

"Best book I ever had,"

—says another.

REVISED AND ENLARGED
FOR 1905

Compiled from the "Shop Notes"
Department of Popular Mechanics
up to and including Volume VI.

200 Pages--385 Illust's

"INDEXED SO YOU CAN FIND IT"


For Sale by all Newsdealers

Price Postpaid 50 cents

POPULAR MECHANICS
JOURNAL BUILDING
CHICAGO

Please mention Popular Mechanics when writing Advertisers.

WHY NOT LEARN SIGN PAINTING?



SHOW-CARD WRITING OR LETTERING.—
Only field not overworked. Separate courses.
Ours is the only practical, thorough and personal
instruction. We teach by mail and guarantee success.
Easy terms. Write for large interesting FREE Cat-
alog. **THE DETROIT SCHOOL OF LETTERING,**
Dept. P M, Detroit, Mich.
"Oldest and largest School of its kind."

HINTS TO INVENTORS

After all, it is not so very hard to get rich. Fortunes offer themselves on every hand as rewards for a little ingenuity. For example, a machine is wanted that will open oysters, says the Saturday Evening Post. If you can make one that will do the work satisfactorily, it will render you independent for life.

Too difficult, you think? Take an easy one, then. How about a substitute for carpet—just a floor covering that will serve the same purpose at less cost. You can be a multi-millionaire before the year is out if you can solve that little problem.

There are, however, other things much easier. Perhaps, for example, you can contrive a simple and inexpensive tool that will cut ice without wasting it, taking the place of the wretched and extravagant ice-pick now in use. Why not try, anyway? There should be, one would think, the principle of the saw about it somewhere.

Here's another: an envelope that cannot be opened without detection is yet to be invented. Can you not solve the problem? As Colonel Sellers used to say, there's millions in it.

Can't you think of a way to fasten panes in windows without the use of putty? Puzzle that out, and you won't have to do any more work.

But we were speaking of envelopes. What is the matter with devising one that is suitable for carrying small articles through the mails? Nothing of the kind exists at present. Will you not step into the breach and while covering yourself with glory, fill your pockets with money?

Another thing that is much wanted in the world is a scrubbing machine. Invent one! If you do not, somebody else surely will, and then you will be sorry. Think what a boon such a contrivance would be to overworked housewives, and give your brain an extra hustle.

Most folks, especially women, cannot sharpen their own knives. They need some little machine that will enable them to get over the difficulty. Why not make one and patent it?

Typewriters make a dreadful noise. How can it be deadened, so that every business office may not resound with the unceasing rattle of the keys? Any one of the big companies that sell such writing machines would gladly pay \$50,000 cash for a solution of that puzzle.

These are only a few of the inventions that remain to be thought out. Each one of them represents a fortune for somebody; and incidentally they serve to illustrate the fact that plenty of useful mechanical discoveries are yet to be made, and that there is no lack of opportunities for the rising generation of inventors to utilize.



Learn
This
Art

Be Your Own Taxidermist

WE can teach you BY MAIL to stuff and mount Birds, Animals, Fishes, etc. The most fascinating of arts. Easily learned by men, women and boys. **BIG PROFITS.** Save your fine trophies. Decorate home and den. **STANDARD METHODS** only and **GUARANTEE SUCCESS.** If you hunt, fish, love or enjoy nature in any way you should know Taxidermy. Investigate today. Write for particulars. New Catalog and Taxidermy Magazine, ALL FREE. N. W. SCHOOL OF TAXIDERMY, Inc., 63 N 8th, Omaha, Neb.

Spon's Mechanic's Own Book

Is the most useful and handy book ever published for anyone interested in mechanics or who likes to use tools, because it contains real practical information on almost every mechanical subject including

Mechanical Drawing
Mechanical Movements
Casting & Founding
Forging
Soldering
Turning & Turning Lathes

Carpentry
Log Huts, Building, Etc.
Cabinet-Making
Carving & Fretwork
Picture Frame Making

Painting
Staining
Polishing
Paper Hanging
Electric Bell & Bell Hanging

OVER 700 PAGES. 1420 ILLUSTRATIONS. PRICE CARRIAGE PAID \$2.50.

An 8-page circular giving full contents sent free on application.

SPON & CHAMBERLAIN, - 123 P. M., Liberty St., New York

BE A REPORTER

Study Journalism. Money made from the start. We show you how to get news, write news and SELL NEWS. Fees moderate. Editors of high standing on our Faculty. Lucrative positions assured by our course. Our catalog tells how news is gathered, edited and printed—how reporters and correspondents get their start and earn money.

THIS CATALOG IS FREE.

AMERICAN COLLEGE OF JOURNALISM

Suite 52, 115 Dearborn St.,

Chicago, Ill

Engineering

**MECHANICAL,
ELECTRICAL,
STEAM,
CIVIL.**

Complete and short courses. Thoroughly equipped engineering shops. Shop work from the beginning. Short courses in Steam and Electrical Engineering. Expenses low. Accommodations the best. School all year. Students may enter any time. Correspondence steam and electrical courses. Send for catalogue. Mention course in which interested.
HIGHLAND PARK COLLEGE, Des Moines, Ia.

Send THE MONTHLY "CONCRETE" JOURNAL

One Dollar a Year. Sample Copy 10c

Concrete Publishing Co., - 40 Congress St. DETROIT, MICH.

LEARN TELEGRAPHY AND R. R. ACCOUNTING

Operators Always in Great Demand

\$50 to \$100 per month salary assured our graduates under bond. Our schools are endorsed by every railway official in the U.S. Ladies also admitted. Write for catalogue.

MORSE SCHOOL OF TELEGRAPHY

Cincinnati, O. Buffalo, N. Y. Atlanta, Ga. La Crosse, Wis.
Terarkana, Tex. San Francisco, Cal.

You're down 

You cannot get up, advance your position, improve your salary, if you remain in a rut. You must have knowledge and training to make your services worth money to your employers. Employers are on the lookout for men who have the right training.

We can lift you to a good position with high salary

by our special system of training by mail in your spare time. Our system is unequalled for success. We have courses for Electrical Engineering, Steam or Mechanical Engineering, Electric Lighting, Telegraphy, Telephony, Electric Motormen, Dynamo Tenders, Short Electrical Course, Mechanical Drawing, Algebra, Arithmetic.

FREE

New students enrolling now receive, free of charge, our Reference Library and a set of Electrical Apparatus. We prove our statements! Write to us for our free 80-page book and testimonials.



**Electrical Engineer Institute
of Correspondence Instruction**

Dept. 6, 240-242 W. 23d St.
NEW YORK

As a Practical Book for Practical Men Spangenberg's Book Ranks First

All the engineering information you should have; all you really need is contained in this book in plain, practical and concise form.

Spangenberg's Steam and Electrical Engineering

is a complete library covering the subject in all its various branches and contains 672 pages. The only book ever published containing 1035 questions and answers. Written so you can understand it. \$3.50 is the price, and it is sold with the understanding that it may be returned if not satisfactory, and your money will be refunded immediately. Out of 10,000 books sold only two have been returned. This fact speaks for itself.

CUT OUT AND MAIL TO-DAY

GEO. A. ZELLER BOOK COMPANY
7-S. Fourth Street St. Louis, Mo.

I accept your offer to send me, express prepaid, one of Spangenberg's Steam and Electrical Engineering, price \$3.50, and enclose \$2 as first payment. The balance, \$1.50, I agree to remit in 50 cent monthly installments, money or express order or Stamps.

Name

Street or Box No.

City and State



Bound in Silk Cloth.
Size 6x9. 672 pages. 648 Illustrations.

Please mention Popular Mechanics when writing Advertisers.

You Can Earn

from

\$3000
to
\$5000



A YEAR IN THE REAL ESTATE BUSINESS.

No other business produces the profits that are made every year in the Real Estate business. We want to teach you a business in which you can make a large income without capital. We will teach you the Real Estate (also General Brokerage and Insurance) Business, its principles and practices, thoroughly, technically, in a few weeks, without interfering with your present employment. Notice the phenomenal growth of the real estate business. The newspapers and magazines indicate the tremendous opportunities offered those who know how to grasp them. We appoint our graduates members of one of the largest co-operative companies in America; list their properties; help them to secure customers; co-operate with and assist them to a quick success. Choice real estate and investments in all sections listed with our graduates. Don't spend the best days of your life working for others, when you can make an independent fortune for yourself. We assist in establishing you in business or to profitable employment. We are the originators of this plan of instruction, as our long advertising campaign shows. Hundreds endorse our institution. Write for FREE BOOKLET. It will interest you.

H. W. CROSS & CO., 164 Tacoma Building, CHICAGO

ARITHMETIC



SELF= Do not
TAUGHT despair
because
through neglect you
have forgotten what
you once learned about
Arithmetic. PROF.

SPANGENBERG'S NEW METHOD requires no teacher. 228 pages: sent prepaid on receipt of 60c. in stamps. Best Book ever published.

Geo. A. Zeller Book Co.

39 South 4th Street, St. Louis, Mo.

Established 1870. Agents Wanted Everywhere.

HENRY & HORA'S

Modern Electricity



Explains X-Rays, Wireless Telegraphy, Radium, Transmission & Distribution, Power Stations, Wiring, etc. Written in plain English.

All Problems Solved

Practical—Accurate—Scientific
150 illustrations.
355 pages. Cross index.

"A practical handbook for students, apprentices, and electrical engineers."—Scientific American.

Silk Cloth, decorative cover, silver stamping, . . \$1.50
Seal Leather, marbled edges, gold stamping, . . 1.00

LAIRD & LEE, PUBLISHERS CHICAGO
263 Wabash Ave.

BUOYANCY OF CAST IRON

Every founder who has noticed has seen, when he threw a piece of cold cast iron into a ladle of liquid iron, that the solid iron sank out of sight because each degree of heat that the liquid iron has absorbed has increased its bulk, says the Foundry. For equal bulks the cold iron is heavier and sinks. In a moment or two the iron, still solid but white hot, rises and floats on the surface, which is proof that it has expanded more than the melted iron and is lighter. The piece is rapidly becoming smaller and sinks to the surface as the last portion melts, showing that just at melting it is not as light as when it floated higher on the surface. We find that white iron does not float and that gray iron floats more above the surface as its silicon increases.


Learn Furniture Designing

DO you know that the Furniture business is one of the most rapidly growing trades in this country? Those who will enter this line now will have a splendid future before themselves. The public demands new ideas at all times, and there is a great field for practical and original people who may wish to become

Furniture Designers

We always have an opportunity to place our graduates in good paying positions. Some of them are now earning between \$1200.00 and \$2500.00 per year with plenty of chances for further advancement. Write for full particulars and testimonials.

COLLEGE OF FURNITURE DESIGNING
Porter Block, Dept. M, Grand Rapids, Mich.



TECHNIC OF Mechanical Drafting

BY CHAS. W. REINHARDT

Chief Draftsman, Engineering News

Author of "Lettering for Draftsmen, Engineers and Students."

"SHOWS HOW TO DO IT"

Contains chapters on outlining, lettering, outline shading, section lining, curved surface shading, shading of inclined surfaces, topographical drawing, character and finish, etc. Boards 11x8 ins. 42 pp. 40 text illustrations and 11 full page plates. Plates I to IV contain 69 distinct conventions for section lining.

Prof. Jacoby of Cornell, says: "Each of the chapters on 'outline shading' and on 'section lining' are alone worth the price of the book."

Most Popular Book on Mechanical Drafting Ever Published

Adopted as Standard in many Technical Schools

PRICE, \$1.00

MECHANICS

PROBLEMS FOR ENGINEERING STUDENTS

By Prof. Frank B. Sanborn

500 problems, many being examples in engineering practice.

Contents: I, Work (Problems 1 to 172). II, Force (Problems 173 to 406). III, Motion (Problems 407 to 500) answers and complete index. A practical, elementary book of problems for the use of practicing mechanics, engineers and students.

PRICE, \$1.50

Send for descriptive catalog M. P. and a sample copy of Engineering News

THE ENGINEERING NEWS PUBLISHING CO.

220 BROADWAY, NEW YORK

BOOK FREE ON

How to Use Cement

Sidewalks, Floors, Walls, Partitions, Troughs, Fence Posts, Cisterns, Concrete Blocks, Etc. Interesting items on Concrete. The most instructive paper published on concrete. Send 50 cents for a years subscription.

The Cement Era, 86 Griswold St., Detroit, Mich.



GRASP THE LAW AT HOME

AS LINCOLN DID. Never has an intelligent working knowledge of the Law been so nearly indispensable as now to every man of ambition. Never have possibilities loomed so large to him whose legal knowledge doubles the commercial value of his natural abilities. In business, it is the legal counselor who sways decisions of large import. In

politics, the trained legal mind is everywhere recognized as peculiarly fitted for public office. Never before has earnest ambition had placed before it so valuable, comprehensive, authoritative, and withal so simply-phrased a store of legal knowledge as is presented in the just completed Home Law School Series. Regarded by Bench and Bar as an epoch-marking work. Covers both Theory and Practice; prepares for Bar in any State. First 4,000 advance orders being booked at about 17 per cent discount, for prompt realization by publishers. Binding, Law half-sheer. Descriptive pamphlet, testimonials and Special Price Offer sent free. Prompt application advised.

Frederick J. Drake & Co. 216 E. Madison Street, Chicago

STUDY LAW

Leading Law School In Correspondence Instruction

Thirteenth Year

Prepares for the bar of any state. Improved method of instruction, combining the Text-Book, Lecture and Case Book methods. Approved by the bench and bar. Three Courses: College, Post-Graduate and Business Law. The One-Price School. Write today for Catalogue.

Chicago Correspondence School of Law, Reager Block, Chicago.




Please mention Popular Mechanics when writing Advertisers.

ROGERS' Machinists' Library

LIST

The Progressive Machinist . . .	\$2
The Advanced Machinist . . .	2
Mechanical Drawing and Design . .	3

SEND POSTAL FOR MACHINISTS' LIBRARY.



Each of the Books in the Library is a complete treatise in itself and can be purchased separately at price above named.

PLAN OF WORK

The three volumes composing the "Machinists' Library" have been issued just long enough to receive the most hearty approval of the best representatives of the Engineering and Mechanical world.

The books composing the library are intended to be: educational, and progressing from the simple to the more complex subjects; plain books for those already engaged, or soon to be in the practical application of the theory of mechanics; each volume is complete in itself, while progressive in the series. The books are each supplied with a ready reference index, which enables the quick use of their contents.

The volumes are strongly and handsomely bound in black cloth, with titles and edges in gold; they contain 1,204 pages, 1,244 illustrations, many of which are full pages, with 3,000 ready references; they are printed on fine surface paper with large, clear type. Each book stands 8 1/2 inches in height, and the three packed for shipment weigh over 7 1/2 lbs. No works of equal value have ever been offered to the machinists' and allied trades, and no one, from the Superintendent and Owner to the Apprentice, can afford, considering the price and terms, to be without them.

MONTHLY PAYMENT PLAN

Rogers' Library is supplied whenever desired on easy terms. Upon receipt of one dollar, and agreement to remit the same amount each month for six months, and accompanied by the name of one or two persons of whom inquiry could be made if desired, regarding subscriber's reputation for keeping business promises, the set will be shipped to any part of the world with all transportation charges prepaid.

CUT OUT AND MAIL TO-DAY

I accept your offer to supply me with ROGERS' MACHINISTS' LIBRARY, 3 vols., for \$7. Encl send find \$1 as first payment; the balance I agree to remit in \$1 monthly installments.

Name _____

Occupation _____

Address _____

You are at Liberty to consult the person named below as to my reputation for keeping business promises.

Name _____

Address _____

Pop. Mech. Oct.

THEO. AUDEL & CO.

Educational Book Publishers,

63 Fifth Avenue

NEW YORK.

EVERY INVENTOR

Who Wants to know

1. What are the most profitable inventions,
2. How to perfect inventions,
3. The first step to take in getting a patent,
4. How to protect himself from parties who might steal his invention before he can get a patent.
5. How to find out what patents have been granted on inventions like his, or intended for the same purpose,
6. How much it costs to get a patent
7. How long it takes to get a patent,
8. What protection a patent is,
9. How he can sell his patent after he obtains it.
10. How to handle his patent to get the most money out of it,
11. Where and at what expense he can have working drawings made of his invention,
12. Where and at what expense he can have models or experimental machines made,

should send his questions to

POPULAR MECHANICS PATENT BUREAU,

Journal Bldg. - - Chicago, Ill.

WE MANUFACTURE TO ORDER DIES, TOOLS AND AUTOMATIC MACHINES

ALSO HARDWARE SPECIALTIES
AND PATENTED NOVELTIES

ESTIMATES FURNISHED ON EXPERT
MODEL WORK. SEND DRAWING OR
SAMPLE.

BOOKLET FREE. WRITE TODAY.

Stamping & Tool Co.

DEP. C

LA CROSSE, WIS.

'T WAS WORK TOO

Prof. Nichol, the Cornell physicist, during the recitation of a freshman class in natural philosophy, observed a tall, lanky youth in a rear seat, his head in a recumbent position, his body in a languid poise, his eyes half closed and his legs extended far out in an adjacent aisle. He was either asleep or about to lose consciousness.

"Mr. Frazer," said the great scientist, "you may recte."

The freshman opened his eyes slowly. He did not change his somnolent poise.

"Mr. Fraser, what is work?"

"Everything is work," was the drawling reply.

"What! Everything is work?"

"Yes, sir."

"Then, I take it, you would like me and the class to believe that this desk is work?"

"Yes, sir," replied the youth wearily, "that desk is woodwork."—Cornell Widow.

Rings at Cut Rates



No. 209—Gold Filled Gent's Ring—Set with finely cut Egeria Diamond, Ruby or Emerald.

Price now.....\$1.25

Christmas price.... 2.00



No. 795—Gold Filled Ladies' Ring—Set with finely cut Egeria Diamond, Ruby or Emerald.

Price now.....\$1.00

Christmas price.... 1.75



No. 413—Gold Filled Ladies' Signet Ring—Handsomely engraved.

Price now.....50 cents

Christmas price.. \$1.00



No. 606—Gold Filled Gent's Ring—Signet—Handsomely engraved.

Price now.....\$1.50

Christmas price.... 2.50

Order by No. Send Size Wanted. All goods sent prepaid and money refunded if not satisfied. Remit by P. O. order, express order or bank draft payable to our order

JOHN ALLEN & CO.

The Guaranty Jewelry House

OAK PARK, ILLINOIS

MECHANICAL ENGINEER—SPECIAL MANUFACTURER
WILLIAM G. CURTIS
 LIGHT MACHINERY, TOOL MAKING AND DIE SINKING
 Estimates furnished for Special and Expert Metal Work
 Jewelers' Novelties, Die and Tool Making, Jigs and Fixtures
 for fine interchangeable Work, Electrical Work, screw Ma-
 chine Work, Pattern making, Models Redesigned and Per-
 fected, Etc., Etc. **541 THE ROOKERY,**
Telephone Harrison 1946. CHICAGO, ILL.

LET US BE YOUR FACTORY

WRITE FOR ESTIMATE ON ANY ARTICLE
 YOU WANT MANUFACTURED
STAMPINGS, MODELS, EXPR. WORK
 WRITE FOR FREE BOOKLET
THE GLOBE MACHINE & STAMPING CO.
 970 Hamilton St., Cleveland, O.

"We Analyze Everything"

At Reasonable Rates. We Devise New and Original

Formulæ

Address

The Ellsworth Laboratories
MAX D. SLIMMER, Ph. D.
857 Dearborn Street. - - - Chicago

BUILD YOUR OWN ENGINE

You can build a small steam or gasoline engine of modern type from our castings. We furnish full size blue print drawings with each set.

Castings for $\frac{3}{4}$ H. P. Two Cycle Gasoline Engine..... **\$12.50**

Castings for $\frac{1}{2}$ H. P. Center or Side Crank Steam Engine..... **\$7.50**

Having had numerous inquiries for our castings, we have decided to offer them to the public. They are the best that can be made and with them you can build a **strong, durable engine** and save thirty to fifty dollars.

JUNIOR ENGINE WORKS

160 Washington Street,

CHICAGO.

SPLITDORF LABORATORY

(Established 1858)

WE make a specialty of MODEL MAKING, EXPERIMENTAL WORK and MECHANICAL ENGINEERING of the highest character.

If you require EXACT workmanship and the latest improved machinery combined with the highest type of ENGINEERING ability, drop us a line and we will be pleased to give your plans our closest attention.

Splitdorf Laboratory

Block 2, 17-27 Vandewater St. New York, N. Y.

Contracts Wanted

At Reasonable Prices

Expert Model and Die Making
METAL SPECIALTIES MANUFACTURED

Punch, Press and Screw Machine Work, Brass Finishing, Oxidizing, Nickel Plating, Enameling. Thirty years' experience.
JOHN OLDFIELD, 937 North 41st Court, CHICAGO

WE MANUFACTURE METAL SPECIALTIES

Dies, Tools, Patterns and working models, Metal Stampings, Brass and Screw Machine Work, and we want your Metal Articles to manufacture in quantities. We can improve the quality and cheapen the cost. Send samples or drawing and we will quote you prices. You may have the benefit of our fifteen years' experience in the design of Dies, Tools, Patterns and Machinery.

METAL SPECIALTIES MFG. CO.,
 18-24 W. Randolph St., Chicago.

UNPARALLELED FACILITIES FOR MANUFACTURING

Metal Specialties

OF ALL KINDS PROMPTLY AND REASONABLY
 WILL MANUFACTURE DIRECT OR ON ROYALTY
Crescent Mfg. Co., Valparaiso, Ind.

Established Over 30 Years

EXPERIMENTAL

AND MODEL WORK

Inventors' Ideas Developed. Circulars Free.

WM. GARDAM & SON, (Inc.)
 45-51 Rose St. New York

MODELS CHICAGO MODEL WORKS

175-181 E. MADISON ST., CHICAGO, ILL.

WRITE FOR CATALOGUE

ESTABLISHED 1867

OF MODEL SUPPLIES

The Largest Factory in the United States for Manufacturing Metal Specialties IS AT YOUR SERVICE

Write us for estimate on any article you want manufactured.

Prompt and careful attention given all correspondence

FORT DEARBORN MFG. CO.

Manufacturers of

Incorporated 1895.

SPECIAL MACHINERY DIES, TOOLS, Etc.

Also Blanking, Forming and Drawing of Sheet Metal

63-65 Crossing Street - CHICAGO

Gear and Cam Cutting

Surface and Circular Grinding

Screw Machine Work

Please mention Popular Mechanics when writing Advertisers.

PATENTS

SECURED PROMPTLY and with special regard to the Legal Protection of the Invention.

HAND BOOK FOR INVENTORS AND MANUFACTURERS SENT FREE UPON REQUEST.

Consultation Free. No charge for opinion as to the patentability and Commercial Value of Inventors' Ideas.

HIGHEST REFERENCES FROM PROMINENT MANUFACTURERS.

SHEPHERD & PARKER, PATENT LAWYERS

Patents, Caveats, Trade Marks, Copyrights, Validity Reports, Infringement Contests.

REFERENCES: American Water Motor Co., Blum Shoe Co., International Fence and Fire Proofing Co., Winget Concrete Machine Co., Century Chemical Co., By-Products Co., Columbus Pharmacal Co., Richmond Electric Co., M. C. Lilly & Co., N. L. Hayden Mfg. Co., Murray Engineering Co., Geo. Estel Co., and Alabama Brewing Co.

"During the past 10 years Mr. Shepherd, of Shepherd & Parker, has obtained for us a great many important patents. We have no hesitation in heartily recommending him to anyone having need of the services of a patent attorney".

HALLWOOD CASH REGISTER CO.

Mr. Parker on November 1, 1903, resigned his position as an Examiner in the U. S. Patent Office to enter this firm.

Address, 210 Dietz Bldg., WASHINGTON, D. C.

PATENTS

Careful attention given to the prosecution of business before the patent office. Patents procured and no attorney fee called for until patent is allowed. (23 years experience.) Write for "Inventor's Guide." Address

Franklin H. Hough

Atlantic Building, Washington, D. C.



PATENT YOUR IDEAS

\$100,000 offered for one invention; \$8,500 for another. Book "How to Obtain a Patent" and "What to Invent" sent free. Send rough sketch for free report as to patentability. We advertise your patent for sale at our expense.

Chandlee & Chandlee, Patent Attorneys, 959 F. Street, Washington, D. C.

PATENTS THAT PROTECT & PAY

WATSON E. COLEMAN,

Registered Patent Attorney

COLUMBIAN BUILDING, WASHINGTON, D. C.

Advice Free;

Highest References; Best Service

PATENTS

SECURED OR FEE RETURNED

FREE opinion as to patentability. Send for Guide Book and What To Invent, finest publication issued for free distribution. Patents secured by us advertised free.

EVANS, WILKENS & Co.,

No. 717 F Street N. W. Washington, D. C.
New York Offices, 132 Nassau Street, N. Y. City

EMERGENCY AUTO REPAIRS

The touring motorist is often in a position where he has only himself and the portable tool kit he carries to rely upon in case of accident of any kind. A correspondent of the Automobile relates some of his experiences in this line:

"It was not so very long ago that I was testing out a new car on an unspeakable road, when two deep ruts close together proved too much for the tubular front axle. The first rut bent it, and the second one broke it off short not far from the middle. In summing up the damages we found that though the steering pivots were slightly bent, they were still in working order, so we got to work to make a repair that would take us home. The nearest house, so far as we knew, was twenty-five miles away, so that we were thrown entirely on our own resources."

"The first thing we did was to make a hot fire of wood. In this we heated the two halves of the axle and took the kinks out as well as we could. Then we made four heavy hardwood splints and 'set' the broken axle as a surgeon would set a broken bone. We were lucky enough to have a roll of heavy wire in the tool box, and with this we bound the splints over the broken place, drawing the wire as tight as possible and using plenty of it. The finished job certainly looked anything but strong, but no one wanted to walk twenty-five miles, and we had to get home somehow, so we got into the car and started."

"I don't know how it happened that nothing else gave out, but that horrible piece of repairing took us home safely. To be sure, we crawled; the joint creaked and groaned and sagged; the front wheels assumed the wildest of angles and never pretended to be anywhere near parallel; but, handled with the tenderest care, the thing took us all the way. I think we went to bed when we got there."

Electric automobiles are used to haul canal boats in Belgium. When two boats meet the autos turn around and change boats.

Going to Put It on the Market?

You have the article; we have the brains and the equipment for making it at the lowest cost. We manufacture and ship all kinds of Special machinery on contract.

LET US ACT AS YOUR FACTORY

JOHN WISHART MACHINE WORKS, Engineers and Machinery Mfrs., (Inc.) 43 to 45 S. Canal Street, Chicago.
LONG DISTANCE PHONE, MAIN 889.

ARE YOU LOOKING FOR ME?

I want to introduce myself to every Manufacturer in the United States. Not so much myself, but my system of saving them big money. My system consists of originating special **AUTOMATIC MACHINES**.

To make it clear: Suppose you are manufacturing an article with parts which are made by hand, you know of no other way it can be done—but if I can prove to you that I can originate a **SPECIAL AUTOMATIC MACHINE** that will turn these parts out in thousands of lots a day, will you give me the order to construct such a machine for you?

Here is My Guarantee

Send me a full description of any article you are now manufacturing, and I will tell you immediately what it will cost to construct a machine that will turn it out Automatic from start to finish.

Should I fail to successfully construct for you such a machine, then the loss will be mine—and not yours. There is nothing for you to lose.

Next month I am going to talk to the Manufacturers about my latest Automatic machine that bids fair to revolutionize the making of an Electrical article, now used in every city in the world.

In the meantime I would be pleased to become more fully acquainted with the manufacturers of this country, believing that I can be the means of saving them thousands of dollars. Send me your address for further particulars.

**C. H. M'Giehan, 7 Broadway
New York**

SUNLIGHT AN INCENDIARY

Rays of sunlight focused on an inflammable article or substance, as for instance a light window curtain or hay, are frequently the cause of fires. This was clearly demonstrated by the experience of a tutor who was with his pupil and the boy's father at Mern, in the Tyrol.

The tutor called attention to the way in which the sunlight was focused on the table cloth by a full water can, saying that the heat was intense enough to be dangerous. The boy's father opposed the idea, and while the two were arguing it, the spot on the cloth darkened and burst into flame.

Not long ago a house at Saybrook, Conn., was fired by sunlight focused on a window curtain by a gold-fish globe, and undoubtedly there are many instances of the kind. A bubble in the glass used in a skylight may focus the rays so that a hay-barn or a house is fired.

I SELL PATENTS

There has been placed with me for sale, the U. S. Patent on a

JELLY STRAINER

For household use—By actual test the best strainer produced for preparing jelly, soup, wine, etc. Cheaply made—fine mail-order or agents' article. Invented by a lady and will be appreciated by all housewives. Owner will consider leasing on royalty or will sell patent. You'll call it a fine proposition. Details and model to all interested and responsible parties.

**Charles A. Scott, 796 Mutual Life Bldg.,
Buffalo, N. Y.**

POPULAR MECHANICS

PATENT BUREAU

invites the co-operation of Inventors, Mechanical Engineers, Draftsmen, Machinists, Superintendents and Foremen of Shops and Mills, and Skilled Mechanics in all trades, everywhere, in building up a Patent Bureau that will give honest advice to inventors, protect their interests by good patents and strong contracts; assist inventors in perfecting their inventions, and in selling their patents when obtained; and in all matters to render careful service and give full value for money paid.

We have a Patent Bureau of which it can be said: "Conducted So You Can Trust It;" just as this magazine is "Written So You Can Understand It."

We have been getting patents for the past twenty-five years, and hope to be in the same business for another quarter of a century.

We want the business of practical, hard-headed inventors—not the perpetual motion cranks. We charge moderate fees for services rendered, and do not care for the business of those who expect something for nothing.

Our booklet about Patents contains much information in small compass, and you can depend on it. Send for a copy.

POPULAR MECHANICS PATENT BUREAU,

Journal Building, : Chicago, Ill.

25
Cents

BOOK
— FOR —
BOYS

25
Cents

“Mechanics for Young America”

Tells How to Make Things

Reprinted from the Boys' Department of Popular Mechanics. Fully Illustrated. Instructions are “Written so you can understand it.”

CONTENTS

How to Make a Paper Boat.....
 How to Make a Barrel Boat.....
 How to Make a Water Wheel.....
 How to Make Your Own Fishing Tackle.....
 Temporary Camps and How to Build Them.....
 Permanent Camps and How to Build Them.....
 How to Build an Imitation Street Car Line.....
 How to Make a Water Bicycle.....
 How to Make a Miniature Windmill.....
 How to Build an Ice Boat.....
 A Novel Burglar Alarm.....
 A Mechanical Ventriloquist and How to Make It.....
 How to Make a Boot-Blackening Cabinet.....
 Renewing Dry Batteries.....
 How to Make Water Motors.....
 How to Make “Antique” Clocks from Up-to-Date Materials.....
 Lettering a Clock Dial.....
 How to Make a Windmill of One or Two Horse-power.....
 How to Make a Trap for Rabbits, Rats and Mice.....
 How to Make a Small Searchlight.....
 Kites of Many Kinds and How to Make Them—Jug Fishing.....
 How to Do Ornamental Iron Work.....
 Ornamental Metal Guards for Open Fireplaces.....
 How to Make a Propelling Vehicle.....
 How to Make a Water Telescope.....
 How to Make Paper Balloons.....
 How to Make a Hectograph.....
 Useful Articles and Ornaments Made of Old Bicycle Parts.....
 Devices for Winter Sports—How to Make and Use Them.....
 Coasting Sleds, Chair Sleighs, Toboggan Slides and Skis.....
 How to Make Rubber Stamps.....
 How to Make a Baggage Carrier for Bicycles.....
 A Water Candlestick.....
 Boys' Hand-Power Auto—How Made.....
 How to Make a Pair of Dumb-Bells.....
 How to Rid Your Yard of Cats.....
 How to Make an Easel.....
 To Light a Gaslight Without Matches.....
 Things a Boy Can Make Out of old Bicycle Parts.....
 How to Make a Wind Propeller.....
 Photographing from a Captive Balloon.....
 How to Make a Simple Burglar Alarm.....

Sent postpaid on receipt of 25 cents, or order
from your newsdealer.

Popular Mechanics,
Journal Building. • • Chicago

ELECTRIC RAILWAYS

Dynamos : Motors : Gas Engines




Complete Working Models, also Castings and Parts. Everything for the Amateur Electrician. Send for Catalogue B

The CARLISLE & FINCH CO.,
262 E. Clifton Ave. Cincinnati, Ohio

PAINT SHOP FLOORS.

In the discussion of this subject at the recent annual convention of the Master Car and Locomotive Painters, a number of the members expressed a preference for vitrified brick floors for paint shops, says Railway Review. The principal objection to concrete floors was that they are dusty. Sweeping with brushes, the use of a mixture of coal oil and sawdust, and painting the floor were all recommended for overcoming this difficulty. It appeared also that the quality of the concrete has much to do with it. Mr. F. A. Wels, of the Central of New Jersey, stated that the cost of a concrete floor, for construc-

ELECTRIC MOTOR, 75c.



An entirely new design. Runs with a wet or dry battery. Has 2-inch armature, wrought iron field magnet, pulley, etc. 75 cents; packing and postage, 15 cents. Catalogue Free.

Electro magnets for experimenting, 15 cents each.

Send 10 cents for 20 feet of magnet wire for experimenting and making small magnets.

ARTESIAN ELECTRIC CO., 744 Artesian Ave., Chicago

tion and maintenance, is less than that of asphalt or wood block. He considered concrete the best, “because, when properly installed, it will remain hard and smooth and the generation of dust therefrom will be very small; is absolutely fireproof; will absorb very little water, insuring against dampness; is easily kept clean, and in ordinary paint shop service requires practically no repairs.”

The proportionate size of the expansion tank in relation to the radiating surface of a hot water heating system should be approximately one gallon for every 40 sq. ft. of radiation.

EVERY BOY His Own Toy-Maker



It tells you how to make a Steam Engine, a Photographic Camera, a Windmill, a Microscope, an Electrical machine, a Galvanic Battery, an Electric Telegraph, an Electrotyping Apparatus, a Telephone, a Kaleidoscope, a Magic Lantern, an Aeolian Harp. Boats of every kind, from a little rowboat to a full-rigged schooner; how to make Kites, Balloons, Paper Toys, Masks, Card Racks, Wagons, Carts, Toy Houses, Bows and Arrows, Pop Guns, Slings,

Stilts, Fishing Tackle, Rabbit and Bird Traps, and many other things, and all is made so plain and simple that any boy can easily make anything described. The whole is illustrated with more than 200 handsome illustrations. This is a great book and you should not be without it. Price only 10 cents, postpaid, 3 for 25 cents. Address **WESTERN SPECIALTY CO., 336 Jackson Street, St. Paul, Minn.**



Busy Business Men

Prefer The California Limited when they travel between Chicago, Los Angeles and San Francisco.

It's quick—Only 68¼ hours.

It's luxurious—Compartment and observation Pullmans, dining car and buffet-smoker.

And Harvey serves the meals.

Daily service begins early in November—until then, semi-weekly.

All the facts, if you address Passenger Dept. A. T. & S. F. Ry., Chicago.



All the Way

FIGHTING ROOSTERS

Mystify and amuse your friends. These are two genuine game roosters with feathers. They fight to a finish, and are always ready to fight. The secret of their movements is only known to the operator. Will last a lifetime. 10c per pair, 3 for 25c. Postpaid and our big bargain catalogue free. Address **W. H. MILLER and CO., 739 E. 4th Street, St. Paul, Minn.**



Please mention Popular Mechanics when writing Advertisers.

Iron Mountain Route

Has Territory Along Its Lines Which Offer

Rare Opportunities

For the Investor and Homeseeker

The Railroad That Carries You Through the Heart of

Arkansas and Louisiana,

The Two Great Agricultural and Timber States,

Where the Soil Is Rich, Deep and Productive.

Prices Reasonable

Low Settlers' Rates

For full information and descriptive literature,

Address **H. C. TOWNSEND,**

General Passenger and Ticket Agent, • ST. LOUIS, MO.
ELLIS FARNSWORTH, D. P. A., 186 Clark St., Chicago, Ill.



BETWEEN

CHICAGO AND KANSAS CITY,
CHICAGO AND ST. LOUIS,
CHICAGO AND PEORIA,
ST. LOUIS AND KANSAS CITY.

THROUGH PULLMAN SERVICE
BETWEEN CHICAGO AND

HOT SPRINGS, Ark., DENVER, Colo.,
TEXAS, FLORIDA, UTAH,
CALIFORNIA AND OREGON.

IF YOU ARE CONTEMPLATING A TRIP, ANY PORTION OF WHICH CAN BE MADE OVER THE CHICAGO & ALTON, IT WILL PAY YOU TO WRITE TO THE UNDERSIGNED FOR RATES, MAPS, TIME-TABLES, ETC.

GEO. J. CHARLTON,
GENERAL PASSENGER AGENT,
CHICAGO, ILL.

The National Lines of Mexico

NATIONAL RAILROAD OF MEXICO
MEXICAN INTERNATIONAL RAILROAD
INTEROCEANIC RAILWAY OF MEXICO

MEXICO'S GREATEST RAILWAY SYSTEM

All Year Tourist Rates
and Homeseekers'
Excursion Rates

Daily Pullman Service
between St. Louis, Mo.
and City of Mexico

VIA

LAREDO ROUTE

578 Miles Shortest 22 Hours Quickest

—Affording—

The Only Through Pullman Service

The Republic of Mexico abounds in attractions for
Tourist, Prospector and Investor, and the Capital

MEXICO CITY

The Paris of America

is an all-year resort unsurpassed.

Average temperature:

Summer 68 deg., winter 53 deg. Fahr.

Only line affording diverse route without extra charge.

For illustrated descriptive literature, rates, sleeping car
reservations, etc., call on or address

GEO. W. HIBBARD,
General Passenger Agent,
Apartado No. 322
Mexico City, Mexico

G. R. HACKLEY,
General Western Agent,
Suite 230-240 Quincy Bldg.,
Chicago, Ill.



**"FOLLOW
THE FLAG"**

WABASH Summer Tours

Write today for a Free copy
of **WABASH Summer Tour
Book—1905**, outlining many
very attractive summer vaca-
tion trips, with rates, etc.

Write us about any tour you
may have in contemplation.
We shall be glad to assist you.

C. S. CRANE,
G. P. & T. Agent,
ST. LOUIS.

F. A. PALMER,
A. G. P. Agent,
CHICAGO.

INDUSTRIES

ARE

OFFERED LOCATIONS

WITH

**Satisfactory Inducements
Favorable Freight Rates
Good Labor Conditions
Healthful Communities**

ON THE LINES OF

**THE ILLINOIS CENTRAL R. R.
AND THE**

YAZOO & MISSISSIPPI VALLEY R. R.

For full information and descriptive pamphlet, address

J. C. CLAIR

Industrial Commissioner

1 Park Row, - - - Chicago, Ill.

The Overland Limited California

the most luxurious train in the world,
leaves Chicago 8:00 p. m. daily. Less
than three days to San Francisco,
Magnificent equipment. Electric lighted
throughout.

THE BEST of EVERYTHING

Two other fast trains leave Chicago 10
a.m. and 11:35 p. m. daily, with through
service to San Francisco, Los Angeles
and Portland via the

**Chicago & North-Western,
Union Pacific and
Southern Pacific Railways**

All agents sell tickets via
this route.

Illustrated booklets on
application to
W. B. KNISKERN,
CHICAGO, ILL.
or **E. L. LOMAX,**
OMAHA, NEB.

OL16

This Valuable Book FREE

CURE YOURSELF BY ELECTRICITY

New Book—Illustrated from Life
Sent FREE to All Who Write

This splendid book explains how electricity as supplied by inexpensive batteries cures Rheumatism, Dyspepsia, Insomnia, Liver and Kidney Trouble and all nerve affections and diseases due to poor circulation. Explains about the famous electric baths, beauty and health massage at home at little cost.

THIS BATTERY

\$1.95

EXPRESS PREPAID

Every Home Should Have a Home Battery.
Our free book also lists the latest improved batteries, (prices \$1.95 to \$19.50), which we send prepaid and allow 10 days Free trial. Write today for our Free Book.
DETROIT MEDICAL BATTERY CO., 1162 Majestic Bldg., Detroit, Mich.



PEAT FOR LOCOMOTIVES

The Boston & Maine has experimented with peat for locomotive fuel, the peat being furnished by a company who are exploiting beds of this substance, occurring in Eastern Massachusetts. Attempts have been made to compress the peat by a rolling process, but the resulting briquets were not solid enough for locomotive use and broke up too readily. Their heating value is stated to be about 80 per cent of that of ordinary Pennsylvania bituminous coal. An attempt now is being made to coke the peat.

ELECTRIC POWER FOR THE FARMER

To furnish the farmers of its locality with electric power at annual rates, based on the extent of the service required, is the unique proposal of the Fort Wayne and Wabash Traction Company of Indiana. The company operates about 80 miles of interurban lines and thus is in good position to carry out its scheme. The plan is to furnish every land owner within one mile on either side of the company's tracks with an electrical outfit at cost. Much of the heavy work about the farm could be reduced in this way, as well as cutting down the amount of help required, and affording the farmer more of the luxuries enjoyed by city folk.

RHEUMATISM CURED THROUGH THE FEET

Every Drop of Blood in the Body
Reached and Purified Through
the Foot Capillaries by
New Discovery.

The Makers Want Everyone to Try A DOLLAR PAIR FREE

If you have rheumatism we want you to try the famous Magic Foot Drafts at our expense. They're curing all ages and conditions—after doctors and baths have failed, without a spoonful of medicine. We believe they'll cure you. Send us your name, and we'll send you the Drafts by return mail, prepaid. Try them, and if you are satisfied send us the price, One Dollar. If not, simply say so, and they cost you nothing whatever.

We have been sending these Drafts "pay when satisfied" for many months now, and you can see for yourself that we couldn't keep this up if the Drafts didn't cure. The fact is they do cure, no matter how many doctors have failed, because they apply a new scientific principle (fully explained and illustrated in our booklet) and that's why we are glad to send them on approval. Will you try them? Just send your address to Magic Foot Draft Co., 1151 Oliver Bldg., Jackson, Mich.



Great is Texas!

The Eyes of the World Are Upon Her

THE HOME-SEEKER wants to know about her "Matchless" Climate and Her Cheap Lands.

THE INVESTOR wants to know about not only Her Cheap Land and Low Taxes, but as well, Her Wealth of Mine and Forest, and this is to let you know that

**The International & Great Northern
Texas' Greatest Railroad**

traverses more than a thousand miles of the Cream of Texas' Resources, latent and developed, and that you may learn more about the GREAT I. & G. N. COUNTRY by sending a 2-cent stamp for a copy of the ILLUSTRATOR AND GENERAL NARRATOR, or 25 cents for a year's file of same, or by writing

**D. J. PRICE, G. P. & T. A., I. & G. N. R. R.
Palestine, Texas**

WANTED

10 men in each state to travel, post signs, distribute samples and advertise our goods. Salary, \$75 a month, \$3 a day for expenses. Expenses advanced.

KUHLMAN CO., Dept. C . . . ATLAS BLOCK, CHICAGO

MANUFACTURERS



Why not locate where intelligent labor, raw material and demand for your product obtains. All these and more found on the **BURLINGTON ROUTE**. For information write to

W. H. MANSS, Industrial Commissioner
209 Adams Street Chicago

Please mention Popular Mechanics when writing Advertisers.

"Want" and "For Sale" Ads. 2 cents per word, payable in advance. Replies may be sent to a number, care Popular Mechanics, and will be forwarded promptly without extra charge.

"SHOP NOTES"—Paper covers 50 cents. Popular Mechanics.

AUTOMOBILES.

AUTOMOBILE SCHOOL—Chicago School of Motoring; the original automobile school in Chicago. One hundred and eighty graduates the past year, to whom we refer upon request. Automobile owners, prospective buyers and young men wanting to become expert chauffeurs will save a great deal of money and a lot of worry by studying the mechanism, care and repair of gasoline automobiles, in our shop, where all parts are open so you can see how they are made, and how they operate. We give thorough and practical instruction. Competent chauffeurs supplied. Address, Chicago School of Motoring, Dept. B., 264 Michigan Ave., Chicago, Ill.

FOR SALE OR EXCHANGE—Automobile gear. Address C. C. H., 18 North Front St., Columbus, O.

FOR SALE OR EXCHANGE—4 h. p. automobile or boat 4 cycle gasoline engine. Address A. P. C., 18 North Front St., Columbus, O.

FOR SALE—8 h. p. 2 cylinder auto engine, \$70; 5 h. p. 2 cylinder motorcycle engine; 8 h. p. transmission gear; igniting dynamo; spark coil; and one light automobile. All second hand. W. Hoffman Motor Works, 1253 N. Halsted St., Chicago.

WANTED—Motor cycle, kind, style and condition no object; also any motorcycle parts, new or second hand; will trade or pay cash. B. G. Raymond, St. Cloud, Minn.

FOR SALE—A JOB LOT.

Each.	Each.
Bongle Herz Plugs...1.00	Im. De Dion.....\$0.20
E. G. Bongle Plugs... .50	Im. De Dion Porc.
E. G. Mica Plugs... .60	Cores10
Sta-Rites Plugs75	Im. De Dion Mica
French Soot Proof	Cores50
Plugs75	Dow Mica Plugs..... .65
Never Miss Plugs... .75	Jewel Plugs90
	Battery Terminals.. .02½
A. M. Symonds, 901 N. Fairfield Ave., Chicago, Ill.	

BUSINESS CHANCES.

FOR SALE—Eleven hundred and fifty acres pine timber. Double circular saw mill, twenty thousand capacity; cable feed, live rolls, gang edger, log turner and log haul, steel head blocks, shingle mill and planer. Good buildings, all new and modern. Big Bargain. For particulars apply to J. J. Patterson, Eagleville, Modoc Co., California.

ATTENTION—Mechanics, Salesmen, etc. We have an unusual and original plan and not at all one-sided, which we ask to present to you if you desire to begin a most profitable manufacturing business at your home or business place without other expense than materials from \$25 to \$50. Write Dept. M., The Cardinal Mfg. Co., Cleveland, O.

FOR SALE—Well equipped machine shop in state capital; a money maker; \$2,500. Other business reason for selling. Schaefer Bros., Holmes St., Frankfort, Ky.

FOR SALE—Working interest in sawmill near Seattle, Washington. Openings for good mechanics who wish to locate permanently on the Pacific coast. Address S34, care Popular Mechanics.

FOR SALE—A grocery and crockery business catering to the best class of trade in a city of 3,500; sales, \$27,000 yearly. Address 112, care Popular Mechanics.

FOR SALE CHEAP—Set of machinery and blacksmith tools, including 1 Kerkhart turning lathe, shafting and belting in good shape. 5 horse power engine, also boiler, emery stands, drill press, hammers, etc. Blacksmith tools complete with \$100 worth of stock. Will sell for cash only. In town of 5,000 and the only machine shop. Good opening for the right man. Will also sell building. Write F. E. K., care Popular Mechanics.

Please mention Popular Mechanics when writing advertisers.

BLACKSMITHS.

GOOD BLACKSMITHS ARE SCARCE AND BUT FEW LEARNING THE TRADE.

And the smith comes first of all professions or trades. The smith must make the tools first for all from the surgeon to the safe blower, by using Toy's Treatise on new steels explaining how to work them with 75 new methods for working all difficult jobs. Ten receipts for making your own compounds for welding different kinds of steel solid. Thermite welding fully explained; also two colored tool tempering charts; chart A explains all annealing and hardening; Chart B explains both scientific and plain tempering to a standard. All the above for \$1.00. Valuable samples free. W. M. Toy, Sidney, Ohio.

EDUCATIONAL.

FOR SALE—I. C. S. electrical engineering course, 5 bound volumes. A bargain. Address R. R. B., 142 S. 4th St., Steubenville, Ohio.

WILL EXCHANGE—1-6 h. p. 110-volt motor and electrical engineer correspondence course, including 7 vol. brand new; for cash or motorcycle. No. 111, care Popular Mechanics.

FOR SALE—Complete course in mechanical drawing in Scranton School. Address Box 164, Edison, Ohio.

A NEW BOOK—Unpatented mechanical movements and devices, used in the make-up of gasoline engines and automobiles. With 28 sheets of blue prints showing details. S. M. Howell, Zanesville, Ohio.

WANTED—Second-hand correspondence course in mechanical engineering. Joseph N. Parker, Bedford City, Virginia.

IF THERE'S a book you need, and can't locate it, Popular Mechanics can.

A PRACTICAL BOOK, "Dies and Diemaking." Postpaid \$1. J. L. Lucas, Bridgeport, Conn.

ANYONE WISHING TO SELL missing numbers of Horseless Age, 1905; Popular Mechanics, 1905; Power, 1903; Automobile, 1903; Motor World, 1904; Motor Age, 1903. Mrs. C. F. MacDermot, Hotel Wentworth, New Castle, N. H.

FOR SALE—Encyclopedia Applied Electricity, 5 volumes, new, \$12.50. Also Blickensderfer Typewriter, in good condition, \$12. Edwin Trube, Galveston, Texas.

FOR SALE

FOR SALE—Castings on emery grinder head and countershaft that you can build on a 9-in. lathe. Small steam engine and sewing machine motor castings. We make patterns from drawings. Blue prints of grinder and countershaft, 25 cents. Salineville Model & Machine Works, Salineville, O.

FOR SALE—Cheap—4x6 vertical engine; 2 steam pumps; 3 h. p. gasoline auto engine, good condition. Perry Bros., 467 W. Monroe St., Chicago.

FOR SALE—A Foyer Cylinder Letter Press in brand new condition. Will copy twenty letters per minute. Must dispose of it, owing to a change in office systems. Cost \$25 new, will sell it for \$12.50. Write quick or you may be late. Address 301, care Popular Mechanics.

FOR SALE PIANO—A new and elegant piano by one of the best builders in the country; never used; for sale at a great bargain. This is a very unusual offer. Best of reasons for selling. Address 225, care Popular Mechanics.

FOR SALE OR EXCHANGE—Screw cutting lathe 15 inch, 9-foot bed. Exchange for gasoline engine. 50 light dynamo, exchange for 10 light dynamo and difference. Fine vertical engine, 2 h. p., \$16; \$20 graphophone, \$4. O. V. Simpson, Hersman, Ill.

FOR SALE—Complete showcard writing outfit with half morocco volume. 384, Popular Mechanics.

FOR SALE OR TRADE—10 h. p. steam engine in good condition; one boiler feed pump. Will trade for a 4 to 8 h. p. gas or gasoline engine. Address M. A. Hyatt, Eaton, Ind.

FOR SALE—Gray & Co.'s Royal Silver Metal Plating Outfit, cost \$16.50; never used; will sell for \$10 Edwin Trube, Galveston, Texas.

FOR SALE—We have a lot of 1½ h. p. gasoline engines, set up on skids, complete with tanks, spark plug, coil, batteries, etc., which we are selling at \$60 apiece; in order to make room for larger engine. Send for cat. Lennox Machinery Co., 10 S. Clinton St., Chicago.

FOR SALE—6x9 inch Victor hand-lever printing press, new rollers, excellent condition, \$8. Address Robert J. Greer, North East, Pa.

FOR SALE—High-efficiency ½ h. p. dynamo-motor, cheap, with guarantee. 115 Popular Mechanics.

FOR SALE—A piano case organ, made of best quality black walnut; keys of ivory; bellows worn out. Wish to sell for the wood and ivory in it. O. Bashford, Poplar Grove, Ill.

FOR SALE OR EXCHANGE—No. 2 Duplex typewriter in good serviceable condition. Cost \$100 new. Will trade for motor-cycle and pay difference. Chas. E. Thrasher, Nevada, Iowa.

FOR SALE—New automatic telegraph transmitter with 27 records. Address V. W. Bates, Shabbona Grove, Ill.

FOR SALE—One new 16-ft. Gasoline Launch, complete with engine, ready to run, \$150. Send stamp for photo. Address 373, care Popular Mechanics.

FOR SALE—Wood-working machines, foot power, manufactured by Seneca Falls Mfg. Co., combination saw with boring, scroll-saw and moulding attachments; lathe, five-foot centers, mortiser with tenoning tool. Will sell cheap. Write Chas. H. Irish, Zion City, Ill.

HELP WANTED.

WANTED—Draughtsman wanted in British works of old-established engineering firm, to design main line and other locomotives, and best classes mining machinery, engines, pumps, etc. Must have sound theoretical training as well as practical experience with above mentioned work. Must be capable for ready and accurate calculations. Must have capacity to take charge. State experience fully—also age and salary expected. Address B. D., care "Railway Gazette," Queen Anne's Chambers, Westminster, London, S. W., England.

WANTED SALESMEN—The Tropical Oil Company, Cleveland, O., will arrange on salaried basis with lubricating oil salesmen for territory not covered; can also use on attractive commission proposition few good salesmen without previous experience in this line, which is easily learned. Communicate with us.

WANTED.

WANTED SITUATION—As superintendent or chief engineer, in some electric lighting or power plant, either direct or alternating current, or both. Preferably with some company that is willing to pay a salary in proportion to the increased efficiency given to the entire service, outside as well as inside the station. References exchanged. Open for engagement after 1st Nov. Address 117, care Popular Mechanics.

WANTED—Metal specialties to manufacture. Also special tools and machinery manufactured. Best facilities for prompt and careful work. A. Zwiebel, Jr., Burlington, Wis.

WANTED CAPITAL—To manufacture parlor carpet game. G. W. Linn, Roberts Annex, Indianapolis, Ind.

MECHANICS, SALESMEN, CLERKS, ETC.—We will start and instruct you free in manufacturing various grades of Elastic Carbon Graphite paints at your home. No further expense than \$25.00 to \$50.00 in materials which we make. If a beginner follows our plan and does not succeed in manufacturing, it will cost him nothing. This unusual offer is made to establish new manufacturers at once. Write Dept. M., The Cardinal Mfg. Co., Cleveland, O.

Please mention Popular Mechanics when writing advertisers.

WANTED—To exchange, two wheels for a 9-inch foot-power lathe, valued at \$10. Chas. P. Hine, 92 Hart St., New Britain, Conn.

AGENTS WANTED for Farmers Stand-by, Eight tools in one. Fastest seller ever put on the market. Write for descriptive circular and agents' terms to B. W. Tucker, Chickasha, Indian Territory.

WANTED—Pulverizing machine, porcelain lined, good, second hand. Give full particulars, maker's name, what it has been used for and how long. Address 118, Popular Mechanics.

MISCELLANEOUS.

MACHINISTS, CARPENTERS, MECHANICS—Are you looking for a handy, up-to-date tool? We have a brand new saw-clamp that will hold your saw steady. Guaranteed to please. Price, \$1.25. Address 125, care Popular Mechanics.

SEND 25c (silver) for a dozen Patent Pens and receive 50 business or calling cards. Write plainly. Address Walter W. Corlew, 67 Monument Ave., Charlestown, Mass.

STEEL and BRASS STAMPS 6c (a letter); Wood Stamps, Seals, Plates, 50c; Embossing Dies, Presses, \$4. Postal brings price circular. J. Kiola, engraver, 155 W. Madison St., Chicago, Ill.

MECHANICS SEND TEN CENTS for thread cutting chart. Something every mechanic should have; big inducement to agents. E. J. Milo, 14 Bridge St., Newark, N. J.

DISSOLVING STEREOPTICONS \$105 outfit, \$39; calcium light outfit, \$15.50; slides, etc. Bargains. F. L. Smith, Amsterdam, New York.

NO. 30 HEAVY WINDOW SPRING, heavy noseing and strong springs with rubbing contact; can be arranged for open or closed circuit; size of plate ¾x 3¾ in., at 15c each; door springs; get our prices on other burglar alarm springs. Smith's Electric Supply House, 207 E. Van Buren St., Chicago, Ill.

WILL MANUFACTURE and place on the market any machine or device. Machinery, etc., to be designed or developed will receive my prompt and careful consideration. Let us figure on your work. Edward Lindmueller, Williamson Bldg., Cleveland, O.

WHEN YOU WANT anything and don't know where to get it, write Popular Mechanics.

WANTED—If you have anything in light metal manufacturing, job or experimental work, write me. Lowest prices. Schwabe & Son, 55 W. Washington St., Chicago.

A PRACTICAL BOOK, "Dies and Diemaking," Postpaid \$1. J. L. Lucas, Bridgeport, Conn.

WANTED—Small metal specialties to manufacture. Expert die making. Press and screw machine work. Plating of all kinds. Prices right for quantities. John Oldfield, 937 W. 41st Court, Chicago.

MECHANICS, SHOPMEN, ETC., can have a regular, or side line manufacturing business at their home, or shop without other expense than materials which we furnish to manufacture Elastic Carbon Graphite paints. We instruct beginners free with first order for materials. Sales to merchants and consumers afford unusual profits. We want manufacturers where we have none, hence this unusual offer. Write Dept. M., The Cardinal Mfg. Co., Cleveland, O.

WILL CEMENT BOTTOM PROTECT WARSHIPS FROM TORPEDOES?


The English government has been experimenting with concrete to determine its efficiency as protection to ships from torpedo attack. An old gunboat was selected, and after removing all the machinery several tons of concrete were placed in the hold, arranged in layers. Three hundred pounds of guncotton were exploded beneath the hull. The results have not been given to the public.

1188

WONDERFUL

EDISON OFFER

If you love music, if you enjoy entertainment, if you want to make your home more cheerful, **BE SURE** to read every word of this great offer



Read What Mr. Edison says:

"I want to see a phonograph in Every American home."

The phonograph is Mr. Edison's greatest invention, and it has become his hobby. He has practically dropped all financial interest in his many other inventions, putting all his efforts to make the phonograph the model of perfection, until to-day Thomas G. Edison has made it possible for every American family to bring into their own home, without paying us one cent, the great invention on which he has spent many sleepless nights and thousands of dollars to perfect. It is his pride and pleasure—he wants you to hear it—he wants you to have a phonograph.

NOW IS YOUR OPPORTUNITY!

GREAT FREE TRIAL OFFER

While this offer lasts—every responsible person can get on **free trial** A GENUINE EDISON phonograph direct from us to your home without deposit, without guarantee from third parties, without formality of any kind.

Try it in your home, play the stirring waltzes, marches, two-steps, concert pieces, minstrel dialogues, beautiful vocal solos and other beautiful Edison gold moulded records: play all these, and if then you don't care to keep the outfit send it back at our expense. We charge you nothing for the trial.

But Mr. Edison knows you will be glad to keep his phonograph, for you may keep it now by sending only a small sum after free trial, balance in monthly payments.

\$2.00 A MONTH now pays for a genuine Edison Gem phonograph (larger installments for larger instruments). A nickel to a dime saved a day will buy a genuine Edison without interest on payments and at exactly the lowest net cash prices.

More pleasure, more comfort, more education may be obtained from a phonograph than from any other source. Would your son, your daughter, your wife—would you like to hear the greatest bands and orchestras of the world, would you enjoy hearing the greatest songs of the day, both classic and comic; on a quiet Sunday would you like to hear the sermons of the greatest ministers, and songs by quartets, double quartets and choirs; would you like to make records of your own, preserve the prattle of your own baby or make other records, whether song, instrumental music or recitation? All this you can hear and do if you have a phonograph.

DANCE to music played by the Edison Phonograph if you like—it plays waltzes, two-steps, lancers, quadrilles and fancy dances. Loud enough for large halls.

You cannot imagine the many other pleasures you will derive from a Phonograph until after you have it in your home.

REMEMBER Free Trial; No Money in Advance! Write at once for free catalog of Edison Phonographs and free catalog of 1500 Gold Moulded Edison Records.

MR. GUSTAVUS BABSON, Manager
149 Michigan Ave., Dept. 126B. Chicago, Ill.

FREE Your address on a postal card, will bring you each month FREE supplement of latest Edison Gold Moulded Records.

We accept old machines in exchange for new phonographs.



Mechanics, Stationary Engineers, Automobilists, Bicycle Repair Men, Farmers, and Factory & Shop Employees



Here is just what you need—a

Good, Durable Pocket Knife

Which embodies the following

**EIGHT ADDITIONAL
--TOOLS--**

Alligator Wrench, Wire Pliers, Wire Cutter (will cut barbed fence wire), Hoof Hook (can also be used for a packing hook about the engine), Screw Driver, Screw Bit, Swedging Awl and Leather Punch. The blades are tempered to withstand hard usage and are made of the best 85 carbon cutlery steel.

These tools are needed almost every day, and you cannot afford to be without them.

A VERITABLE POCKET TOOL CHEST of Inestimable Convenience

Price \$1.25 Postpaid

REMIT FOR SAMPLE TO-DAY. Don't delay. Money back if not entirely satisfactory.

Agents Wanted

Energetic hustling boys of mechanical turn of mind can make money selling these knives. They sell on the spot when intelligently demonstrated.

Devine Specialty Co.

75 BALDWIN Mail Address, Box 74. INDIANAPOLIS, IND.
MENTION POPULAR MECHANICS.

The WARNER "LITTLE WONDER" WATERMOTOR



A Complete Grinding and Polishing Outfit

Indispensable for home and general use. Saves hours of time and makes silverware and cutlery shine like new. Sharpens edged tools of every description, shears, knives, hatchets, etc. Will run a small dynamo, sewing machine or other light machinery. In every home this motor will fill a long felt want. Dentists, doctors, butchers, cooks, jewelers, carpenters, plumbers and mechanics generally will find this machine of immense value.

Price complete, including emery wheel, pulley wheel (for power transmission), 2 buffing and polishing wheels, and sticks of silver and steel polishing composition..... \$4.00

Motor attaches directly to standard threaded faucet or by means of our "universal connection" to any smooth faucet. Absolutely practical. Universally successful. This is a toy and we will cheerfully refund your money if unsatisfactory, so you take no chances. Booklet giving full description sent free. Correspondence with dealers solicited. Send check, money order or C. O. D. order to

**WARNER MOTOR CO., Flatiron Bldg.
Dept. 14 New York City**

COMBINATION PLIER

SIX USEFUL TOOLS IN ONE

Wire Cutter Side Cutter
Pipe Grip Reamer
Screw Driver
Flat Nose Plier

Drop forged from an extra fine grade of steel.

The handles are so designed that they fit perfectly the palm and will not tire the hand.

This also makes it an easy cutting tool.

80c



A household tool that is constantly needed in all trades and professions

Ask your dealer for **UTICA** tools

If he has not got them write us.

No. 700—

7-inch sent to any address in the United States on receipt of 80 cents. Write for the green book—FREE.

**Every Tool
GUARANTEED**

Only the Genuine Bear This Mark



Utica Drop Forge & Tool Co.
73 Genesee Street, UTICA, N. Y.

BUILD YOUR OWN BOAT

By the Brooks System

IF you can drive a nail and cut out a piece of material from a full-sized pattern—you can build a canoe—row-boat—sail-boat—or launch—in your leisure time—at home—and the building will be a source of profit and pleasure.

All you need is the patterns, costing from \$2.50 up, and materials, from \$5.00 up. The tools are common in every household. Patterns of over 40 styles and sizes—all lengths from 12 to 55 feet.

The Brooks System consists of exact-size printed paper patterns of every part of the boat—with detailed instructions and working illustrations showing each step of the work—an itemized bill of material required and how to secure it.

Over six thousand amateurs successfully built boats by the Brooks System last year. Fifty per cent. of them have built their second boat. Many have established themselves in the boat manufacturing business.

Catalogue and particulars free. For 25 cents 100-page catalogue containing valuable information for the amateur yachtsman, showing several working illustrations of each boat, and a full set for one boat. Full line of knock-down and completed boats. When so ordered, patterns are expressed, charges prepaid C. O. D. to allow examination.

Brooks Boat Mfg. Co.


Originators of the
Pattern System of
Boat Building

3711 Ship St.

Bay City,

Mich.,

U.S.A.



DON'T SPECULATE • • TAKE A CERTAINTY

Would you be open for an investment which will yield, with reasonable assurance, from 50 to 100 per cent each year?

An investment that will enable your surplus earnings to work with you and shorten the road to wealth. Not a get-rich-quick scheme, but a get-rich-sure investment, that is sure as the seasons, and increases as they roll by.

Study it out for yourself: A rubber plantation in the finest rubber zone in the tropics: 200 to 250 trees per acre; two pounds of rubber and upwards to the tree, worth now \$1.40 per pound, gold. No speculation in that. Rubber is worth the money, and we have the rubber.

Our rubber plantation consists of 6,000 acres; enough developed to insure its success, making a certainty of an enterprise that is within the reach of any prudent working man that can save from \$2.50 to \$12.50 per month from his earnings.

The contract protects you in misfortune, sickness or death.

Send today for our prospectus and further detailed information.


MONTEZUMA AGENCY

1107 Ashland Block, - - - Chicago

I. H. C. GAS OR GASOLINE ENGINES

MERITORIOUS FEATURES.

A number of meritorious features characterize I. H. C. Gasoline Engines, and we've put them in a booklet, which we would be glad to send you if you ask for it.



I. H. C. Gasoline Engines are not only safe, but also inexpensive to operate. A bright 10 year old boy can handle an I. H. C. engine, because the parts are so few, simple and easily controlled that it practically runs itself.

Moreover, I. H. C. engines do not require an engineer, there is no danger of an explosion, and the operating expenses are reduced to a minimum.

With a given quantity of gasoline, I. H. C. engines will generate the maximum efficiency of driving power.

I. H. C. engines are substantially constructed, have few working parts, are not liable to get out of order and will remain serviceable for many years.

The diversity of purposes for which these engines can be used makes them available as power producers wherever an engine of the same rated capacity is required.

Made in the following styles and sizes:--Horizontal, Stationary or Portable--6, 8, 10, 12 and 15 H. P. Vertical--2, 3 and 5 H. P.

Write for Illustrated Catalog.

INTERNATIONAL HARVESTER COMPANY OF AMERICA

(Incorporated). No. 7P Monroe St., CHICAGO, ILL., U. S. A.